

MISSOURI VITAL STATISTICS

Physician or Hospital Record
Send Completed Certificate to Proper Local Registrar Immediately.
Use only BLACK ink or ribbon on certificate, colors frequently fade.

1. FULL NAME OF CHILD (Give exact spelling)

2. a) DATE OF BIRTH
b) HOUR OF BIRTH

3. SEX

4. THIS DELIVERY:
a) Single, Twin, Triplet, etc. (Specify)

5. a) If not single birth born: 1st 2nd 3rd (Specify)
b) PLACE OF BIRTH:
City, Town, or Location of Birth
County
State (Specify Yes or No)
c) NAME OF HOSPITAL (If not in hospital, give street and number)

6. a) Full Name
b) Age (At time of this birth)
c) State of Birth (If not in U.S.A., name country)

7. RESIDENCE:
a) State
b) County
c) City, Town, or Location
d) Inside City Limits (Specify Yes or No)

8. FATHER OF CHILD
a) Full Name
b) Age (At time of this birth)
c) State of Birth (If not in U.S.A., name country)

9. INFORMANT:
a) Relationship to Child
b) FATHER
c) Education (Specify highest grade)

10. MOTHER
a) Full Name
b) Age (At time of this birth)
c) State of Birth (If not in U.S.A., name country)

11. Date this certificate sent to local registrar

Be sure to complete items 12-29 on certificate.

PHYSICIAN, HOSPITAL, OR FUNERAL HOME RECORD

(Person or hospital responsible for disposition of someone must file this report within 5 days after delivery or before disposition and receive a local registrar's permit for disposition.)

1. FULL NAME OF DELIVERY

2. a) DATE OF DELIVERY
b) HOUR OF DELIVERY

3. SEX

4. THIS DELIVERY:
a) Single, Twin, Triplet, etc. (Specify)

5. a) If not single delivery born: 1st 2nd 3rd (Specify)
b) PLACE OF DELIVERY:
City, Town, or Location
County
State (Specify Yes or No)
c) Inside City Limits (Specify Yes or No, give street and number)

6. NAME OF HOSPITAL (If not in hospital, give street and number)

HOSPITAL OR FUNERAL HOME RECORD
FULL NAME OF DECEASED

1. SEX

2. DATE OF DEATH
month day year

3. Age
years months days hours

4. Date of Birth
month day year

5. PLACE OF DEATH:
a) County
b) City, Town, or Location
c) Inside City Limits (Specify Yes or No)

6. a) HOSPITAL OR INSTITUTION
b) State of Birth (If not in U.S.A., name country)

7. Cause of Death (If not in U.S.A., name country)

8. a) Social Security Number
b) Usual Occupation
c) Business or Industry
d) USUAL RESIDENCE OF DECEASED:
a) County
b) City, Town, or Location
c) Inside City Limits (Specify Yes or No)

9. a) Street and Number
b) Father's Name
c) Mother's Name
d) Informant's Name
e) Mailing Address

10. CAUSE OF DEATH (Part 1)

11. CAUSE OF DEATH (Part 2)

12. a) Accidents
b) Poisoning
c) Sudden Death
d) Date of Injury
e) Place of Injury
f) Location
g) Physician or Coroner
h) Funeral Home (Name & Address)

13. CERTIFIER
a) Physician or Coroner
b) Funeral Home (Name & Address)

Physician or Hospital Record

Send Completed Certificate to Proper Local Registrar Immediately.
Use only BLACK ink or ribbon on certificate, colors frequently fade.

1. FULL NAME OF CHILD (Give exact spelling)

2. a) DATE OF BIRTH
b) HOUR OF BIRTH

3. SEX

4. THIS DELIVERY:
a) Single, Twin, Triplet, etc. (Specify)

5. a) If not single birth born: 1st 2nd 3rd (Specify)
b) PLACE OF BIRTH:
City, Town, or Location of Birth
County
State (Specify Yes or No)
c) Inside City Limits (Specify Yes or No, give street and number)

6. NAME OF HOSPITAL (If not in hospital, give street and number)

7. a) Full Name
b) Age (At time of this birth)
c) State of Birth (If not in U.S.A., name country)

8. RESIDENCE:
a) State
b) County
c) City, Town, or Location
d) Inside City Limits (Specify Yes or No)

9. FATHER OF CHILD
a) Full Name
b) Age (At time of this birth)
c) State of Birth (If not in U.S.A., name country)

10. INFORMANT:
a) Relationship to Child
b) FATHER
c) Education (Specify highest grade completed)

11. MOTHER
a) Full Name
b) Age (At time of this birth)
c) State of Birth (If not in U.S.A., name country)

12. Date this certificate sent to local registrar

Be sure to complete items 13-31 on certificate.

DEPARTMENT OF PUBLIC HEALTH AND WELFARE - MISSOURI DIVISION OF HEALTH
124
STATE FILE NUMBER

CERTIFICATE OF FETAL DEATH

Registration District No. _____ Primary Registration District No. _____ Registrar's No. _____

1. FETUS
a) SEX
b) DATE OF DEATH
c) HOUR OF DEATH
d) PLACE OF DEATH
e) COUNTY
f) CITY, TOWN, OR LOCATION
g) INSIDE CITY LIMITS (Specify Yes or No)

2. MOTHER
a) FULL NAME
b) AGE (At time of this birth)
c) STATE OF BIRTH (If not in U.S.A., name country)

3. FATHER
a) FULL NAME
b) AGE (At time of this birth)
c) STATE OF BIRTH (If not in U.S.A., name country)

4. INFORMANT
a) RELATIONSHIP TO CHILD
b) FATHER
c) EDUCATION (Specify highest grade completed)

5. MOTHER
a) FULL NAME
b) AGE (At time of this birth)
c) STATE OF BIRTH (If not in U.S.A., name country)

6. DATE THIS CERTIFICATE SENT TO LOCAL REGISTRAR

DEPARTMENT OF PUBLIC HEALTH AND WELFARE - MISSOURI DIVISION OF HEALTH
124
STATE FILE NUMBER

CERTIFICATE OF LIVE BIRTH

Registration District No. _____ Primary Registration District No. _____ Registrar's No. _____

1. CHILD
a) SEX
b) DATE OF BIRTH
c) HOUR OF BIRTH
d) PLACE OF BIRTH
e) COUNTY
f) CITY, TOWN, OR LOCATION
g) INSIDE CITY LIMITS (Specify Yes or No)

2. MOTHER
a) FULL NAME
b) AGE (At time of this birth)
c) STATE OF BIRTH (If not in U.S.A., name country)

3. FATHER
a) FULL NAME
b) AGE (At time of this birth)
c) STATE OF BIRTH (If not in U.S.A., name country)

4. INFORMANT
a) RELATIONSHIP TO CHILD
b) FATHER
c) EDUCATION (Specify highest grade completed)

5. MOTHER
a) FULL NAME
b) AGE (At time of this birth)
c) STATE OF BIRTH (If not in U.S.A., name country)

6. DATE THIS CERTIFICATE SENT TO LOCAL REGISTRAR

DEPARTMENT OF PUBLIC HEALTH AND WELFARE - MISSOURI DIVISION OF HEALTH
124
STATE FILE NUMBER

CERTIFICATE OF DEATH

Registration District No. _____ Primary Registration District No. _____ Registrar's No. _____

1. DECEASED
a) SEX
b) DATE OF DEATH
c) HOUR OF DEATH
d) PLACE OF DEATH
e) COUNTY
f) CITY, TOWN, OR LOCATION
g) INSIDE CITY LIMITS (Specify Yes or No)

2. MOTHER
a) FULL NAME
b) AGE (At time of this birth)
c) STATE OF BIRTH (If not in U.S.A., name country)

3. FATHER
a) FULL NAME
b) AGE (At time of this birth)
c) STATE OF BIRTH (If not in U.S.A., name country)

4. INFORMANT
a) RELATIONSHIP TO CHILD
b) FATHER
c) EDUCATION (Specify highest grade completed)

5. MOTHER
a) FULL NAME
b) AGE (At time of this birth)
c) STATE OF BIRTH (If not in U.S.A., name country)

6. DATE THIS CERTIFICATE SENT TO LOCAL REGISTRAR

DEPARTMENT OF PUBLIC HEALTH AND WELFARE - MISSOURI DIVISION OF HEALTH
124
STATE FILE NUMBER

CERTIFICATE OF LIVE BIRTH

Registration District No. _____ Primary Registration District No. _____ Registrar's No. _____

1. CHILD
a) SEX
b) DATE OF BIRTH
c) HOUR OF BIRTH
d) PLACE OF BIRTH
e) COUNTY
f) CITY, TOWN, OR LOCATION
g) INSIDE CITY LIMITS (Specify Yes or No)

2. MOTHER
a) FULL NAME
b) AGE (At time of this birth)
c) STATE OF BIRTH (If not in U.S.A., name country)

3. FATHER
a) FULL NAME
b) AGE (At time of this birth)
c) STATE OF BIRTH (If not in U.S.A., name country)

4. INFORMANT
a) RELATIONSHIP TO CHILD
b) FATHER
c) EDUCATION (Specify highest grade completed)

5. MOTHER
a) FULL NAME
b) AGE (At time of this birth)
c) STATE OF BIRTH (If not in U.S.A., name country)

6. DATE THIS CERTIFICATE SENT TO LOCAL REGISTRAR

DEPARTMENT OF PUBLIC HEALTH AND WELFARE - MISSOURI DIVISION OF HEALTH
124
STATE FILE NUMBER

CERTIFICATE OF LIVE BIRTH

Registration District No. _____ Primary Registration District No. _____ Registrar's No. _____

1. CHILD
a) SEX
b) DATE OF BIRTH
c) HOUR OF BIRTH
d) PLACE OF BIRTH
e) COUNTY
f) CITY, TOWN, OR LOCATION
g) INSIDE CITY LIMITS (Specify Yes or No)

2. MOTHER
a) FULL NAME
b) AGE (At time of this birth)
c) STATE OF BIRTH (If not in U.S.A., name country)

3. FATHER
a) FULL NAME
b) AGE (At time of this birth)
c) STATE OF BIRTH (If not in U.S.A., name country)

4. INFORMANT
a) RELATIONSHIP TO CHILD
b) FATHER
c) EDUCATION (Specify highest grade completed)

5. MOTHER
a) FULL NAME
b) AGE (At time of this birth)
c) STATE OF BIRTH (If not in U.S.A., name country)

6. DATE THIS CERTIFICATE SENT TO LOCAL REGISTRAR

Division of Health

PUBLIC HEALTH STATISTICS

**MISSOURI
PUBLIC HEALTH STATISTICS
VITAL STATISTICS**

1970

**Prepared by
Bureau of Statistical Services
June, 1971**

DEPARTMENT OF PUBLIC HEALTH AND WELFARE OF MISSOURI

**DIVISION OF HEALTH
BROADWAY STATE OFFICE BUILDING
JEFFERSON CITY, MISSOURI 65101**

PREFACE

This is the final tabulation of statistical data relating to vital events in Missouri during 1970. Data for the year of the report is accepted through March 15 of the following year before it is cut off, allowing information reflecting events in that year to be as complete as possible.

The annual report of Missouri Vital Statistics was compiled for use in public health and related fields as an aid for studying births, deaths, marriages, and divorces. This publication is part of the Public Health Statistics series which also includes the publication Monthly Vital Statistics.

BUREAU OF STATISTICAL SERVICES

1971

BACKGROUND

RELIABILITY OF THE DATA

In analyzing any data, the fact of potential error in the data must not be overlooked. There are several types of errors possible including: underregistration, errors made by the informant, and errors in compiling and processing.

Probably, the most potentially dangerous error is that of improper interpretation. Statistics are neither more true nor false than the interpretation given to them. Particular caution must be made in analyzing trend data, for there have been changes over the years in medical diagnosis, coding definitions, and registration coverage. Most of the rates computed in this report are crude rates. In comparing geographic areas, crude rates are limited because they do not take into account the differences in age, sex, race, and other population characteristics. Care should also be taken in using rates where the number of events or the population is small. Minor variations in the number of events may result in major changes in the rates.

VITAL RECORDS

Vital Statistics in Missouri are compiled from five basic records which are filed with the Division of Health by State Law. These records are: (1) live birth records, (2) death records, and (3) fetal death records, each beginning with 1910; (4) marriage, and (5) divorce records, beginning with 1948.

Missouri cooperates with other states in the exchange of records for live births, fetal deaths, and deaths to include in resident data events occurring to Missouri residents in other states.

The data within this report represents the 1970 calendar year of events. Records have been accepted through March 15 of 1971 before cut-off, allowing 1970 events to be as complete as possible.

POPULATION

Population data in this report is based on the 1970 *Census of Population*, advance report, PC(VI)-27. The actual population figures are included for convenience only, not to be used as a reference for population data but as a base for computing vital event rates.

RATES

Rates are calculated by dividing the event of concern by the population at risk or a related population and multiplying by a constant. Death rates from all causes and live birth rates are expressed in terms of 1,000 estimated population; deaths from a specific cause are based on 100,000 estimated population (excluding maternal and infant causes); maternal deaths calculated per 10,000 live births; infant, neonatal and fetal deaths stated per 1,000 live births.

COLOR

The term "color" refers to the division of population into two groups, white and nonwhite.

The definitions of "white" and "nonwhite" have been changed, effective 1970 data, and are as follows:

The color group designated as "nonwhite" consists of such races as the Negro, American Indian, Japanese, Chinese, Filipino, Korean, Asian Indian, and Malayan races. Persons of Mexican birth or ancestry who are not definitely of Indian or other nonwhite race are classified as white.

Persons of mixed racial parentage are classified according to the race of the nonwhite parent.

TERMS "RESIDENT" AND "RECORDED"

It is important to understand the significance of the terms "Resident" and "Recorded" when analyzing vital statistics.

"Resident" data are compiled for vital events that relate to persons residing in an area independent of where the events occurred. (A person is considered to be a resident of an area if he has resided there six months or more. In the case of live births, fetal deaths, and infant deaths, the residence of the mother is considered to be the residence of the child.)

"Recorded" data are based on the number of vital events that occur in an area. These data are used to analyze events that might be affected by the place in which they occur.

Resident and recorded figures can neither be added nor subtracted from the other. Thus the number of events occurring or not occurring in the same geographic area where the people reside cannot be calculated from resident and recorded data.

CAUSE OF DEATH CLASSIFICATION

The causes of death presented here are classified in accordance with the Eighth Revision of the International Classification of Diseases, Adapted, 1967; Public Health Service Publication No. 1693, from the U. S. Government Printing Office.

The specific causes of death in this report are shown in groupings of 41 causes. Where the leading causes were selected, it was done so from a further consolidation of these 41 causes.

RATES AND WHOLE NUMBERS

The rounding of numbers in this report was accomplished by dropping any digit in the hundredths position of the calculated rate or percent. Therefore, when the rate or percent is less than one-tenth, the entry has been left blank.

In the case of whole numbers, if a blank or dash (—) is shown, this means none or zero (0).

TABLE OF CONTENTS
BIRTHS, FETAL DEATHS, DEATHS, INFANT DEATHS, MATERNAL DEATHS, ACCIDENTS

Table/Graph		Page
A	Trends in Live Birth and Death Rates, 1911-1970	2
1	Population, Recorded Births and Deaths with Rates per 1,000 Population and Excess of Births Over Deaths, Missouri: 1911-1944	3
2	Population, Recorded and Resident Births and Deaths with Rates per 1,000 Population and Excess of Resident Births over Deaths, Missouri: 1945-1970	4
3	Selected Resident Live Birth Statistics with Percentages, By Sex, Color, Attendant, Legitimacy, Deformity, Weight, Place of Delivery, and Month of Occurrence, Urban and Rural, Missouri: 1970	5
4	Resident and Recorded Births and Fetal Deaths by Counties With Rates, Missouri: 1970	8
5	Resident and Recorded Births and Fetal Deaths by Cities Over 2,500 Population, Missouri: 1970	12
6	Resident Live Births, Urban and Rural, By Age of Mother, Sex and Color of Child, Missouri: 1970	17
B	Trends in Fetal Death Rates by Color, 1932-1970	18
7	Resident and Recorded Fetal Deaths by Color and Weight, Missouri: 1970	19
8	Legitimacy of Resident Live Births With Percentages by Color by Counties and Cities of 10,000 Population and Over, Missouri: 1970	20
9	Ten Leading Causes of Death and Rates, Resident Data, Missouri: 1970	26
10	Five Causes of Death for Selected Age Groups, Number of Resident Deaths, Missouri: 1970	27
C	Trends in Maternal Death Rates by Color, 1932-1970	29
11	Resident Maternal Deaths by Cause and Color with Rates, Missouri: 1970	30
12	Resident Deaths, Age Groups by Sex and Color and by Selected Causes of Death, Missouri: 1970	31
13	Resident and Recorded Deaths, Infant Deaths, and Maternal Deaths by Counties with Rates, Missouri: 1970	35
14	Resident and Recorded Deaths, Infant Deaths, and Maternal Deaths by Cities 2,500 Population, Missouri: 1970	39
D	Trends in Infant Death Rates by Color, 1932-1970	44
15	Resident Infant Deaths by Age, Cause, and Color with Rates by Cause and Color, Missouri: 1970	45
16	Resident Live Births and Fetal Deaths by Color and Attendant; Infant Deaths, Maternal Deaths and Selected Causes of Death by Color; State Total and Population Groups, County Areas Including Cities and Cities of 10,000 Population and Over, Missouri: 1970	46
17	Recorded Deaths by Type of Accident, Age and Sex, Missouri: 1970	130

MARRIAGES

E	Trends in Marriage Rates, 1949-1970	132
18	Reported Marriages by Age of Groom, by Age of Bride, Missouri: 1970	133
19	Reported Marriages by Marital Status and Selected Age Groups, Grooms and Brides, Missouri: 1970 ...	135
20	Reported Marriages by Marital Status, Missouri: 1970	136
21	Reported Marriages by Color of Groom, by Color of Bride, Missouri: 1970	136

DIVORCES

F	Trends in Divorce Rates, 1949-1970	137
22	Reported Divorces and Annulments by Number of Previous Marriages, Husband Versus Wife, Missouri: 1970	138
23	Reported Divorces and Annulments by Duration of Marriages, Missouri: 1970	139
24	Reported Divorces and Annulments by Number of Children Affected, Missouri: 1970	140
25	Reported Divorces and Annulments by Complainant by to Whom Decree Granted, Missouri: 1970	140
26	Reported Divorces and Annulments by Complainant by Disposition of Children, Missouri: 1970	140
27	Reported Divorces and Annulments by Alimony and Settlement, Missouri: 1970	141
28	Reported Divorces and Annulments by Legal Grounds for Decree, Missouri: 1970	141
29	Reported Divorces and Annulments by Color, Husband by Wife, Missouri: 1970	142
30	Reported Divorces and Annulments by Number of Cases Contested, Missouri: 1970	142

MISSOURI

Atchison Nodaway Worth Mercer Putnam Schuyler Scotland Clark
Holt Gentry Harrison Sullivan Adair Knox Lewis
Andrew DeKalb Daviess Grundy Linn Macon Shelby Marion
Buchanan Clinton Caldwell Livingston Chariton Randolph Monroe Ralls Pike
Platte Clay Ray Carroll Audrain Lincoln
Jackson Lafayette Saline Howard Boone Montgomery Warren St. Charles
Cass Johnson Pettis Cooper Callaway St. Louis
Bates Henry Benton Morgan Cole Osage Gasconade Franklin
Vernon St. Clair Hickory Camden Miller Maries Jefferson
Barton Cedar Polk Dallas Laclede Pulaski Phelps Crawford Washington
Jasper Dade Greene Webster Wright Texas Dent Iron Francois Ste. Genevieve
Newton Lawrence Christian Douglas Howell Shannon Reynolds Madison Perry
McDonald Barry Stone Taney Ozark Oregon Ripley Butler Bollinger Cape Girardeau
Dunklin Pemiscot Scott Stoddard New Madrid


City of St. Louis

Mississippi

**BIRTHS, FETAL DEATHS,
DEATHS, INFANT DEATHS,
MATERNAL DEATHS,
ACCIDENTS**

GRAPH A.

LIVE BIRTH AND DEATH RATES 1911-1970
(per 1,000 population)



Source: Missouri State Board of Health, Vital Statistics, 1911-1934 and 1937-1944; Division of Health of Missouri, Vital Statistics Reports, 1945-date; Special Reports of the United States Bureau of the Census, 1935-36. Population estimates 1911 to 1950 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956; 1951-1959 and 1961-date as computed by the Division of Health of Missouri; 1960 and 1970, taken from the United States Census of Population. Recorded data 1911 to 1944 and Resident data 1945 to date.

Year	Live Births	Deaths	Year	Live Births	Deaths	Year	Live Births	Deaths	Year	Live Births	Deaths
1911	22.3	13.1	1926	18.7	10.0	1941	17.4	11.4	1956	23.1	10.7
1912	22.6	12.6	1927	18.6	11.4	1942	19.0	11.0	1957	23.1	11.3
1913	22.1	12.4	1928	17.6	12.6	1943	20.2	12.0	1958	22.8	11.0
1914	21.3	12.0	1929	16.8	12.2	1944	19.7	11.9	1959	23.3	11.0
1915	20.5	11.7	1930	17.0	11.8	1945	18.7	12.1	1960	22.6	11.2
1916	20.8	12.7	1931	16.2	11.9	1946	21.5	11.3	1961	22.3	10.8
1917	19.3	13.1	1932	16.0	11.7	1947	23.4	11.6	1962	21.3	11.1
1918	19.2	15.6	1933	15.3	11.5	1948	22.1	11.1	1963	20.4	11.4
1919	18.2	11.7	1934	15.9	12.3	1949	21.5	11.1	1964	19.8	11.1
1920	19.2	12.5	1935	15.1	11.4	1950	21.6	11.0	1965	18.1	11.2
1921	19.5	10.6	1936	14.7	12.8	1951	22.5	11.0	1966	17.4	11.5
1922	18.7	11.2	1937	15.1	11.9	1952	22.4	11.2	1967	16.6	11.2
1923	19.3	12.1	1938	15.7	11.3	1953	22.5	11.1	1968	16.4	11.5
1924	19.7	11.5	1939	15.8	11.3	1954	22.8	10.7	1969	16.9	11.3
1925	19.4	11.7	1940	16.5	11.6	1955	22.7	10.4	1970	17.2	11.0

TABLE 1
POPULATION, RECORDED BIRTHS AND DEATHS WITH RATES PER 1,000 POPULATION
AND EXCESS OF BIRTHS OVER DEATHS, MISSOURI: 1911-1944

Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Excess Births Over Deaths	Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Excess Births Over Deaths
		Number	Rate	Number	Rate				Number	Rate	Number	Rate	
1911	3,317	74,130	22.3	43,479	13.1	30,651	1928	3,601	63,401	17.6	45,219	12.6	18,182
1912	3,344	75,452	22.6	42,139	12.6	33,313	1929	3,622	60,980	16.8	44,262	12.2	16,718
1913	3,409	75,231	22.1	42,130	12.4	33,101	1930	3,646	62,011	17.0	42,924	11.8	19,087
1914	3,467	73,925	21.3	41,743	12.0	32,182	1931	3,711	60,201	16.2	43,999	11.9	16,202
1915	3,492	71,543	20.5	40,863	11.7	30,680	1932	3,746	59,755	16.0	43,695	11.7	16,060
1916	3,527	73,486	20.8	44,705	12.7	28,781	1933	3,773	57,717	15.3	43,368	11.5	14,349
1917	3,470	67,041	19.3	45,564	13.1	21,477	1934	3,784	60,317	15.9	46,685	12.3	13,632
1918	3,325	64,001	19.2	51,925	15.6	12,076	1935	3,798	57,299	15.1	43,201	11.4	14,098
1919	3,371	61,193	18.2	39,282	11.7	21,911	1936	3,801	55,916	14.7	48,767	12.8	7,149
1920	3,404	65,416	19.2	42,572	12.5	22,844	1937	3,794	57,270	15.1	45,160	11.9	12,110
1921	3,429	66,970	19.5	36,210	10.6	30,760	1938	3,781	59,365	15.7	42,578	11.3	16,787
1922	3,427	64,388	18.7	38,417	11.2	25,971	1939	3,783	59,688	15.8	42,693	11.3	16,995
1923	3,454	66,691	19.3	41,853	12.1	24,838	1940	3,786	62,545	16.5	43,950	11.6	18,595
1924	3,508	68,961	19.7	40,463	11.5	28,498	1941	3,811	66,268	17.4	43,295	11.4	22,973
1925	3,526	68,293	19.4	41,332	11.7	26,961	1942	3,829	72,575	19.0	42,117	11.0	30,458
1926	3,556	66,611	18.7	42,684	10.0	23,927	1943	3,705	74,820	20.2	44,437	12.0	30,383
1927	3,576	66,401	18.6	40,853	11.4	25,548	1944	3,560	69,982	19.7	42,347	11.9	27,635

Sources: 1911-1934 and 1937-1944 Vital Statistics Reports of the Missouri State Board of Health. 1935-1936, Special Reports of the United States Bureau of the Census. Population estimates 1911 to 1944 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956.

TABLE 2

POPULATION, RECORDED AND RESIDENT BIRTHS AND DEATHS WITH RATES PER 1,000
POPULATION AND EXCESS OF RESIDENT BIRTHS OVER DEATHS, MISSOURI: 1945-1970

Year	Estimated Mid-Year Population (Thousands)	Recorded				Resident				Excess Births Over Deaths
		Births		Deaths		Births		Deaths		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	
1945	3,516	67,693	19.3	42,757	12.2	65,691	18.7	42,496	12.1	23,195
1946	3,746	82,901	22.1	42,640	11.4	80,698	21.5	42,377	11.3	38,321
1947	3,845	92,369	24.0	44,762	11.6	89,902	23.4	44,474	11.6	45,428
1948	3,844	87,005	22.6	42,921	11.2	85,096	22.1	42,753	11.1	42,342
1949	3,955	87,372	22.1	43,995	11.1	85,206	21.5	43,708	11.1	41,498
1950	3,961	87,948	22.2	43,962	11.1	85,704	21.6	43,714	11.0	41,990
1951	3,992	92,664	23.2	44,318	11.1	89,977	22.5	44,051	11.0	45,926
1952	4,026	92,931	23.1	45,245	11.2	90,118	22.4	45,051	11.2	45,067
1953	4,061	94,419	23.3	45,686	11.2	91,447	22.5	45,148	11.1	46,299
1954	4,095	97,278	23.8	44,404	10.8	93,453	22.8	43,835	10.7	49,618
1955	4,124	97,591	23.7	43,531	10.6	93,797	22.7	43,000	10.4	50,797
1956	4,163	100,163	24.0	45,003	10.8	96,099	23.1	44,458	10.7	51,641
1957	4,206	101,287	24.1	47,784	11.4	97,161	23.1	47,333	11.3	49,828
1958	4,240	100,729	23.8	47,338	11.2	96,721	22.8	46,729	11.0	49,992
1959	4,233	102,461	24.2	47,099	11.1	98,537	23.3	46,465	11.0	52,072
1960	4,320	101,778	23.6	48,955	11.3	97,723	22.6	48,287	11.2	49,436
1961	4,366	101,462	23.2	47,933	11.0	97,321	22.3	47,303	10.8	50,018
1962	4,400	97,658	22.2	49,685	11.3	93,879	21.3	49,016	11.1	44,863
1963	4,429	93,545	21.1	51,159	11.6	90,363	20.4	50,538	11.4	39,825
1964	4,455	90,918	20.4	50,271	11.3	88,335	19.8	49,617	11.1	38,718
1965	4,476	84,162	18.8	51,101	11.4	81,216	18.1	50,249	11.2	30,967
1966	4,492	80,750	18.0	52,476	11.7	77,946	17.4	51,581	11.5	26,365
1967	4,504	77,940	17.3	51,245	11.4	74,823	16.6	50,544	11.2	24,279
1968	4,513	77,028	17.0	52,834	11.7	74,304	16.4	52,019	11.5	22,285
1969	4,641*	81,313	17.5	53,172	11.5	78,396	16.9	52,314	11.3	26,082
1970	4,677	83,787	17.9	52,592	11.2	80,707	17.2	51,743	11.0	28,964

Sources: Vital Statistics Reports of the Missouri Division of Health. Population estimates 1945-1950 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956; 1951-1959 and 1961-date as computed by the Missouri Division of Health; 1960 and 1970 taken from the United States Census of Population.

* Adjusted

TABLE 3

SELECTED RESIDENT LIVE BIRTH STATISTICS WITH PERCENTAGES, BY SEX, COLOR, ATTENDANT,
LEGITIMACY, DEFORMITY, WEIGHT, PLACE OF DELIVERY, AND MONTH OF OCCURRENCE,
URBAN AND RURAL, MISSOURI 1970

	NUMBER			PERCENTAGES		
LIVE BIRTHS	STATE TOTAL	URBAN	RURAL	STATE TOTAL	URBAN	RURAL
SEX-COLOR						
GRAND TOTAL	80,707	38,805	41,902	100.0	100.0	100.0
TOTAL MALE	41,574	20,035	21,539	51.5	51.6	51.4
TOTAL FEMALE	39,133	18,770	20,363	48.5	48.4	48.6
WHITE TOTAL	68,260	28,227	40,033	100.0	100.0	100.0
MALE	35,208	14,629	20,579	51.6	51.8	51.4
FEMALE	33,052	13,598	19,454	48.4	48.2	48.6
NONWHITE TOTAL	12,447	10,578	1,869	100.0	100.0	100.0
MALE	6,366	5,406	960	51.1	51.1	51.4
FEMALE	6,081	5,172	909	48.9	48.9	48.6
ATTENDANT-COLOR						
GRAND TOTAL	80,707	38,805	41,902	100.0	100.0	100.0
M. D.	72,002	36,429	35,573	89.2	93.9	84.9
D. O.	8,531	2,323	6,208	10.6	6.0	14.8
MIDWIFE	101	22	79	.1	.1	.2
OTHER	73	31	42	.1	.1	.1
WHITE TOTAL	68,260	28,227	40,033	100.0	100.0	100.0
M. D.	60,103	26,093	34,010	88.1	92.4	85.0
D. O.	8,061	2,113	5,948	11.8	7.5	14.9
MIDWIFE	41	2	39	.1		.1
OTHER	55	19	36	.1	.1	.1
NONWHITE TOTAL	12,447	10,578	1,869	100.0	100.0	100.0
M. D.	11,899	10,336	1,563	95.6	97.7	83.6
D. O.	470	210	260	3.8	2.0	13.9
MIDWIFE	60	20	40	.5	.2	2.1
OTHER	18	12	6	.1	.1	.3

PERCENTAGES ARE COMPUTED ON THE BASIS OF TOTAL WHITE AND NONWHITE LIVE BIRTHS.
URBAN AREAS INCLUDE CITIES OVER 10,000 POP. ACCORDING TO 1970 CENSUS.
ALL OTHER AREAS ARE INCLUDED IN 'RURAL'.

TABLE 3 (CONT)

SELECTED RESIDENT LIVE BIRTH STATISTICS WITH PERCENTAGES, BY SEX, COLOR, ATTENDANT,
LEGITIMACY, DEFORMITY, WEIGHT, PLACE OF DELIVERY, AND MONTH OF OCCURRENCE,
URBAN AND RURAL, MISSOURI 1970

LIVE BIRTHS	NUMBER						PERCENTAGES					
	STATE TOTAL		URBAN		RURAL		STATE TOTAL		URBAN		RURAL	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
LEGITIMACY-COLOR												
LIVE BIRTH TOTAL	68,260	12,447	28,227	10,578	40,033	1,869	100.0	100.0	100.0	100.0	100.0	100.0
LEGITIMATE	64,287	7,003	26,184	5,903	38,103	1,100	94.2	56.3	92.8	55.8	95.2	58.9
ILLEGITIMATE	3,896	5,420	2,009	4,657	1,887	763	5.7	43.5	7.1	44.0	4.7	40.8
NOT STATED	77	24	34	18	43	6	.1	.2	.1	.2	.1	.3
DEFORMITY-COLOR												
LIVE BIRTH TOTAL	68,260	12,447	28,227	10,578	40,033	1,869	100.0	100.0	100.0	100.0	100.0	100.0
DEFORMED TOTAL	1,071	251	473	224	598	27	1.6	2.0	1.7	2.1	1.5	1.4
NOT DEFORMED TOTAL	65,419	12,099	26,694	10,281	38,725	1,818	95.8	97.2	94.6	97.2	96.7	97.3
NOT STATED/UNKNOWN	1,770	97	1,060	73	710	24	2.6	.8	3.8	.7	1.8	1.3
BIRTH WGT-ATTENDANT												
OVER 5.5 LBS TOTAL	63,798	10,688	26,275	9,077	37,523	1,611	100.0	100.0	100.0	100.0	100.0	100.0
M. D.	56,255	10,200	24,328	8,858	31,927	1,342	88.2	95.4	92.6	97.6	85.1	83.3
D. O.	7,459	420	1,931	191	5,528	229	11.7	3.9	7.3	2.1	14.7	14.2
MIDWIFE	36	55	2	20	34	35	.1	.5	.2	.2	.1	2.2
OTHER	48	13	14	8	34	5	.1	.1	.1	.1	.1	.3
UNDER 5.5 LBS TOTAL	4,341	1,737	1,919	1,491	2,422	246	100.0	100.0	100.0	100.0	100.0	100.0
M. D.	3,757	1,680	1,739	1,469	2,018	211	86.5	96.7	90.6	98.5	83.3	85.8
D. O.	576	48	176	19	400	29	13.3	2.8	9.2	1.3	16.5	11.8
MIDWIFE	2	5			2	5		.3			.1	2.0
OTHER	6	4	4	3	2	1	.1	.2	.2	.2	.1	.4
NOT STATED TOTAL	121	22	33	10	88	12	100.0	100.0	100.0	100.0	100.0	100.0
M. D.	91	19	26	9	65	10	75.2	86.4	78.8	90.0	73.9	83.3
D. O.	26	2	6		20	2	21.5	9.1	18.2		22.7	16.7
MIDWIFE	3				3		2.5				3.4	
OTHER	1	1	1	1			.8	4.5	3.0	10.0		
DELIVERIES BY PLACE												
PLACE OF BIRTH TOTAL	68,260	12,447	28,227	10,578	40,033	1,869	100.0	100.0	100.0	100.0	100.0	100.0
HOSPITAL	67,176	12,116	28,076	10,519	39,100	1,597	98.4	97.3	99.5	99.4	97.7	85.4
CLINIC	858	212	88	4	770	208	1.3	1.7	.3		1.9	11.1
RESIDENCE	193	111	55	50	138	61	.3	.9	.2	.5	.3	3.3
OTHER	33	8	8	5	25	3		.1			.1	.2

TABLE 3 (CONT)

SELECTED RESIDENT LIVE BIRTH STATISTICS WITH PERCENTAGES, BY SEX, COLOR, ATTENDANT,
LEGITIMACY, DEFORMITY, WEIGHT, PLACE OF DELIVERY, AND MONTH OF OCCURRENCE,
URBAN AND RURAL, MISSOURI 1970

LIVE BIRTHS	NUMBER						PERCENTAGES					
	STATE TOTAL		URBAN		RURAL		STATE TOTAL		URBAN		RURAL	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
MONTH OF OCCURRENCE												
TOTAL	68,260	12,447	28,227	10,578	40,033	1,869	100.0	100.0	100.0	100.0	100.0	100.0
JANUARY	5,649	1,041	2,358	890	3,291	151	8.3	8.4	8.4	8.4	8.2	8.1
FEBRUARY	5,114	924	2,088	775	3,026	149	7.5	7.4	7.4	7.3	7.6	8.0
MARCH	5,521	950	2,362	790	3,159	160	8.1	7.6	8.4	7.5	7.9	8.6
APRIL	4,881	843	2,086	713	2,795	130	7.2	6.8	7.4	6.7	7.0	7.0
MAY	5,342	938	2,206	808	3,136	130	7.8	7.5	7.8	7.6	7.8	7.0
JUNE	5,642	1,008	2,250	859	3,392	149	8.3	8.1	8.0	8.1	8.5	8.0
JULY	6,171	1,110	2,529	948	3,642	162	9.0	8.9	9.0	9.0	9.1	8.7
AUGUST	6,154	1,138	2,573	969	3,581	169	9.0	9.1	9.1	9.2	8.9	9.0
SEPTEMBER	6,199	1,144	2,541	964	3,658	180	9.1	9.2	9.0	9.1	9.1	9.6
OCTOBER	5,982	1,077	2,431	928	3,551	149	8.8	8.7	8.6	8.8	8.9	8.0
NOVEMBER	5,690	1,106	2,377	936	3,313	170	8.3	8.9	8.4	8.8	8.3	9.1
DECEMBER	5,915	1,168	2,426	998	3,489	170	8.7	9.4	8.6	9.4	8.7	9.1

TABLE 4

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1970

COUNTIES	POPULATION	NUMBER				RATES			
		RESIDENT		RECORDED		RESIDENT		RECORDED	
		LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DTHS.	LIVE BIRTHS	FETAL DTHS.
STATE TOTAL	4,676,501	80,707	1,117	83,787	1,113	17.2	13.8	17.9	13.2
COUNTIES INCLUDING CITIES									
ADAIR	22,472	444	10	740	12	19.7	22.5	32.9	16.2
ANDREW	11,913	175	3	1		14.6	17.1		
ATCHISON	9,240	157	2	230	2	16.9	12.7	24.8	8.6
AUDRAIN	25,362	407	2	510	5	16.0	4.9	20.1	9.8
BARRY	19,597	299	2	305	3	15.2	6.6	15.5	9.8
BARTON	10,431	113		110		10.8		10.5	
BATES	15,468	201	1	193	2	12.9	4.9	12.4	10.3
BENTON	9,695	95		9		9.7		.9	
BOLLINGER	8,820	104	2	43		11.7	19.2	4.8	
BOONE	80,911	1,609	10	2,322	28	19.8	6.2	28.6	12.0
BUCHANAN	86,915	1,467	28	1,968	37	16.8	19.0	22.6	18.8
BUTLER	33,529	509	5	979	16	15.1	9.8	29.1	16.3
CALDWELL	8,351	102	3			12.2	29.4		
CALLAWAY	25,850	376	10	164	4	14.5	26.5	6.3	24.3
CAMDEN	13,315	147	1	24		11.0	6.8	1.8	
CAPE GIRARDEAU	49,350	768	10	1,328	16	15.5	13.0	26.9	12.0
CARROLL	12,565	191	6	121		15.2	31.4	9.6	
CARTER	3,878	57	2	1		14.6	35.0	.2	
CASS	39,448	791	11	705	13	20.0	13.9	17.8	18.4
CEDAR	9,424	121	4	116	3	12.8	33.0	12.3	25.8
CHARITON	11,084	117	2			10.5	17.0		
CHRISTIAN	15,124	265	1			17.5	3.7		
CLARK	8,260	120	2	1		14.5	16.6	.1	
CLAY	123,322	2,366	32	1,887	18	19.1	13.5	15.3	9.5
CLINTON	12,462	180	4	128	3	14.4	22.2	10.2	23.4
COLE	46,228	753	4	1,437	12	16.2	5.3	31.0	8.3
COOPER	14,732	190	4	136	2	12.8	21.0	9.2	14.7
CRAWFORD	14,828	261	2	393		17.6	7.6	26.5	
DADE	6,850	92				13.4			
DALLAS	10,054	135	1	1		13.4	7.4		
DAVISS	8,420	104	2	12	1	12.3	19.2	1.4	83.3
DE KALB	7,305	104	5			14.2	48.0		
DENT	11,457	165	2	7	1	14.4	12.1	.6	142.8

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS, POPULATION USED WAS THE 1970 CENSUS.

TABLE 4 (CONT)

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1970

COUNTIES	POPULATION	NUMBER				RATES			
		RESIDENT LIVE BIRTHS	FETAL DEATHS	RECORDED LIVE BIRTHS	FETAL DEATHS	RESIDENT LIVE BIRTHS	FETAL DTHS.	RECORDED LIVE BIRTHS	FETAL DTHS.
DOUGLAS	9,268	126	1	6		13.5	7.9	.6	
DUNKLIN	33,742	623	6	543	9	18.4	9.6	16.0	16.5
FRANKLIN	55,116	1,045	8	619	7	18.9	7.6	11.2	11.3
GASCONADE	11,878	170	2	110	2	14.3	11.7	9.2	18.1
GENTRY	8,060	107		135	2	13.2		16.7	14.8
GREENE	152,929	2,813	35	4,061	39	18.3	12.4	26.5	9.6
GRUNDY	11,819	179	2	201	1	15.1	11.1	17.0	4.9
HARRISON	10,257	133	3	111	1	12.9	22.5	10.8	9.0
HENRY	18,451	254	4	370	6	13.7	15.7	20.0	16.2
HICKORY	4,481	49		23	2	10.9		5.1	86.9
HOLT	6,654	83				12.4			
HOWARD	10,561	146		120	1	13.8		11.3	8.3
HOWELL	23,521	363	7	556	14	15.4	19.2	23.6	25.1
IRON	9,529	201	5	185	4	21.0	24.8	19.4	21.6
JACKSON	654,558	12,493	202	15,496	215	19.0	16.1	23.6	13.8
JASPER	79,852	1,381	9	1,612	12	17.2	6.5	20.1	7.4
JEFFERSON	105,248	2,123	25	531	11	20.1	11.7	5.0	20.7
JOHNSON	34,172	683	10	666	8	19.9	14.6	19.4	12.0
KNOX	5,692	76		1		13.3		.1	
LACLEDE	19,944	343	7	394	7	17.1	20.4	19.7	17.7
LAFAYETTE	26,626	413	8	268	9	15.5	19.3	10.0	33.5
LAWRENCE	24,585	383	5	300	3	15.5	13.0	12.2	10.0
LEWIS	10,993	142	1			12.9	7.0		
LINCOLN	18,041	282	5	279	4	15.6	17.7	15.4	14.3
LINN	15,125	183	1	247	2	12.0	5.4	16.3	8.0
LIVINGSTON	15,368	236	5	357	8	15.3	21.1	23.2	22.4
MC DONALD	12,357	246	3	1		19.9	12.1		
MACON	15,432	220	1	203		14.2	4.5	13.1	
MADISON	8,641	140		24		16.2		2.7	
MARIES	6,851	91	2			13.2	21.9		
MARION	28,121	432	9	641	12	15.3	20.8	22.7	18.7
MERCER	4,910	45		43	1	9.1		8.7	23.2
MILLER	15,026	264	1	75		17.5	3.7	4.9	

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS,
POPULATION USED WAS THE 1970 CENSUS.

TABLE 4 (CONT)

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1970

COUNTIES	POPULATION	NUMBER		RATES		RATES		RATES	
		RESIDENT	FETAL	RESIDENT	FETAL	RESIDENT	FETAL	RESIDENT	FETAL
		LIVE BIRTHS	DEATHS	LIVE BIRTHS	DEATHS	LIVE BIRTHS	DTHS.	LIVE BIRTHS	DTHS.
MISSISSIPPI	16,647	337	9	188	3	20.2	26.7	11.2	15.9
MONITEAU	10,742	142	1	1		13.2	7.0		
MONROE	9,542	121	4	4		12.6	33.0	.4	
MONTGOMERY	11,000	170	2			15.4	11.7		
MORGAN	10,068	117	6			11.6	51.2		
NEW MADRID	23,420	446	3	33		19.0	6.7	1.4	
NEWTON	32,901	550	10	548	8	16.7	18.1	16.6	14.5
NODAWAY	22,467	346	4	310	1	15.4	11.5	13.7	3.2
OREGON	9,180	129	3	41		14.0	23.2	4.4	
OSAGE	10,994	196				17.8			
OZARK	6,226	80	4	15		12.8	50.0	2.4	
PEMISCOT	26,373	561	18	634	15	21.2	32.0	24.0	23.6
PERRY	14,393	211	3	182	3	14.6	14.2	12.6	16.4
PETTIS	34,137	550	6	650	8	16.1	10.9	19.0	12.3
PHELPS	29,481	506	1	713	2	17.1	1.9	24.1	2.8
PIKE	16,928	301	1	280	3	17.7	3.3	16.5	10.7
PLATTE	32,081	585	10			18.2	17.0		
POLK	15,415	228	4	18	1	14.7	17.5	1.1	55.5
PULASKI	53,781	340	9	1,125	17	6.3	26.4	20.9	15.1
PUTNAM	5,916	80		104	2	13.5		17.5	19.2
RALLS	7,764	110	2			14.1	18.1		
RANDOLPH	22,434	332	3	314	4	14.7	9.0	13.9	12.7
RAY	17,599	286	4	288	5	16.2	13.9	16.3	17.3
REYNOLDS	6,106	115	3			18.8	26.0		
RIPLEY	9,803	121	3	52	1	12.3	24.7	5.3	19.2
ST. CHARLES	92,954	1,976	19	1,513	15	21.2	9.6	16.2	9.9
ST. CLAIR	7,667	88	1	52		11.4	11.3	6.7	
ST. FRANCOIS	36,818	650	5	962	6	17.6	7.6	26.1	6.2
STE. GENEVIEVE	12,867	206		177		16.0		13.7	
ST. LOUIS CITY	622,236	11,850	219	16,555	269	19.0	18.4	26.6	16.2
ST. LOUIS COUNTY	951,353	15,806	176	14,297	154	16.6	11.1	15.0	10.7
SALINE	24,633	356	6	303	5	14.4	16.8	12.3	16.5
SCHUYLER	4,665	76	1			16.2	13.1		

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS, POPULATION USED WAS THE 1970 CENSUS.

TABLE 4 (CONT)

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1970

COUNTIES	POPULATION	NUMBER				RATES			
		RESIDENT LIVE BIRTHS	FETAL DEATHS	RECORDED LIVE BIRTHS	FETAL DEATHS	RESIDENT LIVE BIRTHS	FETAL DTHS.	RECORDED LIVE BIRTHS	FETAL DTHS.
SCOTLAND	5,499	66		22		12.0		4.0	
SCOTT	33,250	679	6	833	12	20.4	8.8	25.0	14.4
SHANNON	7,196	113	2	5		15.7	17.6	.6	
SHELBY	7,906	85		2		10.7		.2	
STODDARD	25,771	388	1	383	1	15.0	2.5	14.8	2.6
STONE	9,921	132	1			13.3	7.5		
SULLIVAN	7,572	104	2	46		13.7	19.2	6.0	
TANEY	13,023	163	2	166	3	12.5	12.2	12.7	18.0
TEXAS	18,320	274	5	358	7	14.9	18.2	19.5	19.5
VERNON	19,065	233	5	232	6	12.2	21.4	12.1	25.8
WARREN	9,699	140		1		14.4		.1	
WASHINGTON	15,086	280	5	169	3	18.5	17.8	11.2	17.7
WAYNE	8,546	119	1			13.9	8.4		
WEBSTER	15,562	279	1	1		17.9	3.5		
WORTH	3,359	34				10.1			
WRIGHT	13,667	197	6	161	1	14.4	30.4	11.7	6.2

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS,
POPULATION USED WAS THE 1970 CENSUS.

TABLE 5

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS
BY CITIES OVER 2,500 POPULATION, MISSOURI 1970

CITIES	RESIDENT		RECORDED	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
TOTAL CITIES 2,500 POP. & OVER	49,640	728	75,934	987
TOTAL CITIES 10,000 POP. & OVER	38,805	584	58,546	794
TOTAL CITIES OVER 2,500 POP. LESS THAN 10,000	10,835	144	17,388	193
CITIES OVER 10,000 POP.				
BELLEFONTAINE NEIGHBORS	55	3		
BERKELEY	326	6		
BRENTWOOD	206	1		
CAPE GIRARDEAU	490	7	1,328	16
CARTHAGE	173	3	353	2
CLAYTON	148	1	859	8
COLUMBIA	1,087	5	2,318	27
CRESTWOOD	110	2		
FERGUSON	402	5	1	
FLORISSANT	1,000	13	1,759	18
FULTON	129	4	164	4
GLADSTONE	293	6	1	
HANNIBAL	274	6	641	12
MARION CO. PART	273	6	641	12
RALLS CO. PART	1			
INDEPENDENCE	2,062	18	1,657	13
JEFFERSON CITY	471	3	1,437	12
JENNINGS	232	1		
JOPLIN	681	4	1,349	13
JASPER CO. PART	643	2	1,181	10
NEWTON CO. PART	38	2	168	3
KANSAS CITY	9,749	170	13,839	201
JACKSON CO. PART	8,304	151	13,837	201
CLAY CO. PART	1,197	16	2	
PLATTE CO. PART	248	3		
KIRKSVILLE	316	6	738	12
KIRKWOOD	414	2	1,484	12
MAPLEWOOD	249	3		1

TABLE 5 (CONT)

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS
BY CITIES OVER 2,500 POPULATION, MISSOURI 1970

	NUMBER		NUMBER	
	RESIDENT LIVE BIRTHS	FETAL DEATHS	RECORDED LIVE BIRTHS	FETAL DEATHS
CITIES OVER 10,000 POP.				
MEXICO	185	2	487	5
MOBERLY	202	1	311	4
OVERLAND	468	2	1	
POPLAR BLUFF	281	5	977	15
RAYTOWN	441	7		
RICHMOND HEIGHTS	218	1	2,742	37
ROLLA	232		712	2
ST. ANN	286	8		
ST. CHARLES	770	4	1,512	15
ST. JOSEPH	1,222	26	1,968	37
ST. LOUIS CITY	11,850	219	16,555	269
SEDALIA	370	5	649	8
SIKESTON	288	3	644	12
SCOTT CO. PART	286	3	644	12
NEW MADRID CO. PART	2			
SPRINGFIELD	2,229	26	4,060	39
UNIVERSITY CITY	596	4		
WEBSTER GROVES	300	2		
CITIES OVER 2,500 POP. LESS THAN 10,000 POP.				
AURORA	96	2	246	3
BALLWIN	205	6		
BEL-RIDGE	65	1		
BELTON	271	6		1
BETHANY	32	1	110	1
BLUE SPRINGS	157	1		
BOLIVER	71	1	1	
BONNE TERRE	66	2	175	2
BOONVILLE	96	2	136	1
BOWLING GREEN	35		1	
BRECKENRIDGE HILLS	71			
BRIDGETON	314	6		
BROOKFIELD	67		164	1
BUTLER	52		193	2
CALIFORNIA	41			

TABLE 5 (CONT)

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS
BY CITIES OVER 2,500 POPULATION, MISSOURI 1970

CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	RESIDENT NUMBER		RECORDED NUMBER	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
CAMERON	68	1	124	3
CLINTON CO. PART	58	1	124	3
DE KALB CO. PART	10			
CANTON	39			
CARROLLTON	83	3	120	
CARUTHERSVILLE	144	5		
CENTRALIA	62			1
CHAFFEE	38		170	
CHARLESTON	110	4	156	2
CHILLICOTHE	151	3	355	8
CLINTON	106	2	325	6
CREVE COEUR	171	3	4,951	45
CRYSTAL CITY	74	1		
DELLWOOD	69			
DESOTO	90	1	1	
DES PERES	40			
DEXTER	97	1	374	
EAST PRAIRIE	54		26	
ELDON	57			
ELDORADO SPRINGS	57	1	115	3
ELLISVILLE	60		32	
EXCELSIOR SPRINGS	191	1	193	2
CLAY CO. PART	184	1	193	2
RAY CO. PART	7			
FARMINGTON	104		663	3
FAYETTE	47		120	1
FESTUS	149	4		1
FLAT RIVER	78	1		
FREDERICKTOWN	49		24	
FRONTENAC	19			
GLENDALE	91			
GRANDVIEW	446	6	1	
HANLEY HILLS	36			
HARRISONVILLE	97		337	5
HAYTI	81	1	630	13
HAZELWOOD	349	9	1	

TABLE 5 (CONT)

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS
BY CITIES OVER 2,500 POPULATION, MISSOURI 1970

CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	RESIDENT		RECORDED	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
HERMANN	36		110	2
HIGGINSVILLE	74	2		
HILLSDALE VILLAGE	54	2	1	
JACKSON	85	1		
KENNETT	209	4	526	9
KINLOCH	127	2		
LADUE	76		1	
LAMAR	51		109	
LEBANON	151	4	394	7
LEE'S SUMMIT	338	5	1	
LEXINGTON	68	3	178	3
LIBERTY	250	2		
LOUISIANA	98	1	270	3
MACON	82	1	198	
MALDEN	101	1	12	
MARCELINE	37	1	83	1
MARSHALL	189	2	252	5
MARYVILLE	158	3	309	1
MOLINE ACRES	14		1	
MONETT	102		262	3
BARRY CO. PART	82		262	3
LAWRENCE CO. PART	20			
MOUNTAIN GROVE	48	2	52	
NEOSHO	125	1	266	3
NEVADA	111	2	232	6
NEW MADRID	66	1	4	
NORMANDY	125	2	694	6
NORTH KANSAS CITY	103		1,249	12
NORTHWOODS	41			
O'FALLON	166	3		
OLIVETTE	67	1		
PACIFIC	83		1	
FRANKLIN CO. PART	79		1	
ST. LOUIS CO. PART	4			
PAGEDALE	65		1	
PALMYRA	52			

TABLE 5 (CONT)

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS
BY CITIES OVER 2,500 POPULATION, MISSOURI 1970

CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	RESIDENT NUMBER		RECORDED NUMBER	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
PERRYVILLE	78		181	3
PINELAWN	105			
PLEASANT HILL	64	2		
PORTAGEVILLE	55		4	
POTOSI	52		3	
RICHMOND	87	2		
RIVERVIEW	71	1		
ROCK HILL	87			
ST. CLAIR	65			
ST. JOHN	133	1		
STE. GENEVIEVE	72		176	
SALEM	69	1	2	
SHREWSBURY	69			
SLATER	29			
SUGAR CREEK	88	1		
SULLIVAN	117		391	
CRAWFORD CO. PART	28		391	
FRANKLIN CO. PART	89			
SUNSET HILLS	21			
TRENTON	93		199	1
UNION	108	2		
VALLEY PARK	106	1		
VANDALIA	45			
WARRENSBURG	202	3	332	5
WASHINGTON	142		617	7
WEBB CITY	123		77	
WELLSTON	190	1	1	
WENTZVILLE	61	2		
WEST PLAINS	95	4	410	12
WINDSOR	37		45	
WOODSON TERRACE	73	2		


TABLE 6

RESIDENT LIVE BIRTHS, URBAN AND RURAL, BY AGE OF MOTHER,
SEX AND COLOR OF CHILD, MISSOURI 1970

AGE OF MOTHER

URBAN	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
ALL AGES	38,805	14,629	13,598	5,406	5,172
10-14 YEARS	194	21	16	82	75
15-19 YEARS	8,063	2,416	2,293	1,730	1,624
20-24 YEARS	14,805	5,879	5,392	1,815	1,719
25-29 YEARS	9,608	4,067	3,682	927	932
30-34 YEARS	3,875	1,455	1,419	510	491
35-39 YEARS	1,699	613	598	237	251
40-44 YEARS	532	173	185	99	75
45-49 YEARS	27	4	13	6	4
50 YEARS AND OVER					
UNKNOWN	2	1			1
RURAL					
ALL AGES	41,902	20,579	19,454	960	909
10-14 YEARS	64	16	25	16	7
15-19 YEARS	7,180	3,389	3,258	269	264
20-24 YEARS	15,573	7,824	7,194	293	262
25-29 YEARS	11,357	5,632	5,363	179	183
30-34 YEARS	4,870	2,326	2,309	112	123
35-39 YEARS	2,138	1,031	990	71	46
40-44 YEARS	669	332	296	19	22
45-49 YEARS	41	23	16	1	1
50 YEARS AND OVER	1	1			
UNKNOWN	9	5	3		1
COMBINED TOTALS					
ALL AGES	80,707	35,208	33,052	6,366	6,081
10-14 YEARS	258	37	41	98	82
15-19 YEARS	15,243	5,805	5,551	1,999	1,888
20-24 YEARS	30,378	13,703	12,586	2,108	1,981
25-29 YEARS	20,965	9,699	9,045	1,106	1,115
30-34 YEARS	8,745	3,781	3,728	622	614
35-39 YEARS	3,837	1,644	1,588	308	297
40-44 YEARS	1,201	505	481	118	97
45-49 YEARS	68	27	29	7	5
50 YEARS AND OVER	1	1			
UNKNOWN	11	6	3		2

GRAPH B.
FETAL DEATH RATES 1932-1970
(per 1,000 live births)



Year	Total	White	Nonwhite	Year	Total	White	Nonwhite	Year	Total	White	Nonwhite
1932	41.9	38.4	97.4	1945	24.1	21.7	53.2	1958	16.1	14.7	24.8
1933	37.5	34.2	88.9	1946	23.6	21.4	51.2	1959	15.4	14.0	24.2
1934	33.9	31.3	73.9	1947	20.8	18.8	44.7	1960	15.2	13.8	24.3
1935	38.5	35.8	79.2	1948	20.7	18.7	42.7	1961	14.7	12.8	27.0
1936	36.0	33.4	74.7	1949	19.3	17.5	35.9	1962	15.1	13.2	26.5
1937	33.9	31.3	70.1	1950	19.2	17.2	37.2	1963	13.9	12.1	24.7
1938	35.0	32.0	76.4	1951	18.2	16.4	34.3	1964	15.5	13.3	28.7
1939	30.7	27.8	71.3	1952	17.5	16.1	29.7	1965	14.3	12.8	23.0
1940	32.5	29.8	69.5	1953	17.8	15.9	33.1	1966	13.3	11.7	21.7
1941	32.5	29.7	71.4	1954	17.2	15.9	27.7	1967	13.8	12.6	20.5
1942	28.9	26.2	65.0	1955	16.7	14.9	29.8	1968	15.1	13.4	24.9
1943	26.1	23.6	59.0	1956	16.6	15.4	25.4	1969	13.2	12.1	19.6
1944	26.1	23.3	59.8	1957	16.5	15.7	22.1	1970	13.8	12.7	19.8

Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U.S. Bureau of the Census, Mortality Statistics, 1935-36; Missouri Division of Health, Vital Statistics Reports, 1949-date. 1932-44 are recorded data and 1945 to date are resident.

TABLE 7

RESIDENT AND RECORDED FETAL DEATHS BY COLOR AND WEIGHT, MISSOURI 1970

WEIGHT	RESIDENT			RECORDED		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
2 POUNDS 3 OUNCES OR LESS	258	191	67	226	166	60
2 POUNDS 4 OUNCES - 3 POUNDS 4 OUNCES	92	64	28	93	66	27
3 POUNDS 5 OUNCES - 4 POUNDS 6 OUNCES	100	74	26	101	74	27
4 POUNDS 7 OUNCES - 5 POUNDS 8 OUNCES	103	74	29	107	76	31
5 POUNDS 9 OUNCES - 6 POUNDS 9 OUNCES	107	75	32	111	79	32
6 POUNDS 10 OUNCES - 7 POUNDS 11 OUNCES	84	67	17	90	71	19
7 POUNDS 12 OUNCES - 8 POUNDS 13 OUNCES	72	59	13	72	59	13
8 POUNDS 14 OUNCES - 9 POUNDS 14 OUNCES	22	20	2	23	20	3
9 POUNDS 15 OUNCES OR MORE	19	13	6	20	14	6
UNKNOWN OR NOT STATED	260	233	27	270	240	30
TOTALS	1,117	870	247	1,113	865	248

TABLE 8

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR
BY COUNTIES AND CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1970

	GRAND TOTAL	WHITE TOTAL	WHITE LEGITIMATE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE LEGITIMATE		ILLEGITIMATE	
			NO.	PER- CENT	NO.	PER- CENT		NO.	PER- CENT	NO.	PER- CENT
COUNTIES											
STATE TOTAL	80,707	68,260	64,287	94.2	3,896	5.7	12,447	7,003	56.3	5,420	43.5
CITIES OVER 10,000	38,805	28,227	26,184	92.8	2,009	7.1	10,578	5,903	55.8	4,657	44.0
RURAL	41,902	40,033	38,103	95.2	1,887	4.7	1,869	1,100	58.9	763	40.8
COUNTIES INCL.											
CITIES OVER 10,000											
ADAIR	444	434	412	94.9	19	4.4	10	8	80.0	2	20.0
ANDREW	175	174	166	95.4	8	4.6	1	1	100.0	-	-
ATCHISON	157	157	149	94.9	7	4.5	-	-	-	-	-
AUDRAIN	407	376	356	94.7	20	5.3	31	11	35.5	20	64.5
BARRY	299	297	280	94.3	16	5.4	2	2	100.0	-	-
BARTON	113	113	105	92.9	8	7.1	-	-	-	-	-
BATES	201	199	187	94.0	12	6.0	2	2	100.0	-	-
BENTON	95	95	93	97.9	2	2.1	-	-	-	-	-
BOLLINGER	104	103	98	95.1	5	4.9	1	1	100.0	-	-
BOONE	1,609	1,493	1,405	94.1	88	5.9	116	68	58.6	48	41.4
BUCHANAN	1,467	1,396	1,294	92.7	101	7.2	71	33	46.5	38	53.5
BUTLER	509	467	413	88.4	53	11.3	42	20	47.6	22	52.4
CALDWELL	102	102	97	95.1	5	4.9	-	-	-	-	-
CALLAWAY	376	351	329	93.7	21	6.0	25	13	52.0	12	48.0
CAMDEN	147	147	145	98.6	2	1.4	-	-	-	-	-
CAPE GIRARDEAU	768	733	692	94.4	41	5.6	35	18	51.4	17	48.6
CARROLL	191	185	177	95.7	8	4.3	6	3	50.0	3	50.0
CARTER	57	57	55	96.5	2	3.5	-	-	-	-	-
CASS	791	782	752	96.2	30	3.8	9	9	100.0	-	-
CEDAR	121	119	114	95.8	4	3.4	2	1	50.0	1	50.0
CHARITON	117	102	98	96.1	4	3.9	15	12	80.0	3	20.0
CHRISTIAN	265	265	251	94.7	13	4.9	-	-	-	-	-
CLARK	120	120	117	97.5	3	2.5	-	-	-	-	-
CLAY	2,366	2,343	2,230	95.2	111	4.7	23	17	73.9	6	26.1
CLINTON	180	175	162	92.6	12	6.9	5	2	40.0	3	60.0
COLE	753	704	672	95.5	31	4.4	49	42	85.7	7	14.3
COOPER	190	176	169	96.0	7	4.0	14	4	28.6	10	71.4
CRAWFORD	261	261	246	94.3	15	5.7	-	-	-	-	-
DADE	92	92	88	95.7	4	4.3	-	-	-	-	-
DALLAS	135	135	125	92.6	10	7.4	-	-	-	-	-
DAVISS	104	104	99	95.2	5	4.8	-	-	-	-	-

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR
BY COUNTIES AND CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1970

COUNTIES	GRAND TOTAL	WHITE TOTAL	WHITE LEGITIMATE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE LEGITIMATE		ILLEGITIMATE	
			NO.	PER- CENT	NO.	PER- CENT		NO.	PER- CENT	NO.	PER- CENT
DE KALB	104	104	101	97.1	3	2.9	-	-	-	-	-
DENT	165	164	153	93.3	11	6.7	1	1	100.0	-	-
DOUGLAS	126	126	121	96.0	5	4.0	-	-	-	-	-
DUNKLIN	623	568	521	91.7	47	8.3	55	25	45.5	30	54.5
FRANKLIN	1,045	1,033	993	96.1	39	3.8	12	11	91.7	1	8.3
GASCONADE	170	170	166	97.6	4	2.4	-	-	-	-	-
GENTRY	107	107	99	92.5	8	7.5	-	-	-	-	-
GREENE	2,813	2,760	2,592	93.9	166	6.0	53	32	60.4	21	39.6
GRUNDY	179	178	170	95.5	8	4.5	1	1	100.0	-	-
HARRISON	133	133	129	97.0	4	3.0	-	-	-	-	-
HENRY	254	250	232	92.8	18	7.2	4	2	50.0	2	50.0
HICKORY	49	49	45	91.8	4	8.2	-	-	-	-	-
HOLT	83	83	80	96.4	3	3.6	-	-	-	-	-
HOWARD	146	126	116	92.1	10	7.9	20	3	15.0	17	85.0
HOWELL	363	362	339	93.6	23	6.4	1	1	100.0	-	-
IRON	201	201	194	96.5	7	3.5	-	-	-	-	-
JACKSON	12,493	9,456	8,732	92.3	712	7.5	3,037	1,785	58.8	1,241	40.9
JASPER	1,381	1,357	1,295	95.4	58	4.3	24	19	79.2	5	20.8
JEFFERSON	2,123	2,102	2,019	96.1	81	3.9	21	13	61.9	8	38.1
JOHNSON	683	632	612	96.8	18	2.8	51	45	88.2	6	11.8
KNOX	76	76	75	98.7	1	1.3	-	-	-	-	-
LACLEDE	343	341	319	93.5	22	6.5	2	2	100.0	-	-
LAFAYETTE	413	395	377	95.4	18	4.6	18	15	83.3	3	16.7
LAWRENCE	383	383	369	96.3	14	3.7	-	-	-	-	-
LEWIS	142	132	124	93.9	8	6.1	10	9	90.0	1	10.0
LINCOLN	282	276	263	95.3	12	4.3	6	5	83.3	1	16.7
LINN	183	180	170	94.4	9	5.0	3	1	33.3	2	66.7
LIVINGSTON	236	229	217	94.8	12	5.2	7	4	57.1	3	42.9
MC DONALD	246	241	228	94.6	13	5.4	5	5	100.0	-	-
MACON	220	212	201	94.8	11	5.2	8	5	62.5	3	37.5
MADISON	140	140	132	94.3	8	5.7	-	-	-	-	-
MARIES	91	91	89	97.8	2	2.2	-	-	-	-	-
MARION	432	398	361	90.7	37	9.3	34	20	58.8	14	41.2
MERCER	45	45	38	84.4	7	15.6	-	-	-	-	-
MILLER	264	264	243	92.0	21	8.0	-	-	-	-	-
MISSISSIPPI	337	232	211	90.9	21	9.1	105	45	42.9	58	55.2

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR
BY COUNTIES AND CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1970

COUNTIES	GRAND TOTAL	WHITE TOTAL	WHITE LEGITIMATE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE LEGITIMATE		ILLEGITIMATE	
			NO.	PER- CENT	NO.	PER- CENT		NO.	PER- CENT	NO.	PER- CENT
MONITEAU	142	139	133	95.7	6	4.3	3	1	33.3	2	66.7
MONROE	121	114	109	95.6	4	3.5	7	5	71.4	2	28.6
MONTGOMERY	170	159	147	92.5	12	7.5	11	5	45.5	6	54.5
MORGAN	117	115	109	94.8	5	4.3	2	1	50.0	1	50.0
NEW MADRID	446	320	297	92.8	22	6.9	126	51	40.5	74	58.7
NEWTON	550	543	516	95.0	27	5.0	7	6	85.7	1	14.3
NODAWAY	346	344	336	97.7	7	2.0	2	2	100.0	-	-
OREGON	129	129	120	93.0	9	7.0	-	-	-	-	-
OSAGE	196	196	195	99.5	1	.5	-	-	-	-	-
OZARK	80	80	76	95.0	4	5.0	-	-	-	-	-
PEMISCOT	561	319	288	90.3	31	9.7	242	108	44.6	134	55.4
PERRY	211	211	203	96.2	7	3.3	-	-	-	-	-
PETTIS	550	527	508	96.4	19	3.6	23	13	56.5	9	39.1
PHELPS	506	494	473	95.7	21	4.3	12	12	100.0	-	-
PIKE	301	280	264	94.3	16	5.7	21	10	47.6	11	52.4
PLATTE	585	577	538	93.2	37	6.4	8	7	87.5	1	12.5
POLK	228	228	217	95.2	11	4.8	-	-	-	-	-
PULASKI	340	323	292	90.4	30	9.3	17	11	64.7	6	35.3
PUTNAM	80	80	79	98.8	1	1.3	-	-	-	-	-
RALLS	110	106	104	98.1	2	1.9	4	2	50.0	2	50.0
RANDOLPH	332	311	297	95.5	14	4.5	21	11	52.4	10	47.6
RAY	286	275	256	93.1	19	6.9	11	10	90.9	1	9.1
REYNOLDS	115	115	112	97.4	2	1.7	-	-	-	-	-
RIPLEY	121	121	113	93.4	7	5.8	-	-	-	-	-
ST. CHARLES	1,976	1,955	1,881	96.2	74	3.8	21	18	85.7	3	14.3
ST. CLAIR	88	88	84	95.5	4	4.5	-	-	-	-	-
ST. FRANCOIS	650	648	620	95.7	27	4.2	2	2	100.0	-	-
STE. GENEVIEVE	206	205	198	96.6	7	3.4	1	1	100.0	-	-
ST. LOUIS COUNTY	15,806	14,472	13,851	95.7	600	4.1	1,334	929	69.6	403	30.2
ST. LOUIS CITY	11,850	5,390	4,856	90.1	532	9.9	6,460	3,391	52.5	3,064	47.4
SALINE	356	335	311	92.8	24	7.2	21	9	42.9	12	57.1
SCHUYLER	76	76	73	96.1	3	3.9	-	-	-	-	-
SCOTLAND	66	66	64	97.0	2	3.0	-	-	-	-	-
SCOTT	679	579	538	92.9	40	6.9	100	54	54.0	46	46.0
SHANNON	113	113	103	91.2	10	8.8	-	-	-	-	-
SHELBY	85	81	76	93.8	5	6.2	4	3	75.0	-	-

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR
BY COUNTIES AND CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1970

COUNTIES	GRAND TOTAL	WHITE TOTAL	WHITE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE		ILLEGITIMATE	
			LEGITIMATE NO.	PER- CENT	NO.	PER- CENT		LEGITIMATE NO.	PER- CENT	NO.	PER- CENT
STODDARD	388	357	334	93.6	23	6.4	31	14	45.2	16	51.6
STONE	132	132	128	97.0	4	3.0	-	-	-	-	-
SULLIVAN	104	104	99	95.2	4	3.8	-	-	-	-	-
TANEY	163	163	151	92.6	11	6.7	-	-	-	-	-
TEXAS	274	274	252	92.0	22	8.0	-	-	-	-	-
VERNON	233	233	213	91.4	20	8.6	-	-	-	-	-
WARREN	140	127	118	92.9	9	7.1	13	7	53.8	6	46.2
WASHINGTON	280	278	262	94.2	15	5.4	2	2	100.0	-	-
WAYNE	119	118	111	94.1	7	5.9	1	-	-	1	100.0
WEBSTER	279	278	265	95.3	13	4.7	1	1	100.0	-	-
WORTH	34	34	31	91.2	3	8.8	-	-	-	-	-
WRIGHT	197	195	184	94.4	11	5.6	2	1	50.0	1	50.0

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR
BY COUNTIES AND CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1970

CITIES OVER 10,000	GRAND TOTAL	WHITE TOTAL	WHITE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE		ILLEGITIMATE	
			LEGITIMATE NO.	PER- CENT	NO.	PER- CENT		LEGITIMATE NO.	PER- CENT	NO.	PER- CENT
BELLEFONTAINE NEIGHBORS	55	55	53	96.4	2	3.6					
BERKELEY	326	278	258	92.8	20	7.2	48	31	64.6	17	35.4
BRENTWOOD	206	175	163	93.1	12	6.9	31	26	83.9	5	16.1
CAPE GIRARDEAU	490	456	425	93.2	31	6.8	34	17	50.0	17	50.0
CARTHAGE	173	172	165	95.9	7	4.1	1	1	100.0		
CLAYTON	148	144	140	97.2	4	2.8	4	2	50.0	2	50.0
COLUMBIA	1,087	980	922	94.1	58	5.9	107	64	59.8	43	40.2
CRESTWOOD	110	108	104	96.3	3	2.8	2	2	100.0		
FERGUSON	402	395	376	95.2	17	4.3	7	7	100.0		
FLORISSANT	1,000	983	943	95.9	39	4.0	17	15	88.2	2	11.8
FULTON	129	111	105	94.6	6	5.4	18	10	55.6	8	44.4
GLADSTONE	293	292	281	96.2	11	3.8	1	1	100.0		
HANNIBAL	274	246	220	89.4	26	10.6	28	15	53.6	13	46.4
INDEPENDENCE	2,062	2,051	1,969	96.0	81	3.9	11	11	100.0		
JEFFERSON CITY	471	423	397	93.9	25	5.9	48	41	85.4	7	14.6
JENNINGS	232	230	220	95.7	9	3.9	2	2	100.0		
JOPLIN	681	658	615	93.5	41	6.2	23	18	78.3	5	21.7
KANSAS CITY	9,749	6,735	6,138	91.1	584	8.7	3,014	1,765	58.6	1,238	41.1
KIRKSVILLE	316	306	290	94.8	13	4.2	10	8	80.0	2	20.0
KIRKWOOD	414	339	325	95.9	14	4.1	75	38	50.7	36	48.0
MAPLEWOOD	249	238	217	91.2	21	8.8	11	10	90.9	1	9.1
MEXICO	185	164	156	95.1	8	4.9	21	8	38.1	13	61.9
MOBERLY	202	184	176	95.7	8	4.3	18	11	61.1	7	38.9
OVERLAND	468	453	412	90.9	37	8.2	15	10	66.7	5	33.3
POPLAR BLUFF	281	259	225	86.9	34	13.1	22	8	36.4	14	63.6
RAYTOWN	441	441	417	94.6	24	5.4					
RICHMOND HEIGHTS	218	184	173	94.0	11	6.0	34	25	73.5	9	26.5
ROLLA	232	220	214	97.3	6	2.7	12	12	100.0		
ST. ANN	286	283	276	97.5	7	2.5	3	3	100.0		
ST. CHARLES	770	761	725	95.3	36	4.7	9	9	100.0		
ST. JOSEPH	1,222	1,154	1,063	92.1	90	7.8	68	31	45.6	37	54.4
ST. LOUIS CITY	11,850	5,390	4,856	90.1	532	9.9	6,460	3,391	52.5	3,064	47.4
SEDALIA	370	347	332	95.7	15	4.3	23	13	56.5	9	39.1
SIKESTON	288	228	214	93.9	14	6.1	60	35	58.3	25	41.7
SPRINGFIELD	2,229	2,178	2,041	93.7	135	6.2	51	31	60.8	20	39.2
UNIVERSITY CITY	596	338	320	94.7	18	5.3	258	215	83.3	43	16.7
WEBSTER GROVES	300	268	258	96.3	10	3.7	32	17	53.1	15	46.9

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 (CONT)

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR
BY COUNTIES AND CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1970

INCLUDED IN CITIES OVER 10,000	GRAND TOTAL	WHITE TOTAL	WHITE		ILLEGITIMATE		NON- WHITE TOTAL	NON WHITE		ILLEGITIMATE	
			LEGITIMATE NO.	PER- CENT	NO.	PER- CENT		LEGITIMATE NO.	PER- CENT	NO.	PER- CENT
HANNIBAL-RALLS	1	1	1	100.0							
JOPLIN-NEWTON	38	38	35	92.1	3	7.9					
KANSAS CITY-CLAY	1,197	1,190	1,138	95.6	51	4.3	7	6	85.7	1	14.3
SIKESTON-NEW MADRID	2	2	2	100.0							
KANSAS CITY-PLATTE	248	245	227	92.7	17	6.9	3	3	100.0		

GRAND TOTAL INCLUDES NOT STATED

TABLE 9

TEN LEADING CAUSES OF DEATH AND RATES, RESIDENT DATA, MISSOURI 1970

RANK	CAUSE OF DEATH	TOTAL	RATES	WHITE	NONWHITE
1.	HEART DISEASE (390-398,402,404,410-429)	19,400	414.8	17,892	1,508
2.	MALIGNANT NEOPLASMS (140-209)	8,621	184.3	7,836	785
3.	CEREBROVASCULAR DISEASE (430-438)	6,153	131.5	5,575	578
4.	ACCIDENTS (E800-E807,E810-E823,E825-E949)	2,912	62.2	2,616	296
5.	INFLUENZA & PNEUMONIA (470-474,480-486)	1,660	35.4	1,452	208
6.	DIABETES MELLITUS (250)	1,115	23.8	990	125
7.	ARTERIOSCLEROSIS (440)	1,036	22.1	954	82
8.	DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	927	19.8	676	251
9.	BRONCHITIS,EMPHYSEMA & ASTHMA (490-493)	801	17.1	742	59
10.	CIRRHOSIS OF LIVER (571)	576	12.3	471	105
	ALL OTHER CAUSES	8,542		7,106	1,436
	TOTALS	51,743		46,310	5,433

TOTAL RESIDENT DEATHS - 51,743
ESTIMATED POPULATION APRIL 1, 1970 - 4,676,501.

DEATH RATES ARE PER 100,000 POP.

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 10

FIVE LEADING CAUSES OF DEATH FOR SELECTED AGE GROUPS,
NUMBER OF RESIDENT DEATHS, MISSOURI 1970

CAUSE BY AGE GROUPS	DEATHS
UNDER 1 YEAR	
1 DISEASES OF EARLY INFANCY (760-769.2) (769.4-772,774-778)	924
2 CONGENITAL ANOMALIES (740-759)	250
3 INFLUENZA/PNEUMONIA (470-474,480-486)	141
4 ACCIDENTS (E800-E949)	42
5 CEREBROVASCULAR DISEASE (430-438)	8
1-4 YEARS	
1 ACCIDENTS (E800-E949)	93
2 CONGENITAL ANOMALIES (740-759)	34
3 MALIGNANT NEOPLASMS (140-209)	21
4 INFLUENZA/PNEUMONIA (470-474,480-486)	14
5 HOMICIDE (E960-E978)	3
5-14 YEARS	
1 ACCIDENTS (E800-E949)	197
2 MALIGNANT NEOPLASMS (140-209)	55
3 HOMICIDE (E960-E978)	14
4 INFLUENZA/PNEUMONIA (470-474,480-486)	13
5 CONGENITAL ANOMALIES (740-759)	12
15-24 YEARS	
1 ACCIDENTS (E800-E949)	572
2 HOMICIDE (E960-E978)	130
3 MALIGNANT NEOPLASMS (140-209)	66
4 SUICIDE (E950-E959)	63
5 HEART DIS. (390-398,402,404,410-429)	21
25-34-YEARS	
1 ACCIDENTS (E800-E949)	282
2 MALIGNANT NEOPLASMS (140-209)	104
3 HOMICIDE (E960-E978)	92
4 SUICIDE (E950-E959)	77
5 HEART DIS. (390-398,402,404,410-429)	54


NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 10 (CONT)

FIVE LEADING CAUSES OF DEATH FOR SELECTED AGE GROUPS,
NUMBER OF RESIDENT DEATHS, MISSOURI 1970

CAUSE BY AGE GROUPS	DEATHS
35-44 YEARS	
1 MALIGNANT NEOPLASMS (140-209)	331
2 HEART DIS. (390-398,402,404,410-429)	277
3 ACCIDENTS (E800-E949)	254
4 HOMICIDE (E960-E978)	94
5 SUICIDE (E950-E959)	83
45-54 YEARS	
1 HEART DIS. (390-398,402,404,410-429)	1,076
2 MALIGNANT NEOPLASMS (140-209)	935
3 ACCIDENTS (E800-E949)	308
4 CEREBROVASCULAR DISEASE (430-438)	204
5 CIRRHOSIS OF LIVER (571)	146
55-64 YEARS	
1 HEART DIS. (390-398,402,404,410-429)	2,727
2 MALIGNANT NEOPLASMS (140-209)	2,013
3 CEREBROVASCULAR DISEASE (430-438)	521
4 ACCIDENTS (E800-E949)	324
5 DIABETES MELLITUS (250)	220
65-74 YEARS	
1 HEART DIS. (390-398,402,404,410-429)	5,046
2 MALIGNANT NEOPLASMS (140-209)	2,447
3 CEREBROVASCULAR DISEASE (430-438)	1,392
4 DIABETES MELLITUS (250)	328
5 ACCIDENTS (E800-E949)	308
75-84 YEARS	
1 HEART DIS. (390-398,402,404,410-429)	6,459
2 CEREBROVASCULAR DISEASE (430-438)	2,436
3 MALIGNANT NEOPLASMS (140-209)	2,047
4 INFLUENZA/PNEUMONIA (470-474,480-486)	486
5 ARTERIOSCLEROSIS (440)	395
85-YEARS & OVER	
1 HEART DIS. (390-398,402,404,410-429)	3,717
2 CEREBROVASCULAR DISEASE (430-438)	1,472
3 MALIGNANT NEOPLASMS (140-209)	595
4 ARTERIOSCLEROSIS (440)	468
5 INFLUENZA/PNEUMONIA (470-474,480-486)	395

GRAPH C.
MATERNAL DEATH RATES 1932-1970
(per 10,000 live births)



Year	Total	White	Nonwhite	Year	Total	White	Nonwhite	Year	Total	White	Nonwhite
1932	61.4	58.5	107.0	1945	16.9	15.3	36.1	1958	3.6	2.9	8.5
1933	51.6	50.0	77.9	1946	13.8	11.9	36.7	1959	3.8	3.3	6.7
1934	58.5	55.3	109.6	1947	12.9	11.8	26.2	1960	5.1	3.9	12.9
1935	57.0	55.0	87.0	1948	10.1	8.9	23.4	1961	2.4	1.7	6.8
1936	61.0	60.0	85.0	1949	8.5	7.2	20.2	1962	4.6	4.2	6.9
1937	51.3	49.9	71.2	1950	8.2	6.8	20.5	1963	3.7	2.8	8.8
1938	38.2	36.6	61.3	1951	7.6	6.7	15.7	1964	4.1	2.6	12.6
1939	37.0	35.4	59.9	1952	7.1	6.1	16.3	1965	2.7	2.5	4.0
1940	36.5	35.0	56.7	1953	6.6	5.4	16.2	1966	2.1	1.8	3.3
1941	31.7	28.6	75.1	1954	4.9	4.1	11.0	1967	2.4	1.9	5.2
1942	24.3	23.2	38.0	1955	4.7	4.0	9.7	1968	2.0	1.4	5.3
1943	22.7	21.9	33.7	1956	5.5	3.8	17.3	1969	1.9	1.7	2.5
1944	20.9	18.4	50.6	1957	3.3	2.5	8.7	1970	3.3	2.7	6.4

Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U.S. Bureau of the Census, Mortality Statistics, 1935-36, Missouri Division of Health, Vital Statistics Reports, 1949 to date. 1932-44 are recorded and 1945 to date are resident data.

TABLE 11

RESIDENT MATERNAL DEATHS BY CAUSE AND COLOR WITH RATES, MISSOURI 1970

CAUSE OF DEATH	TOTAL	NUMBER		TOTAL	RATES	
		WHITE	NON-WHITE		WHITE	NON-WHITE
ALL CAUSES (630-678)	27	19	8	3.3	2.7	6.4
ECTOPIC PREGNANCY (631)	1		1	.1		.8
TOXEMIAS, EXCEPT ABORTION (636-639)	3	2	1	.3	.2	.8
HEMORRHAGE (632,651-653)	2	2		.2	.2	
ABORTIONS (640-645)	2		2	.2		1.6
SEPSIS (670,671,673)	8	7	1	.9	1.0	.8
ALL OTHER COMPLICATIONS (630,633-635, 654-662,672,674-678)	11	8	3	1.3	1.1	2.4
DELIVERY WITHOUT MENTION OF COMPLICATION (650)						

MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REVISION OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 12

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1970

	ALL AGES	UNDER 1 YR.	1-4 YRS.	5-9 YRS.	10-14 YRS.	15-19 YRS.	20-24 YRS.	25-29 YRS.	30-34 YRS.	35-39 YRS.	40-44 YRS.
TOTAL DEATHS	51,743	1,580	245	175	197	541	536	419	473	607	1,029
MALE	28,657	905	134	104	130	392	399	291	300	381	637
FEMALE	23,086	675	111	71	67	149	137	128	173	226	392
TOTAL WHITE	46,310	1,161	199	137	171	444	427	324	363	455	789
MALE	25,608	677	111	83	110	320	309	227	221	293	486
FEMALE	20,702	484	88	54	61	124	118	97	142	162	303
TOTAL NONWHITE	5,433	419	46	38	26	97	109	95	110	152	240
MALE	3,049	228	23	21	20	72	90	64	79	88	151
FEMALE	2,384	191	23	17	6	25	19	31	31	64	89
CAUSES OF DEATH											
TUBERCULOSIS, ALL FORMS (010-019)	144								3	3	6
SYPHILIS AND ITS SEQUELAE (090-097)	13										1
OTHER INFECTIVE & PARASITIC DISEASES											
REMAINDER OF (000-136)	238	36	17	6	2	11	5	3	6	7	6
MALIGNANT NEOPLASMS (140-209)	8,621	2	21	26	29	30	36	39	65	94	237
DIGEST. ORGANS (150-159)	2,316						3	5	12	7	30
RESPIRATORY SYSTEM (160-163)	1,876			1	1	1	2	1	2	15	55
BREAST (174)	730							4	6	17	34
GENITAL ORGANS (180-187)	1,071				1	1	4	5	9	16	28
URINARY ORGANS (188-189)	409		2	1					1	1	8
LEUKEMIA (204-207)	411	2	10	17	11	12	6	3	6	9	12
OTHER REMAINDER OF (140-209)	1,808		9	7	16	16	21	21	29	29	70
DIABETES MELLITUS (250)	1,115			1	2	4	5	8	8	10	17
MAJOR CARDIOVASCULAR DISEASE (390-448)	27,467	15	4	7	8	14	20	24	65	126	248
DISEASES OF HEART											
(390-398, 402, 404, 410-429)	19,400	7	2	6	3	8	13	18	36	88	189
RHEUMATIC FEVER & CHRONIC											
RHEUMATIC HEART DISEASE (390-398)	358	1	2	3		2	1	3	4	10	13
HYPERTENSIVE HEART (402, 404)	471								2		6
ISCHEMIC HEART (410-414)	17,405			2		2	4	9	24	61	155
OTHER HEART DISEASE (420-429)	1,166	6		1	3	4	8	6	6	17	15

ALL AGES INCLUDES AGE UNKNOWN

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 12 (CONT)

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1970

	ALL AGES	UNDER 1 YR.	1-4 YRS.	5-9 YRS.	10-14 YRS.	15-19 YRS.	20-24 YRS.	25-29 YRS.	30-34 YRS.	35-39 YRS.	40-44 YRS.
HYPERTENSION (400,401,403)	257								7	4	6
CEREBROVASCULAR DISEASE (430-438)	6,153	8	2	1	4	6	5	4	20	30	45
ARTERIOSCLEROSIS (440)	1,036								1		
OTHER CIRCULATORY (441-448)	621				1		2	2	1	4	8
INFLUENZA/PNEUMONIA (470-474,480-486)	1,660	141	14	6	7	9	11	7	11	19	27
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	801	2	3	2		2	4	1			10
PEPTIC ULCER (531-533)	235	1					1	1	2	5	4
CIRRHOSIS OF LIVER (571)	576				1		5	2	12	24	56
NEPHRITIS AND NEPHROSIS (580-584)	240		1	1	4	1	7	4	5	3	8
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	27					1	8	7	3	6	2
CONGENITAL ANOMALIES (740-759)	370	250	34	9	3	7	6	7	6	6	5
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	927	924	3								
SYMPTOMS & ILL-DEFINED COND. (780-796)	1,870	76	6	1	3	8	7	11	15	22	62
ALL OTHER DISEASES (RESIDUAL)	3,327	88	44	20	21	39	43	43	45	64	88
ACCIDENTAL DEATHS (E800-E949)	2,912	42	93	92	105	312	260	165	117	123	131
MOTOR VEHICLE (E810-E823)	1,441	6	30	51	51	226	194	116	71	65	70
OTHER TRANS. (E800-E807,E825-E845)	95		3	5	6	5	12	8	11	6	7
POISONING (E850-E877)	76	1	6		2	9	7	5	4	5	10
FALLS (E880-E887)	547	7	9	3	1		4	4	2	7	10
FIRES (E890-E899)	174	1	16	8	6	4	6	3	5	6	6
DROWNING & SUBMERSIONS (E910)	120	1	12	14	9	35	13	6	5	4	3
FIREARM MISSILES (E922)	65		4	3	13	8	7	7	3	3	3
INDUSTRIAL (E916-E921,E923-E928)	204		6	4	11	13	12	9	11	17	17
OTHER REMAINDER OF (E900-E949)	190	26	7	4	6	12	5	7	5	10	5
SUICIDE (E950-E959)	523				1	35	28	31	46	35	48
HOMICIDE (E960-E978)	494	1	3	4	10	55	75	49	43	42	52
ALL OTHER EXTERNAL CAUSES (E980-E999)	183	2	2		1	13	15	17	21	18	21

ALL AGES INCLUDES AGE UNKNOWN

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 12 (CONT)

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1970

	45-49 YRS.	50-54 YRS.	55-59 YRS.	60-64 YRS.	65-69 YRS.	70-74 YRS.	75-79 YRS.	80-84 YRS.	85-89 YRS.	90-94 YRS.	OVER 94
TOTAL DEATHS	1,564	2,171	3,178	4,529	5,559	6,509	7,384	7,150	5,007	2,198	669
MALE	996	1,413	2,024	2,960	3,566	3,767	3,841	3,328	2,119	740	222
FEMALE	568	758	1,154	1,569	1,993	2,742	3,543	3,822	2,888	1,458	447
TOTAL WHITE	1,293	1,812	2,770	3,924	4,932	5,899	6,903	6,785	4,805	2,078	627
MALE	848	1,203	1,805	2,625	3,198	3,430	3,584	3,144	2,034	692	204
FEMALE	445	609	965	1,299	1,734	2,469	3,319	3,641	2,771	1,386	423
TOTAL NONWHITE	271	359	408	605	627	610	481	365	202	120	42
MALE	148	210	219	335	368	337	257	184	85	48	18
FEMALE	123	149	189	270	259	273	224	181	117	72	24
CAUSES OF DEATH											
TUBERCULOSIS, ALL FORMS (010-019)	5	10	13	23	18	18	22	13	8	2	
SYPHILIS AND ITS SEQUELAE (090-097)			3	1	3	2	2	1			
OTHER INFECTIVE & PARASITIC DISEASES											
REMAINDER OF (000-136)	7	8	11	19	11	20	25	18	9	11	
MALIGNANT NEOPLASMS (140-209)	370	565	850	1,163	1,255	1,192	1,229	818	428	148	19
DIGEST. ORGANS (150-159)	80	118	176	303	345	349	379	287	158	56	7
RESPIRATORY SYSTEM (160-163)	94	166	238	323	334	277	210	94	50	9	1
BREAST (174)	53	61	106	94	107	69	79	54	33	10	2
GENITAL ORGANS (180-187)	38	53	90	114	129	158	200	134	57	31	3
URINARY ORGANS (188-189)	11	19	34	47	60	59	68	56	31	9	2
LEUKEMIA (204-207)	16	17	31	35	48	50	53	44	23	6	
OTHER REMAINDER OF (140-209)	78	131	175	247	232	230	240	149	76	27	4
DIABETES MELLITUS (250)	31	33	79	141	154	174	187	169	71	18	3
MAJOR CARDIOVASCULAR DISEASE (390-448)	532	813	1,296	2,096	2,931	3,858	4,640	4,936	3,683	1,622	520
DISEASES OF HEART											
(390-398, 402, 404, 410-429)	426	650	1,062	1,665	2,230	2,816	3,211	3,248	2,356	1,047	314
RHEUMATIC FEVER & CHRONIC											
RHEUMATIC HEART DISEASE (390-398)	26	28	35	54	56	46	35	21	12	4	2
HYPERTENSIVE HEART (402, 404)	6	12	13	28	44	54	83	86	88	36	13
ISCHEMIC HEART (410-414)	348	563	950	1,482	2,023	2,560	2,928	2,978	2,112	922	278
OTHER HEART DISEASE (420-429)	46	47	64	101	107	156	165	163	144	85	21

ALL AGES INCLUDES AGE UNKNOWN

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 12 (CONT)

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1970

	45-49 YRS.	50-54 YRS.	55-59 YRS.	60-64 YRS.	65-69 YRS.	70-74 YRS.	75-79 YRS.	80-84 YRS.	85-89 YRS.	90-94 YRS.	OVER 94
HYPERTENSION (400,401,403)	13	12	15	13	19	24	43	36	38	22	5
CEREBROVASCULAR DISEASE (430-438)	75	129	188	333	540	852	1,111	1,325	980	369	123
ARTERIOSCLEROSIS (440)	3	6	8	26	50	79	156	239	243	153	72
OTHER CIRCULATORY (441-448)	15	16	23	59	92	87	119	88	66	31	6
INFLUENZA/PNEUMONIA (470-474,480-486)	42	45	65	82	121	172	233	253	218	130	47
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	16	30	62	107	142	140	145	87	34	12	2
PEPTIC ULCER (531-533)	4	15	21	30	26	39	28	28	18	9	3
CIRRHOSIS OF LIVER (571)	57	89	86	81	58	57	31	12	3	2	
NEPHRITIS AND NEPHROSIS (580-584)	10	15	13	24	21	33	27	26	24	12	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)											
CONGENITAL ANOMALIES (740-759)	8	4	8	4	4	4	3		1		
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)											
SYMPTOMS & ILL-DEFINED COND. (780-796)	111	143	191	208	249	213	176	179	105	61	20
ALL OTHER DISEASES RESIDUAL)	118	147	227	326	357	384	451	420	261	103	37
ACCIDENTAL DEATHS (E800-E949)	148	160	168	156	148	160	156	161	131	65	17
MOTOR VEHICLE (E810-E823)	87	78	101	70	60	69	43	34	14	2	1
OTHER TRANS. (E800-E807,E825-E845)	7	5	5	6	4	1	4				
POISONING (E850-E877)	3	4	7	6	4	2		1			
FALLS (E880-E887)	18	20	13	31	27	51	72	96	100	56	16
FIRES (E890-E899)	11	16	14	12	19	14	10	9	5	3	
DROWNING & SUBMERSIONS (E910)	1	5		2	5	1	2	1	1		
FIREARM MISSILES (E922)	4		4	4			2				
INDUSTRIAL (E916-E921,E923-E928)	11	20	14	13	17	10	8	7	4		
OTHER REMAINDER OF (E900-E949)	6	12	10	12	12	12	15	13	7	4	
SUICIDE (E950-E959)	49	43	49	43	37	28	20	18	10	2	
HOMICIDE (E960-E978)	41	37	25	15	15	12	6	6	1	1	
ALL OTHER EXTERNAL CAUSES (E980-E999)	15	14	11	10	9	3	3	5	2		

ALL AGES INCLUDES AGE UNKNOWN

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 13

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1970

COUNTIES	POP.	NUMBER RESIDENT			RECORDED			RATES					
		INFANT	MAT.		INFANT	MAT.		RESIDENT			RECORDED		
		DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	INF.	MAT.		INF.	MAT.	
								DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.
STATE TOTAL	4,676,501	51,743	1,580	27	52,592	1,662	30	11.0	19.5	3.3	11.2	19.8	3.6
COUNTIES INCL. CITIES													
ADAIR	22,472	260	18	-	476	22	-	11.6	40.5	-	21.2	29.7	-
ANDREW	11,913	130	2	1	57	-	1	10.9	11.4	57.1	4.8	-	10,000.0
ATCHISON	9,240	110	3	-	145	2	-	11.9	19.1	-	15.7	8.7	-
AUDRAIN	25,362	328	10	1	379	5	1	12.9	24.6	24.6	14.9	9.8	19.6
BARRY	19,597	302	7	-	251	4	-	15.4	23.4	-	12.8	13.1	-
BARTON	10,431	147	-	-	126	-	-	14.1	-	-	12.1	-	-
BATES	15,468	243	5	-	210	5	-	15.7	24.9	-	13.6	25.9	-
BENTON	9,695	161	4	-	85	-	-	16.6	42.1	-	8.8	-	-
BOLLINGER	8,820	114	1	-	50	-	-	12.9	9.6	-	5.7	-	-
BOONE	80,911	564	29	-	1,047	72	2	7.0	18.0	-	12.9	31.0	8.6
BUCHANAN	86,915	1,187	34	1	1,454	37	-	13.7	23.2	6.8	16.7	18.8	-
BUTLER	33,529	478	17	-	819	26	-	14.3	33.4	-	24.4	26.6	-
CALDWELL	8,351	130	-	-	84	-	-	15.6	-	-	10.1	-	-
CALLAWAY	25,850	286	4	-	346	2	-	11.1	10.6	-	13.4	12.2	-
CAMDEN	13,315	157	1	-	105	1	-	11.8	6.8	-	7.9	41.7	-
CAPE GIRARDEAU	49,350	493	17	-	698	31	1	10.0	22.1	-	14.1	23.3	7.5
CARROLL	12,565	208	7	-	143	3	-	16.6	36.6	-	11.4	24.8	-
CARTER	3,878	62	1	-	31	-	-	16.0	17.5	-	8.0	-	-
CASS	39,448	318	17	-	232	11	-	8.1	21.5	-	5.9	15.6	-
CEDAR	9,424	174	1	-	152	2	-	18.5	8.3	-	16.1	17.2	-
CHARITON	11,084	178	2	-	82	2	-	16.1	17.1	-	7.4	-	-
CHRISTIAN	15,124	148	5	-	50	-	-	9.8	18.9	-	3.3	-	-
CLARK	8,260	133	1	-	52	-	-	16.1	8.3	-	6.3	-	-
CLAY	123,322	712	33	-	748	28	-	5.8	13.9	-	6.1	14.8	-
CLINTON	12,462	191	4	-	172	2	-	15.3	22.2	-	13.8	15.6	-
COLE	46,228	467	20	1	691	15	-	10.1	26.6	13.3	14.9	10.4	-
COOPER	14,732	191	1	-	171	1	-	13.0	5.3	-	11.6	7.4	-
CRAWFORD	14,828	178	11	-	187	5	-	12.0	42.1	-	12.6	12.7	-
DADE	6,850	115	-	-	81	-	-	16.8	-	-	11.8	-	-
DALLAS	10,054	149	3	-	72	2	-	14.8	22.2	-	7.2	2,000.0	-
DAVISS	8,420	185	1	-	117	-	-	22.0	9.6	-	13.9	-	-
DE KALB	7,305	114	2	-	45	-	-	15.6	19.2	-	6.2	-	-
DENT	11,457	169	2	-	104	-	-	14.8	12.1	-	9.1	-	-

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

TABLE 13 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1970

COUNTIES	POP.	NUMBER						RATES					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		INFANT	MAT.		INFANT	MAT.		INF.	MAT.		INF.	MAT.	
		DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.
DOUGLAS	9,268	123	4	-	57	-	-	13.3	31.7	-	6.2	-	-
DUNKLIN	33,742	479	14	-	407	12	-	14.2	22.5	-	12.1	22.1	-
FRANKLIN	55,116	594	18	1	439	13	1	10.8	17.2	9.6	8.0	21.0	16.2
GASCONADE	11,878	182	3	-	165	2	-	15.3	17.6	-	13.9	18.2	-
GENTRY	8,060	111	1	-	131	2	-	13.8	9.3	-	16.3	14.8	-
GREENE	152,929	1,508	49	1	2,271	94	1	9.9	17.4	3.6	14.9	23.1	2.5
GRUNDY	11,819	229	7	-	218	4	-	19.4	39.1	-	18.4	19.9	-
HARRISON	10,257	176	4	-	148	2	-	17.2	30.1	-	14.4	18.0	-
HENRY	18,451	309	7	-	336	8	-	16.7	27.6	-	18.2	21.6	-
HICKORY	4,481	58	2	-	28	1	-	12.9	40.8	-	6.2	43.5	-
HOLT	6,654	119	-	-	42	-	-	17.9	-	-	6.3	-	-
HOWARD	10,561	159	1	-	160	1	-	15.1	6.8	-	15.2	8.3	-
HOWELL	23,521	279	6	-	326	4	-	11.9	16.5	-	13.9	7.2	-
IRON	9,529	116	4	-	136	1	-	12.2	19.9	-	14.3	5.4	-
JACKSON	654,558	6,977	261	1	7,729	313	1	10.7	20.9	.8	11.8	20.2	.6
JASPER	79,852	1,104	29	1	1,059	27	1	13.8	21.0	7.2	13.3	16.7	6.2
JEFFERSON	105,248	718	34	-	486	10	-	6.8	16.0	-	4.6	18.8	-
JOHNSON	34,172	288	12	-	271	6	-	8.4	17.6	-	7.9	9.0	-
KNOX	5,692	73	-	-	30	-	-	12.8	-	-	5.3	-	-
LACLEDE	19,944	230	4	-	232	3	-	11.5	11.7	-	11.6	7.6	-
LAFAYETTE	26,626	341	3	-	288	3	-	12.8	7.3	-	10.8	11.2	-
LAWRENCE	24,585	321	5	-	375	1	-	13.1	13.1	-	15.3	3.3	-
LEWIS	10,993	149	3	-	62	-	-	13.6	21.1	-	5.6	-	-
LINCOLN	18,041	237	7	-	220	5	-	13.1	24.8	-	12.2	17.9	-
LINN	15,125	286	3	-	274	3	-	18.9	16.4	-	18.1	12.1	-
LIVINGSTON	15,368	203	2	-	255	2	-	13.2	8.5	-	16.6	5.6	-
MC DONALD	12,357	176	6	-	52	-	-	14.2	24.4	-	4.2	-	-
MACON	15,432	257	3	-	193	-	-	16.7	13.6	-	12.5	-	-
MADISON	8,641	142	1	-	119	-	-	16.4	7.1	-	13.8	-	-
MARIES	6,851	73	-	-	28	-	-	10.7	-	-	4.1	-	-
MARION	28,121	397	7	-	478	9	1	14.1	16.2	-	17.0	14.0	15.6
MERCER	4,910	113	-	-	75	-	-	23.0	-	-	15.3	-	-
MILLER	15,026	162	1	-	78	-	-	10.8	3.8	-	5.2	-	-
MISSISSIPPI	16,647	237	15	-	121	5	-	14.2	44.5	-	7.3	26.6	-
MONITEAU	10,742	148	2	-	78	-	-	13.8	14.1	-	7.3	-	-

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

TABLE 13 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1970

COUNTIES	POP.	NUMBER						RATES					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		INFANT	MAT.		INFANT	MAT.		INF.	MAT.		INF.	MAT.	
		DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.
MONROE	9,542	143	1	-	73	-	-	15.0	8.3	-	7.7	-	-
MONTGOMERY	11,000	172	1	-	65	1	-	15.6	5.9	-	5.9	-	-
MORGAN	10,068	168	2	-	114	-	-	16.7	17.1	-	11.3	-	-
NEW MADRID	23,420	265	6	-	126	4	-	11.3	13.5	-	5.4	121.2	-
NEWTON	32,901	383	19	1	403	10	1	11.6	34.5	18.2	12.2	18.2	18.2
NODAWAY	22,467	268	6	-	224	6	-	11.9	17.3	-	10.0	19.4	-
OREGON	9,180	159	2	-	71	-	-	17.3	15.5	-	7.7	-	-
OSAGE	10,994	121	1	-	43	-	-	11.0	5.1	-	3.9	-	-
OZARK	6,226	80	-	-	42	-	-	12.8	-	-	6.7	-	-
PEMISCOT	26,373	379	21	-	339	22	-	14.4	37.4	-	12.9	34.7	-
PERRY	14,393	148	5	-	139	2	-	10.3	23.7	-	9.7	11.0	-
PETTIS	34,137	478	6	-	519	8	-	14.0	10.9	-	15.2	12.3	-
PHELPS	29,481	307	14	1	356	9	-	10.4	27.7	19.8	12.1	12.6	-
PIKE	16,928	230	6	-	206	4	-	13.6	19.9	-	12.2	14.3	-
PLATTE	32,081	232	7	1	145	2	-	7.2	12.0	17.1	4.5	-	-
POLK	15,415	205	3	-	114	2	-	13.3	13.2	-	7.4	111.1	-
PULASKI	53,781	195	18	-	197	24	-	3.6	52.9	-	3.7	21.3	-
PUTNAM	5,916	110	1	-	107	1	-	18.6	12.5	-	18.1	9.6	-
RALLS	7,764	90	1	-	39	-	-	11.6	9.1	-	5.0	-	-
RANDOLPH	22,434	382	3	-	368	1	-	17.0	9.0	-	16.4	3.2	-
RAY	17,599	223	3	-	183	3	-	12.7	10.5	-	10.4	10.4	-
REYNOLDS	6,106	68	1	-	20	1	-	11.1	8.7	-	3.3	-	-
RIPLEY	9,803	145	5	-	103	3	-	14.8	41.3	-	10.5	57.7	-
ST. CHARLES	92,954	573	42	-	558	26	-	6.2	21.3	-	6.0	17.2	-
ST. CLAIR	7,667	119	2	-	109	2	-	15.5	22.7	-	14.2	38.5	-
ST. FRANCOIS	36,818	540	10	-	635	8	-	14.7	15.4	-	17.2	8.3	-
STE. GENEVIEVE	12,867	131	2	-	107	1	-	10.2	9.7	-	8.3	5.6	-
ST. LOUIS COUNTY	951,353	6,902	227	7	5,493	164	7	7.3	14.4	4.4	5.8	11.5	4.9
ST. LOUIS CITY	622,236	9,390	309	8	12,224	496	11	15.1	26.1	6.8	19.6	30.0	6.6
SALINE	24,633	344	8	-	352	5	-	14.0	22.5	-	14.3	16.5	-
SCHUYLER	4,665	87	-	-	47	-	-	18.6	-	-	10.1	-	-
SCOTLAND	5,499	88	1	-	47	-	-	16.0	15.2	-	8.5	-	-
SCOTT	33,250	389	18	-	464	23	-	11.7	26.5	-	14.0	27.6	-
SHANNON	7,196	79	1	-	32	1	-	11.0	8.8	-	4.4	200.0	-
SHELBY	7,906	145	3	-	61	-	-	18.3	35.3	-	7.7	-	-

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

TABLE 13 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1970

COUNTIES	POP.	NUMBER						RATES					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		DTHS.	INFANT	MAT.	DTHS.	INFANT	MAT.	DTHS.	DTHS.	MAT.	DTHS.	DTHS.	MAT.
STODDARD	25,771	293	12	-	181	7	-	11.4	30.9	-	7.0	18.3	-
STONE	9,921	110	-	-	38	-	-	11.1	-	-	3.8	-	-
SULLIVAN	7,572	141	2	-	110	1	-	18.6	19.2	-	14.5	21.7	-
TANEY	13,023	186	1	-	160	-	-	14.2	6.1	-	12.2	-	-
TEXAS	18,320	236	5	-	241	8	-	12.9	18.2	-	13.2	22.3	-
VERNON	19,065	298	5	-	376	3	-	15.6	21.5	-	19.7	12.9	-
WARREN	9,699	126	1	-	85	1	-	13.0	7.1	-	8.8	1,000.0	-
WASHINGTON	15,086	165	3	-	107	3	-	10.9	10.7	-	7.1	17.8	-
WAYNE	8,546	130	3	-	66	-	-	15.2	25.2	-	7.7	-	-
WEBSTER	15,562	193	7	1	76	-	-	12.4	25.1	35.8	4.9	-	-
WORTH	3,359	52	1	-	26	-	-	15.5	29.4	-	7.7	-	-
WRIGHT	13,667	219	4	-	172	1	1	16.0	20.3	-	12.6	6.2	62.1

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

TABLE 14

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1970

CITIES	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
TOTAL CITIES 2,500 POP. AND OVER	32,796	1,086	20	42,515	1,527	25
TOTAL CITIES 10,000 POP. AND OVER	25,440	876	17	33,567	1,291	21
TOTAL CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	7,356	210	3	8,948	236	4
CITIES 10,000 POP. AND OVER						
BELLEFONTAINE NEIGHBORS	116	1	-	32	-	-
BERKELEY	84	4	1	10	-	-
BRENTWOOD	98	-	-	7	-	-
CAPE GIRARDEAU	278	14	-	604	30	1
CARTHAGE	176	3	-	215	7	1
CLAYTON	157	1	-	1,113	27	1
COLUMBIA	347	22	-	960	71	2
CRESTWOOD	73	4	-	7	-	-
FERGUSON	155	7	-	24	1	-
FLORISSANT	309	12	1	387	24	1
FULTON	133	1	-	270	1	-
GLADSTONE	47	3	-	9	-	-
HANNIBAL	297	4	-	442	9	1
MARION CO. PART	292	4	-	442	9	1
RALLS CO. PART	5	-	-	-	-	-
INDEPENDENCE	827	35	-	706	23	-
JEFFERSON CITY	326	15	1	639	15	-
JENNINGS	222	1	-	16	-	-
JOPLIN	543	17	-	699	18	-
JASPER CO. PART	520	16	-	609	16	-
NEWTON CO. PART	23	1	-	90	2	-
KANSAS CITY	5,846	217	1	6,972	292	1
CLAY CO. PART	276	20	-	64	3	-
JACKSON CO. PART	5,530	195	1	6,891	289	1
PLATTE CO. PART	40	2	-	17	-	-
KIRKSVILLE	194	15	-	452	22	-
KIRKWOOD	301	15	1	438	16	-
MAPLEWOOD	152	4	-	23	-	-

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1970

CITIES 10,000 POP. AND OVER	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
MEXICO	164	7	1	320	5	1
MOBERLY	228	1	-	316	1	-
OVERLAND	229	8	-	35	-	-
POPLAR BLUFF	266	11	-	754	25	-
RAYTOWN	206	7	-	12	-	-
RICHMOND HEIGHTS	166	5	-	615	22	-
ROLLA	110	6	-	286	8	-
ST. ANN	95	8	1	3	-	-
ST. CHARLES	283	22	-	455	21	-
ST. JOSEPH	1,066	30	-	1,428	37	-
ST. LOUIS CITY	9,390	309	8	12,224	496	11
SEDALIA	360	4	-	477	8	-
SIKESTON	163	6	-	308	17	-
NEW MADRID CO. PART	-	-	-	-	-	-
SCOTT CO. PART	163	6	-	308	17	-
SPRINGFIELD	1,214	42	1	2,171	94	1
UNIVERSITY CITY	555	5	1	103	-	-
WEBSTER GROVES.	264	10	-	35	-	-
CITIES OVER 2,500 POPULATION LESS THAN 10,000						
AURORA	80	-	-	102	1	-
BALLWIN	61	1	-	17	-	-
BEL-RIDGE	11	-	-	-	-	-
BELTON	51	5	-	18	2	-
BETHANY	68	3	-	114	2	-
BLUE SPRINGS	48	1	-	3	-	-
BOLIVAR	68	1	-	38	1	-
BONNE TERRE	65	1	-	163	1	-
BOONVILLE	91	1	-	136	1	-
BOWLING GREEN	54	-	-	37	-	-
BRECKENRIDGE HILLS	27	-	-	4	-	-
BRIDGETON	91	6	-	15	-	-
BROOKFIELD	100	1	-	149	2	-
BUTLER	84	2	-	158	5	-

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1970

CITIES OVER 2,500 POPULATION LESS THAN 10,000	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
CALIFORNIA	56	-	-	47	-	-
CAMERON	75	2	-	108	2	-
CLINTON CO. PART	73	2	-	107	2	-
DE KALB CO. PART	2	-	-	1	-	-
CANTON	28	1	-	8	-	-
CARROLLTON	97	4	-	114	3	-
CARUTHERSVILLE	118	2	-	37	1	-
CENTRALIA	61	-	-	35	-	-
CHAFFEE	42	2	-	94	4	-
CHARLESTON	92	7	-	69	3	-
CHILLICOTHE	130	-	-	229	2	-
CLINTON	132	5	-	240	7	-
CREVE COEUR	122	5	-	865	48	2
CRYSTAL CITY	34	-	-	9	-	-
DELLWOOD	31	1	-	1	-	-
DESOTO	75	-	-	20	-	-
DES PERES	32	-	-	43	-	-
DEXTER	69	-	-	110	5	-
EAST PRAIRIE	57	2	-	14	1	-
ELDON	44	-	-	18	-	-
ELDORADO SPRINGS	84	1	-	121	2	-
ELLISVILLE	22	-	-	73	-	-
EXCELSIOR SPRINGS	90	4	-	98	1	-
CLAY CO. PART	89	3	-	98	1	-
RAY CO. PART	1	1	-	-	-	-
FARMINGTON	108	-	-	199	4	-
FAYETTE	46	1	-	135	1	-
FESTUS	76	5	-	22	-	-
FLAT RIVER	86	-	-	21	-	-
FREDERICKTOWN	68	-	-	86	-	-
FRONTENAC	19	-	-	5	-	-
GLENDALE	58	1	-	5	-	-
GRANDVIEW	62	10	-	23	-	-
HANLEY HILLS	20	-	-	4	-	-
HARRISONVILLE	58	3	-	121	8	-
HAYTI	72	5	-	246	21	-

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1970


CITIES OVER 2,500 POPULATION LESS THAN 10,000	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
HAZELWOOD	94	4	-	4	-	-
HERMANN	52	2	-	91	2	-
HIGGINSVILLE	68	-	-	33	-	-
HILLSDALE VILLAGE	29	3	-	2	1	-
JACKSON	68	1	-	44	-	-
KENNETT	127	8	-	265	12	-
KINLOCH	67	3	-	1	-	-
LADUE	79	-	-	18	-	-
LAMAR	64	-	-	102	-	-
LEBANON	121	3	-	197	3	-
LEE'S SUMMIT	96	9	-	50	1	-
LEXINGTON	78	1	-	131	1	-
LIBERTY	102	4	-	77	-	-
LOUISIANA	68	2	-	141	3	-
MACON	87	2	-	135	-	-
MALDEN	68	-	-	46	-	-
MARCELINE	60	1	-	90	1	-
MARSHALL	146	3	-	238	3	-
MARYVILLE	100	2	-	174	6	-
MOLINE ACRES	37	1	-	9	-	-
MONETT	92	-	-	119	1	-
BARRY CO. PART	82	-	-	119	1	-
LAWRENCE CO. PART	10	-	-	-	-	-
MOUNTAIN GROVE	80	1	-	48	1	-
NEOSHO	131	5	1	174	1	-
NEVADA	159	2	-	207	3	-
NEW MADRID	30	-	-	16	-	-
NORMANDY	105	1	-	382	7	1
NORTH KANSAS CITY	60	1	-	297	21	-
NORTHWOODS	36	-	-	3	-	-
O'FALLON	36	4	-	10	1	-
OLIVETTE	62	-	-	8	-	-
PACIFIC	40	2	-	9	1	-
FRANKLIN CO. PART	39	2	-	8	1	-
ST. LOUIS CO. PART	1	-	-	1	-	-
PAGEDALE	52	2	-	2	1	-

TABLE 14 (CONT)

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1970

CITIES OVER 2,500 POPULATION LESS THAN 10,000	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
PALMYRA	52	2	-	21	-	-
PERRYVILLE	70	2	-	106	2	-
PINELAWN	62	2	-	10	-	-
PLEASANT HILL	39	2	-	11	1	-
PORTAGEVILLE	35	1	-	13	2	-
POTOSI	35	1	-	8	-	-
RICHMOND	92	-	-	38	1	-
RIVERVIEW	31	1	-	1	-	-
ROCK HILL	36	1	-	7	-	-
ST. CLAIR	50	-	-	16	-	-
ST. JOHN	80	1	-	5	-	-
STE. GENEVIEVE	62	1	-	77	1	-
SALEM	76	-	-	41	-	-
SHREWSBURY	44	-	-	5	-	-
SLATER	55	2	-	22	1	-
SUGAR CREEK	34	1	-	2	-	-
SULLIVAN	57	5	-	130	4	-
CRAWFORD CO. PART	8	3	-	116	4	-
FRANKLIN CO. PART	49	2	-	14	-	-
SUNSET HILLS	23	1	-	5	-	-
TRENTON	146	4	-	195	4	-
UNION	57	2	-	13	-	-
VALLEY PARK	47	2	-	31	-	-
VANDALIA	49	-	-	18	-	-
WARRENSBURG	94	6	-	200	3	-
WASHINGTON	88	7	1	294	11	1
WEBB CITY	99	1	-	95	1	-
WELLSTON	92	9	-	6	-	-
WENTZVILLE	30	3	-	12	2	-
WEST PLAINS	92	2	-	208	4	-
WINDSOR	49	-	-	59	1	-
WOODSON TERRACE	23	1	1	2	-	-

GRAPH D.
INFANT DEATH RATES BY COLOR 1932-1970
(per 1,000 live births)



INFANT DEATH TRENDS

Year	Total	White	Nonwhite
1932	57.4	53.9	112.9
1933	56.8	54.5	94.3
1934	62.3	59.4	107.6
1935	56.9	55.2	83.1
1936	57.9	55.7	90.0
1937	64.0	61.7	96.5
1938	51.1	48.1	93.0
1939	45.0	42.2	83.8
1940	47.0	44.7	78.4
1941	46.8	44.2	83.0
1942	39.0	37.1	64.8
1943	39.8	37.5	69.5
1944	37.3	35.1	63.7
1945	37.5	35.1	65.8
1946	33.0	31.1	55.8
1947	32.4	30.1	59.9
1948	30.4	28.6	49.3
1949	30.0	28.7	43.4
1950	29.2	27.1	49.0
1951	27.7	25.8	45.0
1952	28.3	25.9	49.4
1953	27.7	25.4	46.9
1954	26.8	24.2	46.6
1955	25.3	23.1	41.7
1956	24.5	22.4	38.9
1957	24.8	22.4	40.5
1958	26.4	23.2	46.9
1959	24.5	21.5	43.6
1960	24.7	21.4	45.9
1961	24.5	21.9	41.6
1962	25.5	23.2	40.0
1963	24.3	21.5	41.5
1964	24.4	21.2	43.2
1965	25.4	22.2	42.7
1966	23.4	19.8	43.0
1967	22.6	19.1	41.9
1968	21.3	19.1	33.9
1969	21.3	18.6	36.4
1970	19.5	17.0	33.6

Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U.S. Bureau of the Census, Mortality Statistics, 1935-36; Missouri Division of Health, Vital Statistics Reports, 1949 to date. 1932-44 Recorded data and 1945 to date Resident.

TABLE 15 RESIDENT INFANT DEATHS BY AGE, CAUSE, AND COLOR WITH RATES BY CAUSE AND COLOR, MISSOURI 1970

CAUSE	COLOR	NUMBER	RATE	UNDER 1 HR.	OVER 1 HR.	OVER 1 DAY	OVER 7 DAS	OVER 28 DAS	OVER 3 MOS	OVER 6 MOS
					UNDER 1 DAY	UNDER 7 DAS	UNDER 28 DAS	UNDER 3 MOS	UNDER 6 MOS	UNDER 1 YEAR
ALL CAUSES	WHITE	1,161	17.0	73	426	299	102	110	72	78
	NONWHITE	419	33.6	30	165	82	22	67	36	17
	TOTAL	1,580	19.5	103	591	381	124	177	108	95
GASTRO-INTESTINAL DISEASES (004,006-009,535,561,563)	WHITE	17	.2				6	1	5	5
	NONWHITE	4	.3				1	3		
	TOTAL	21	.2				7	4	5	5
INFLUENZA & PNEUMONIA (470-474,480-486)	WHITE	88	1.2	2	4	10	10	29	21	12
	NONWHITE	53	4.2		2	3	3	30	11	4
	TOTAL	141	1.7	2	6	13	13	59	32	16
CONGENITAL ANOMALIES (740-759)	WHITE	213	3.1	16	46	57	38	28	12	16
	NONWHITE	37	2.9	2	8	7	5	5	7	3
	TOTAL	250	3.0	18	54	64	43	33	19	19
BIRTH INJURIES (764-768 (.0-.3),772)	WHITE	19	.2	1	8	8		2		
	NONWHITE	4	.3		1	2				1
	TOTAL	23	.2	1	9	10		2		1
ASPHYXIA OF NEWBORN, UNSPECIFIED (776.9)	WHITE	153	2.2	17	83	39	11	1		1
	NONWHITE	83	6.6	5	54	24				
	TOTAL	236	2.9	22	137	63	11	1		1
IMMATURITY, UNQUALIFIED (777)	WHITE	106	1.5	7	76	20	3			
	NONWHITE	57	4.5	8	42	3	3	1		
	TOTAL	163	2.0	15	118	23	6	1		
OTHER DISEASES OF EARLY INFANCY (REMAINDER OF 760-778)	WHITE	396	5.8	27	200	148	15	5		1
	NONWHITE	106	8.5	14	53	38		1		
	TOTAL	502	6.2	41	253	186	15	6		1
ALL OTHER CAUSES (RESIDUAL)	WHITE	169	2.4	3	9	17	19	44	34	43
	NONWHITE	75	6.0	1	5	5	10	27	18	9
	TOTAL	244	3.0	4	14	22	29	71	52	52

INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS.

NUMBER IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REVISION OF THE INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, ADAPTED.

NUMBER INCLUDES AGE UNKNOWN.

TABLE 16

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

TOTAL EST. POP. APRIL 1, 1970 4,676,501	STATE TOTAL				UNDER 2,500		2,500 - LESS THAN 5,000	
	TOTAL	RATE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	80,707	17.2	68,260	12,447	30,136	931	4,130	260
ATTENDED BY M.D.	72,002		60,103	11,899	25,458	745	3,345	231
ATTENDED BY D.O.	8,531		8,061	470	4,612	147	782	24
ATTENDED BY MIDWIFE	101		41	60	35	35	2	5
OTHERS OR UNSPECIFIED	73		55	18	31	4	1	
TOTAL FETAL DEATHS	1,117	13.8	870	247	367	22	45	8
ATTENDED BY M.D.	1,002		767	235	307	17	40	7
ATTENDED BY D.O.	112		102	10	59	5	5	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	3		1	2	1			
TOTAL DEATHS	51,743	11.0	46,310	5,433	18,528	419	3,266	150
UNDER ONE YEAR OF AGE	1,580	19.5	1,161	419	455	39	72	8
NEONATAL DEATHS	1,199	14.8	900	299	346	28	60	6
MATERNAL DEATHS	27	3.3	19	8	7			
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	144	3.0	117	27	47	2	8	1
SYPHILIS AND ITS SEQUELAE (090-097)	13	.2	10	3	2			1
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	238	5.0	198	40	73	4	11	1
MALIGNANT NEOPLASMS (140-209)	8,621	184.3	7,836	785	2,983	70	572	20
DIGEST. ORGANS (150-159)	2,316	49.5	2,089	227	809	19	163	5
RESPIRATORY SYSTEM (160-163)	1,876	40.1	1,724	152	586	18	129	4
BREAST (174)	730	15.6	674	56	221	9	52	2
GENITAL ORGANS (180-187)	1,071	22.9	932	139	411	8	64	3
URINARY ORGANS (188-189)	409	8.7	380	29	142	3	15	2
LEUKEMIA (204-207)	411	8.7	385	26	164	4	30	1
OTHER REMAINDER OF (140-209)	1,808	38.6	1,652	156	650	9	119	3
DIABETES MELLITUS (250)	1,115	23.8	990	125	396	5	73	3
MAJOR CARDIOVASCULAR DISEASE (390-448)	27,467	587.3	25,215	2,252	10,248	181	1,796	69
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	19,400	414.8	17,892	1,508	7,182	115	1,272	49

MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

LIVE BIRTH AND DEATH RATES ARE PER 1,000 POP.

INFANT DEATHS, NEONATAL DEATHS AND FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS.

RATES FOR SPECIFIC CAUSES OF DEATH ARE PER 100,000 POPULATION.

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	STATE TOTAL		UNDER 2,500		2,500 - LESS THAN 5,000			
	TOTAL	RATE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	358	7.6	330	28	120	2	20	2
HYPERTENSIVE HEART (402,404)	471	10.0	413	58	210	7	38	5
ISCHEMIC HEART (410-414)	17,405	372.1	16,130	1,275	6,342	96	1,138	37
OTHER HEART DISEASE (420-429)	1,166	24.9	1,019	147	510	10	76	5
HYPERTENSION (400,401,403)	257	5.4	210	47	88	1	23	2
CEREBROVASCULAR DISEASE (430-438)	6,153	131.5	5,575	578	2,393	56	400	17
ARTERIOSCLEROSIS (440)	1,036	22.1	954	82	389	7	54	1
OTHER CIRCULATORY (441-448)	621	13.2	584	37	196	2	47	
INFLUENZA/PNEUMONIA (470-474,480-486)	1,660	35.4	1,452	208	586	18	124	5
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	801	17.1	742	59	279	5	61	2
PEPTIC ULCER (531-533)	235	5.0	222	13	80	1	14	
CIRRHOSIS OF LIVER (571)	576	12.3	471	105	128	3	30	2
NEPHRITIS AND NEPHROSIS (580-584)	240	5.1	182	58	80	8	14	2
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	27	.5	19	8	7			
CONGENITAL ANOMALIES (740-759)	370	7.9	323	47	137	4	15	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	927	19.8	676	251	260	25	46	5
SYMPTOMS & ILL-DEFINED COND. (780-796)	1,870	39.9	1,520	350	578	27	96	13
ALL OTHER DISEASES (RESIDUAL)	3,327	71.1	2,888	439	1,087	22	218	12
ACCIDENTAL DEATHS (E800-E949)	2,912	62.2	2,616	296	1,274	33	149	10
MOTOR VEHICLE (E810-E823)	1,441	30.8	1,322	119	683	17	66	4
OTHER TRANS. (E800-E807,E825-E845)	95	2.0	90	5	48	1	9	
POISONING (E850-E877)	76	1.6	60	16	23	2	2	
FALLS (E880-E887)	547	11.6	500	47	170		33	1
FIRES (E890-E899)	174	3.7	133	41	58	2	8	3
DROWNING & SUBMERSIONS (E910)	120	2.5	105	15	60	5	5	
FIREARM MISSILES (E922)	65	1.3	56	9	35	1	2	
INDUS. TYPE (E916-E921,E923-E928)	204	4.3	188	16	130	3	9	1
OTHER REMAINDER OF (E900-E949)	190	4.0	162	28	67	2	15	1
SUICIDE (E950-E959)	523	11.1	500	23	190	2	28	1
HOMICIDE (E960-E978)	494	10.5	198	296	50	6	8	2
ALL OTHER EXTERNAL CAUSES (E980-E999)	183	3.9	135	48	43	3	3	1

MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

LIVE BIRTH AND DEATH RATES ARE PER 1,000 POP.

INFANT DEATHS, NEONATAL DEATHS AND FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS.

RATES FOR SPECIFIC CAUSES OF DEATH ARE PER 100,000 POPULATION.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	5,000 - LESS THAN 10,000		10,000 - LESS THAN 15,000		15,000 - LESS THAN 25,000		25,000 - LESS THAN 50,000	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	5,767	678	2,536	188	4,194	226	3,651	302
ATTENDED BY M.D.	5,207	587	2,004	152	3,902	212	3,394	282
ATTENDED BY D.O.	554	89	529	17	288	13	254	20
ATTENDED BY MIDWIFE	2		2	19		1		
OTHERS OR UNSPECIFIED	4	2	1		4		3	
TOTAL FETAL DEATHS	82	9	39	3	48	2	27	2
ATTENDED BY M.D.	75	7	34	3	47	2	25	2
ATTENDED BY D.O.	7	2	5		1		2	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	3,676	264	1,653	96	2,574	129	1,967	123
UNDER ONE YEAR OF AGE	108	22	55	4	79	9	79	12
NEONATAL DEATHS	88	12	49	3	63	8	61	12
MATERNAL DEATHS	3		2		1		3	
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	9	1	3	1	5		5	
SYPHILIS AND ITS SEQUELAE (090-097)	1				1		1	
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	30	4	9		9		13	1
MALIGNANT NEOPLASMS (140-209)	569	43	274	13	467	18	368	26
DIGEST. ORGANS (150-159)	160	15	76	4	121	5	87	8
RESPIRATORY SYSTEM (160-163)	121	7	67	2	108	3	74	2
BREAST (174)	45	5	32	2	59	1	35	2
GENITAL ORGANS (180-187)	60	4	25	4	43	4	44	7
URINARY ORGANS (188-189)	26	2	5		13		25	
LEUKEMIA (204-207)	37	1	13		20	2	17	
OTHER REMAINDER OF (140-209)	120	9	56	1	103	3	86	7
DIABETES MELLITUS (250)	69	9	33	2	50	2	36	2
MAJOR CARDIOVASCULAR DISEASE (390-448)	2,022	106	903	50	1,386	68	1,003	49
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	1,415	62	627	36	969	47	733	33

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	5,000 - LESS THAN 10,000 NON- WHITE		10,000 - LESS THAN 15,000 NON- WHITE		15,000 - LESS THAN 25,000 NON- WHITE		25,000 - LESS THAN 50,000 NON- WHITE	
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	25	2	14	1	13		17	2
HYPERTENSIVE HEART (402,404)	40	3	19		12		12	1
ISCHEMIC HEART (410-414)	1,258	49	549	28	902	44	672	30
OTHER HEART DISEASE (420-429)	92	8	45	7	42	3	32	
HYPERTENSION (400,401,403)	13	2	13	2	3	2	7	
CEREBROVASCULAR DISEASE (430-438)	474	38	186	11	334	18	202	14
ARTERIOSCLEROSIS (440)	63	2	48		46	1	34	1
OTHER CIRCULATORY (441-448)	57	2	29	1	34		27	1
INFLUENZA/PNEUMONIA (470-474,480-486)	122	16	58	6	81	1	73	2
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	50		28	1	44		22	
PEPTIC ULCER (531-533)	23		9	1	12		17	
CIRRHOSIS OF LIVER (571)	34	2	9	2	32		27	1
NEPHRITIS AND NEPHROSIS (580-584)	11	1	10	2	7	4	15	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	3		2		1		3	
CONGENITAL ANOMALIES (740-759)	34	3	16	1	14	1	21	1
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	58	9	38	4	57	7	43	9
SYMPTOMS & ILL-DEFINED COND. (780-796)	119	22	50	3	78	5	45	3
ALL OTHER DISEASES (RESIDUAL)	226	18	92	7	164	12	132	12
ACCIDENTAL DEATHS (E800-E949)	225	18	91	2	127	8	103	11
MOTOR VEHICLE (E810-E823)	124	7	48		71	3	51	5
OTHER TRANS. (E800-E807,E825-E845)	9		2		5	1	1	
POISONING (E850-E877)	8	2	5		2	1	3	
FALLS (E880-E887)	45		12	1	23	1	19	1
FIRES (E890-E899)	11	2	5		4	1	6	5
DROWNING & SUBMERSIONS (E910)	7	2	2		2		9	
FIREARM MISSILES (E922)	4	1	3		2			
INDUSTRIAL (E916-E921,E923-E928)	7	1	5	1	9		4	
OTHER REMAINDER OF (E900-E949)	10	3	9		9	1	10	
SUICIDE (E950-E959)	45	1	17		24	1	31	1
HOMICIDE (E960-E978)	8	6	5	1	10	2	4	2
ALL OTHER EXTERNAL CAUSES (E980-E999)	18	5	6		5		5	2

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	50,000 - LESS THAN 75,000		75,000 - LESS THAN 100,000		100,000 - LESS THAN 500,000		500,000 AND OVER	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	2,389	269	3,332	119	6,735	3,014	5,390	6,460
ATTENDED BY M.O.	2,276	268	3,303	119	5,932	2,848	5,282	6,455
ATTENDED BY D.O.	110	1	28		798	154	106	5
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	3		1		5	12	2	
TOTAL FETAL DEATHS	21	1	49	3	97	73	95	124
ATTENDED BY M.O.	15	1	48	3	82	71	94	122
ATTENDED BY D.O.	6		1		15	2	1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								2
TOTAL DEATHS	1,342	40	2,204	76	4,614	1,232	6,486	2,904
UNDER ONE YEAR OF AGE	37	3	62	10	128	89	86	223
NEONATAL DEATHS	31	2	46	7	98	64	58	157
MATERNAL DEATHS	1		1			1	1	7
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	3		3		13	5	21	17
SYPHILIS AND ITS SEQUELAE (090-097)			1		1		3	2
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2		11	1	23	5	17	24
MALIGNANT NEOPLASMS (140-209)	243	8	386	9	797	170	1,177	408
DIGEST. ORGANS (150-159)	68	2	94		190	42	321	127
RESPIRATORY SYSTEM (160-163)	49		104	1	203	31	283	84
BREAST (174)	30		29	1	78	11	93	23
GENITAL ORGANS (180-187)	28	3	46	2	79	33	132	71
URINARY ORGANS (188-189)	17	1	16		40	8	81	13
LEUKEMIA (204-207)	7		12	2	38	7	47	9
OTHER REMAINDER OF (140-209)	44	2	85	3	169	38	220	81
DIABETES MELLITUS (250)	34		29	2	93	23	177	77
MAJOR CARDIOVASCULAR DISEASE (390-448)	714	11	1,179	41	2,234	370	3,730	1,307
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	532	7	799	29	1,526	232	2,837	898

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	50,000 - LESS THAN 75,000 NON- WHITE		75,000 - LESS THAN 100,000 NON- WHITE		100,000 - LESS THAN 500,000 NON- WHITE		500,000 AND OVER NON- WHITE	
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	16		19		39	8	47	11
HYPERTENSIVE HEART (402,404)	1		17	2	26	13	38	27
ISCHEMIC HEART (410-414)	503	7	725	24	1,364	175	2,677	785
OTHER HEART DISEASE (420-429)	12		38	3	97	36	75	75
HYPERTENSION (400,401,403)	5	1	11	2	24	10	23	25
CEREBROVASCULAR DISEASE (430-438)	136	2	277	9	537	110	636	303
ARTERIOSCLEROSIS (440)	22		58	1	84	11	156	58
OTHER CIRCULATORY (441-448)	19	1	34		63	7	78	23
INFLUENZA/PNEUMONIA (470-474,480-486)	23	1	72	1	122	34	191	124
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	28		39		87	18	104	33
PEPTIC ULCER (531-533)	6		7		22	4	32	7
CIRRHOSIS OF LIVER (571)	9	2	21	1	83	17	98	75
NEPHRITIS AND NEPHROSIS (580-584)	2		5	1	14	12	24	27
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	1		1			1	1	7
CONGENITAL ANOMALIES (740-759)	12		20	1	27	7	27	29
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	23	3	36	5	72	51	43	133
SYMPTOMS & ILL-DEFINED COND. (780-796)	59	3	107	5	359	251	29	18
ALL OTHER DISEASES (RESIDUAL)	87	3	146	4	316	95	420	254
ACCIDENTAL DEATHS (E800-E949)	67	5	97	5	242	63	241	141
MOTOR VEHICLE (E810-E823)	34	2	50	2	111	27	84	52
OTHER TRANS. (E800-E807,E825-E845)	2		2	1	9		3	2
POISONING (E850-E877)	4	1	5		1		7	10
FALLS (E880-E887)	16	1	22		55	14	105	28
FIRES (E890-E899)	2	1	2	1	20	4	17	22
DROWNING & SUBMERSIONS (E910)	2		4		5	2	9	6
FIREARM MISSILES (E922)	1		1		6	1	2	6
INDUSTRIAL (E916-E921,E923-E928)	4		5		13	4	2	6
OTHER REMAINDER OF (E900-E949)	2		6	1	22	11	12	9
SUICIDE (E950-E959)	20		32		54	7	59	10
HOMICIDE (E960-E978)	5	4	3		41	92	64	181
ALL OTHER EXTERNAL CAUSES (E980-E999)	4		9		14	7	28	30

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	ADAIR		ANDREW		ATCHISON		AUDRAIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	434	10	174	1	157		376	31
ATTENDED BY M.D.	36	1	167	1	157		258	25
ATTENDED BY D.O.	398	9	7				103	6
ATTENDED BY MIDWIFE							15	
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	10		3		2		1	1
ATTENDED BY M.D.	2		2		2		1	1
ATTENDED BY D.O.	8		1					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	260		130		110		299	29
UNDER ONE YEAR OF AGE	18		2		3		8	2
NEONATAL DEATHS	15		2		2		7	1
MATERNAL DEATHS			1				1	
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1				1		5	
MALIGNANT NEOPLASMS (140-209)	38		25		28		44	5
DIGEST. ORGANS (150-159)	11		9		8		11	1
RESPIRATORY SYSTEM (160-163)	6		6		3		12	2
BREAST (174)	5		1		1		1	
GENITAL ORGANS (180-187)	5		3		5		6	2
URINARY ORGANS (188-189)							1	
LEUKEMIA (204-207)	1		1		2		2	
OTHER REMAINDER OF (140-209)	10		5		9		11	
DIABETES MELLITUS (250)	5		3		1		9	
MAJOR CARDIOVASCULAR DISEASE (390-448)	150		70		58		168	15
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	111		54		44		120	13

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	ADAIR		ANDREW		ATCHISON		AUDRAIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		1				3	
HYPERTENSIVE HEART (402,404)	2		1				9	1
ISCHEMIC HEART (410-414)	99		49		43		103	10
OTHER HEART DISEASE (420-429)	9		3		1		5	2
HYPERTENSION (400,401,403)							4	1
CEREBROVASCULAR DISEASE (430-438)	31		13		8		33	1
ARTERIOSCLEROSIS (440)	3				5		5	
OTHER CIRCULATORY (441-448)	5		3		1		6	
INFLUENZA/PNEUMONIA (470-474,480-486)	11		5				9	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3				1		8	
PEPTIC ULCER (531-533)	4						2	
CIRRHOSIS OF LIVER (571)	2						4	
NEPHRITIS AND NEPHROSIS (580-584)	1		1				2	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)			1				1	
CONGENITAL ANOMALIES (740-759)	4		1		1		4	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	12		1		1		3	2
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		2		1		3	1
ALL OTHER DISEASES (RESIDUAL)	10		9		8		15	3
ACCIDENTAL DEATHS (E800-E949)	16		9		9		18	1
MOTOR VEHICLE (E810-E823)	6		3		5		6	1
OTHER TRANS. (E800-E807,E825-E845)	2						2	
POISONING (E850-E877)			1				1	
FALLS (E880-E887)	1		3		1		2	
FIRES (E890-E899)	1		1					
DROWNING & SUBMERSIONS (E910)							1	
FIREARM MISSILES (E922)					1			
INDUSTRIAL (E916-E921,E923-E928)	4		1		2		3	
OTHER REMAINDER OF (E900-E949)	2						3	
SUICIDE (E950-E959)	2		3				4	
HOMICIDE (E960-E978)								
ALL OTHER EXTERNAL CAUSES (E980-E999)					1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	BARRY		BARTON		BATES		BENTON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	297	2	113		199	2	95	
ATTENDED BY M.D.	252	2	111		189	2	57	
ATTENDED BY D.O.	45		1		10		38	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			1					
TOTAL FETAL DEATHS	2				1			
ATTENDED BY M.D.	1				1			
ATTENDED BY D.O.	1							
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	302		147		240	3	161	
UNDER ONE YEAR OF AGE	7				5		4	
NEONATAL DEATHS	5				5		4	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	3							
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		1		1		1	
MALIGNANT NEOPLASMS (140-209)	42		23		32		30	
DIGEST. ORGANS (150-159)	12		5		9		9	
RESPIRATORY SYSTEM (160-163)	13		7		8		5	
BREAST (174)	2		3		2		4	
GENITAL ORGANS (180-187)	4		3		4		4	
URINARY ORGANS (188-189)	1				1		6	
LEUKEMIA (204-207)	1		1		2		2	
OTHER REMAINDER OF (140-209)	9		4		6			
DIABETES MELLITUS (250)	6		4		8		6	
MAJOR CARDIOVASCULAR DISEASE (390-448)	171		88		131	1	87	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	128		64		100	1	50	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	BARRY		BARTON		BATES		BENTON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	4		4		2			
HYPERTENSIVE HEART (402,404)	6				5	1		
ISCHEMIC HEART (410-414)	110		58		77		43	
OTHER HEART DISEASE (420-429)	8		2		16		7	
HYPERTENSION (400,401,403)								
CEREBROVASCULAR DISEASE (430-438)	34		20		25		33	
ARTERIOSCLEROSIS (440)	5		2		2		3	
OTHER CIRCULATORY (441-448)	4		2		4		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	9		7		12		4	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	7		1		11	1	1	
PEPTIC ULCER (531-533)	1		2		2		1	
CIRRHOSIS OF LIVER (571)	2		1					
NEPHRITIS AND NEPHROSIS (580-584)	2		2		1			
COMPLICATIONS OF PREG, CHILD BIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	3							
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	3				3		4	
SYMPTOMS & ILL-DEFINED COND. (780-796)	16				17		4	
ALL OTHER DISEASES (RESIDUAL)	15		8		12		9	
ACCIDENTAL DEATHS (E800-E949)	19		7		10	1	11	
MOTOR VEHICLE (E810-E823)	15		3		7		6	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)								
FALLS (E880-E887)	2		2		1			
FIRES (E890-E899)								
DROWNING & SUBMERSIONS (E910)	1						1	
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	1		1		2		3	
OTHER REMAINDER OF (E900-E949)			1			1	1	
SUICIDE (E950-E959)	1		3				2	
HOMICIDE (E960-E978)								
ALL OTHER EXTERNAL CAUSES (E980-E999)	1						1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	BOLLINGER		BOONE		BUCHANAN		BUTLER	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	103	1	1,493	116	1,396	71	467	42
ATTENDED BY M.D.	66	1	1,459	115	1,373	71	389	36
ATTENDED BY D.O.	37		33	1	23		77	3
ATTENDED BY MIDWIFE								2
OTHERS OR UNSPECIFIED			1				1	1
TOTAL FETAL DEATHS	2		10		28		5	
ATTENDED BY M.D.	1		10		27		4	
ATTENDED BY D.O.	1				1		1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	114		514	50	1,146	41	442	36
UNDER ONE YEAR OF AGE	1		26	3	27	7	14	3
NEONATAL DEATHS			21	3	21	5	10	2
MATERNAL DEATHS					1			
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1		1		1		1	
SYPHILIS AND ITS SEQUELAE (090-097)			2		1			
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		7	1	3	1	1	
MALIGNANT NEOPLASMS (140-209)	23		75	13	194	6	70	8
DIGEST. ORGANS (150-159)	8		24	5	46		16	1
RESPIRATORY SYSTEM (160-163)	3		12		51		15	
BREAST (174)	1		6	1	20	1	4	
GENITAL ORGANS (180-187)	6		11	5	23	2	6	4
URINARY ORGANS (188-189)	1		3		7		3	1
LEUKEMIA (204-207)	1		3		6	2	7	1
OTHER REMAINDER OF (140-209)	3		16	2	41	1	19	1
DIABETES MELLITUS (250)	2		8		20	2	9	
MAJOR CARDIOVASCULAR DISEASE (390-448)	59		257	15	610	19	235	22
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	37		176	8	429	13	156	9

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	BOLLINGER		BOONE		BUCHANAN		BUTLER	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			4		9			
HYPERTENSIVE HEART (402,404)			2		12			
ISCHEMIC HEART (410-414)	33		160	8	383	12	150	8
OTHER HEART DISEASE (420-429)	4		10		25	1	6	1
HYPERTENSION (400,401,403)	1				7	2	1	
CEREBROVASCULAR DISEASE (430-438)	19		64	7	139	3	69	12
ARTERIOSCLEROSIS (440)			11		19	1	7	1
OTHER CIRCULATORY (441-448)	2		6		16		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	1		24		39	1	10	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		7		24		11	
PEPTIC ULCER (531-533)			3		4		1	
CIRRHOSIS OF LIVER (571)			9		11		8	
NEPHRITIS AND NEPHROSIS (580-584)			2		4	1	2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)					1			
CONGENITAL ANOMALIES (740-759)	1		6	1	8	1	2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			14	2	15	3	8	3
SYMPTOMS & ILL-DEFINED COND. (780-796)	4		2		67	5	27	
ALL OTHER DISEASES (RESIDUAL)	8		42	7	74	2	19	
ACCIDENTAL DEATHS (E800-E949)	11		45	8	49		32	3
MOTOR VEHICLE (E810-E823)	3		26	2	21		25	1
OTHER TRANS. (E800-E807,E825-E845)					1		1	
POISONING (E850-E877)					1			
FALLS (E880-E887)	1		10	1	16		3	
FIRES (E890-E899)			1	5	1			1
DROWNING & SUBMERSIONS (E910)	2		3		2		1	
FIREARM MISSILES (E922)					1		1	
INDUSTRIAL (E916-E921,E923-E928)	3		2		3		1	
OTHER REMAINDER OF (E900-E949)	2		3		3			1
SUICIDE (E950-E959)	1		8	1	17		2	
HOMICIDE (E960-E978)			1	2	2		1	
ALL OTHER EXTERNAL CAUSES (E980-E999)			1		2		3	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT.)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	CALDWELL		CALLAWAY		CAMDEN		CAPE GIRARDEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	102		351	25	147		733	35
ATTENDED BY M.D.	70		257	22	100		694	33
ATTENDED BY D.O.	32		94	3	47		37	2
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED							2	
TOTAL FETAL DEATHS	3		9	1	1		9	1
ATTENDED BY M.D.	2		7	1	1		9	1
ATTENDED BY D.O.	1		2					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	130		264	22	157		473	20
UNDER ONE YEAR OF AGE			4		1		15	2
NEONATAL DEATHS			2				12	2
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1	1				
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1		1		4	
MALIGNANT NEOPLASMS (140-209)	27		46	4	33		76	1
DIGEST. ORGANS (150-159)	6		14		10		23	
RESPIRATORY SYSTEM (160-163)	4		13		7		14	1
BREAST (174)			4	2	1		9	
GENITAL ORGANS (180-187)	6		2	2	4		11	
URINARY ORGANS (188-189)	1				2		3	
LEUKEMIA (204-207)			5		1		1	
OTHER REMAINDER OF (140-209)	10		8		8		15	
DIABETES MELLITUS (250)	3		6		1		7	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	74		127	11	86		278	13
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	38		88	9	65		193	11

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	CALDWELL		CALLAWAY		CAMDEN		CAPE GIRARDEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (390-398)					4		6	
HYPERTENSIVE HEART (402,404)	1		7				8	
ISCHEMIC HEART (410-414)	33		75	8	58		172	9
OTHER HEART DISEASE (420-429)	4		6	1	3		7	2
HYPERTENSION (400,401,403)	1						4	
CEREBROVASCULAR DISEASE (430-438)	28		34	2	15		65	2
ARTERIOSCLEROSIS (440)	6		4		4		8	
OTHER CIRCULATORY (441-448)	1		1		2		8	
INFLUENZA/PNEUMONIA (470-474,480-486)	6		8		4		11	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		5		3		7	
PEPTIC ULCER (531-533)			1				1	
CIRRHOSIS OF LIVER (571)	1			1			3	
NEPHRITIS AND NEPHROSIS (580-584)	1		2				2	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)				1			3	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			2				8	2
SYMPTOMS & ILL-DEFINED COND. (780-796)	3		20	1	1		10	1
ALL OTHER DISEASES (RESIDUAL)	4		20	2	10		29	1
ACCIDENTAL DEATHS (E800-E949)	8		21	1	16		26	
MOTOR VEHICLE (E810-E823)	7		7		8		13	
OTHER TRANS. (E800-E807,E825-E845)			1	1	2		2	
POISONING (E850-E877)							1	
FALLS (E880-E887)			5		1		4	
FIRES (E890-E899)			1		2			
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)			1		1			
INDUSTRIAL (E916-E921,E923-E928)	1		3				4	
OTHER REMAINDER OF (E900-E949)			3		2		2	
SUICIDE (E950-E959)			3		1		5	
HOMICIDE (E960-E978)							1	
ALL OTHER EXTERNAL CAUSES (E980-E999)			1		1		2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	CARROLL		CARTER		CASS		CEDAR	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	185	6	57		782	9	119	2
ATTENDED BY M.D.	123	2	48		611	9	72	1
ATTENDED BY D.O.	62	4	9		171		46	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED							1	
TOTAL FETAL DEATHS	6		2		11		4	
ATTENDED BY M.D.	5		2		9		3	
ATTENDED BY D.O.	1				2		1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	204	4	61	1	315	3	174	
UNDER ONE YEAR OF AGE	7		1		17		1	
NEONATAL DEATHS	4		1		13		1	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1		1		1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)					1			
MALIGNANT NEOPLASMS (140-209)	35	1	8	1	46	1	39	
DIGEST. ORGANS (150-159)	12		2		12		13	
RESPIRATORY SYSTEM (160-163)	7		1		12	1	3	
BREAST (174)					2		5	
GENITAL ORGANS (180-187)	7	1		1	5		3	
URINARY ORGANS (188-189)	1		2		4		2	
LEUKEMIA (204-207)	2				3		3	
OTHER REMAINDER OF (140-209)	6		3		8		10	
DIABETES MELLITUS (250)	4	1	2		8		1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	109	2	32		165	1	97	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	81	1	25		120	1	57	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	CARROLL		CARTER		CASS		CEDAR	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		1		1		2	
HYPERTENSIVE HEART (402,404)	3		2		2			
ISCHEMIC HEART (410-414)	72	1	21		107	1	50	
OTHER HEART DISEASE (420-429)	5		1		10		5	
HYPERTENSION (400,401,403)	2				2		1	
CEREBROVASCULAR DISEASE (430-438)	21	1	7		34		35	
ARTERIOSCLEROSIS (440)	3				7		2	
OTHER CIRCULATORY (441-448)	2				2		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	7		2		7		11	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		1		6		4	
PEPTIC ULCER (531-533)	1				1			
CIRRHOSIS OF LIVER (571)	3				2	1	1	
NEPHRITIS AND NEPHROSIS (580-584)	1				2			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		1		2		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	5				10		1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	4		3		12		3	
ALL OTHER DISEASES (RESIDUAL)	18		3		19		10	
ACCIDENTAL DEATHS (E800-E949)	12		8		33		5	
MOTOR VEHICLE (E810-E823)	3		2		13		2	
OTHER TRANS. (E800-E807,E825-E845)			2		2			
POISONING (E850-E877)					1			
FALLS (E880-E887)	5				5		2	
FIRES (E890-E899)	2		1		3		1	
DROWNING & SUBMERSIONS (E910)			1					
FIREARM MISSILES (E922)			1					
INDUSTRIAL (E916-E921,E923-E928)			1		4			
OTHER REMAINDER OF (E900-E949)	2				5			
SUICIDE (E950-E959)	1						1	
HOMICIDE (E960-E978)								
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	CHARITON		CHRISTIAN		CLARK		CLAY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	102	15	265		120		2,343	23
ATTENDED BY M.D.	75	10	263		91		2,098	19
ATTENDED BY D.O.	26	5	2		27		244	4
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1				2		1	
TOTAL FETAL DEATHS	2		1		2		31	1
ATTENDED BY M.D.	2		1		1		23	
ATTENDED BY D.O.					1		8	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	165	13	148		133		705	7
UNDER ONE YEAR OF AGE		2	5		1		33	
NEONATAL DEATHS			5		1		27	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)			1					
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1				4	
MALIGNANT NEOPLASMS (140-209)	19	3	21		22		113	1
DIGEST. ORGANS (150-159)	7	1	9		8		17	1
RESPIRATORY SYSTEM (160-163)	4		4		4		36	
BREAST (174)	2				2		11	
GENITAL ORGANS (180-187)	2		4		3		17	
URINARY ORGANS (188-189)	1				1		3	
LEUKEMIA (204-207)	1		1		1		4	
OTHER REMAINDER OF (140-209)	2	2	3		3		25	
DIABETES MELLITUS (250)			4		3		9	
MAJOR CARDIOVASCULAR DISEASE (390-448)	113	5	76		78		382	4
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	84	5	53		48		243	4

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	CHARITON		CHRISTIAN		CLARK		CLAY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE (390-398)					3		9	1
HYPERTENSIVE HEART (402,404)	2	1	1				5	1
ISCHEMIC HEART (410-414)	79	4	50		42		217	
OTHER HEART DISEASE (420-429)	3		2		3		12	2
HYPERTENSION (400,401,403)	1				1		3	
CEREBROVASCULAR DISEASE (430-438)	22		18		26		108	
ARTERIOSCLEROSIS (440)	4		4		1		14	
OTHER CIRCULATORY (441-448)	2		1		2		14	
INFLUENZA/PNEUMONIA (470-474,480-486)	5	2	7		3		15	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)		1	1		2		11	
PEPTIC ULCER (531-533)					1		4	
CIRRHOSIS OF LIVER (571)	2						10	
NEPHRITIS AND NEPHROSIS (580-584)	1		1		1		3	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			1				8	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			3		1		16	
SYMPTOMS & ILL-DEFINED COND. (780-796)	6	1	5		3		7	
ALL OTHER DISEASES (RESIDUAL)	10		11		6		51	
ACCIDENTAL DEATHS (E800-E949)	8	1	15		12		51	1
MOTOR VEHICLE (E810-E823)	4	1	6		7		29	1
OTHER TRANS. (E800-E807,E825-E845)					1		1	
POISONING (E850-E877)								
FALLS (E880-E887)	2		5		1		5	
FIRES (E890-E899)							2	
DROWNING & SUBMERSIONS (E910)					1		4	
FIREARM MISSILES (E922)			1					
INDUSTRIAL (E916-E921,E923-E928)	1		3		2		4	
OTHER REMAINDER OF (E900-E949)	1						6	
SUICIDE (E950-E959)			1		1		13	
HOMICIDE (E960-E978)							3	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1						5	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	CLINTON		COLE		COOPER		CRAWFORD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	175	5	704	49	176	14	261	
ATTENDED BY M.D.	121	4	532	34	171	13	210	
ATTENDED BY D.O.	54	1	172	15	5		51	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED						1		
TOTAL FETAL DEATHS	4		3	1	4		2	
ATTENDED BY M.D.	3		2	1	4		2	
ATTENDED BY D.O.	1		1					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	188	3	447	20	174	17	178	
UNDER ONE YEAR OF AGE	4		17	3	1		11	
NEONATAL DEATHS	3		13	3	1		9	
MATERNAL DEATHS			1					
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1							
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)		1	3				1	
MALIGNANT NEOPLASMS (140-209)	25		76	3	27	4	24	
DIGEST. ORGANS (150-159)	4		17	1	6	2	8	
RESPIRATORY SYSTEM (160-163)	3		19	2	3		6	
BREAST (174)	5		6		2		2	
GENITAL ORGANS (180-187)	2		8		4	1	7	
URINARY ORGANS (188-189)			2		1	1		
LEUKEMIA (204-207)	1		2		1			
OTHER REMAINDER OF (140-209)	10		22		10		1	
DIABETES MELLITUS (250)	6		8	1	2		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	101	2	262	9	109	7	105	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	72	2	194	5	81	5	73	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	CLINTON		COLE		COOPER		CRAWFORD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		5	1			1	
HYPERTENSIVE HEART (402,404)	1		2		1		2	
ISCHEMIC HEART (410-414)	60	2	180	4	74	3	63	
OTHER HEART DISEASE (420-429)	9		7		6	2	7	
HYPERTENSION (400,401,403)	1						1	
CEREBROVASCULAR DISEASE (430-438)	21		53	3	20	1	25	
ARTERIOSCLEROSIS (440)	6		9	1	5	1	2	
OTHER CIRCULATORY (441-448)	1		6		3		4	
INFLUENZA/PNEUMONIA (470-474,480-486)	4		16		5		6	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	7		4		1	1	4	
PEPTIC ULCER (531-533)	1		2				1	
CIRRHOSIS OF LIVER (571)	1		5	1	1			
NEPHRITIS AND NEPHROSIS (580-584)	1		2		1	1		
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)			1					
CONGENITAL ANOMALIES (740-759)	1		4				1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		9	3	1		7	
SYMPTOMS & ILL-DEFINED COND. (780-796)	7		4	1	3		3	
ALL OTHER DISEASES (RESIDUAL)	15		27	1	9	1	7	
ACCIDENTAL DEATHS (E800-E949)	14		19	1	10	2	14	
MOTOR VEHICLE (E810-E823)	10		8	1	3		9	
OTHER TRANS. (E800-E807,E825-E845)							1	
POISONING (E850-E877)	1		2		2			
FALLS (E880-E887)	1		2		2		2	
FIRES (E890-E899)						1	1	
DROWNING & SUBMERSIONS (E910)			2					
FIREARM MISSILES (E922)	1				1			
INDUSTRIAL (E916-E921,E923-E928)	1		4		1	1	1	
OTHER REMAINDER OF (E900-E949)			1		1			
SUICIDE (E950-E959)	1		4		5	1	2	
HOMICIDE (E960-E978)	2		1					
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	DADE		DALLAS		DAVISS		DE KALB	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	92		135		104		104	
ATTENDED BY M.D.	89		120		76		71	
ATTENDED BY D.O.	3		13		28		33	
ATTENDED BY MIDWIFE			1					
OTHERS OR UNSPECIFIED			1					
TOTAL FETAL DEATHS			1		2		5	
ATTENDED BY M.D.			1		1		3	
ATTENDED BY D.O.					1		2	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	115		149		185		114	
UNDER ONE YEAR OF AGE			3		1		2	
NEONATAL DEATHS					1		2	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	2		1					
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			2					
MALIGNANT NEOPLASMS (140-209)	28		20		33		18	
DIGEST. ORGANS (150-159)	7		1		8		7	
RESPIRATORY SYSTEM (160-163)	4		5		6		3	
BREAST (174)	1		4		5		1	
GENITAL ORGANS (180-187)	6		1		3		2	
URINARY ORGANS (188-189)	2				3			
LEUKEMIA (204-207)			2				1	
OTHER REMAINDER OF (140-209)	8		7		8		4	
DIABETES MELLITUS (250)	2		4		2		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	54		87		111		68	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	40		54		70		43	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	DADE		DALLAS		DAVISS		DE KALB	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1		2		2	
HYPERTENSIVE HEART (402,404)			1		5			
ISCHEMIC HEART (410-414)	35		48		56		33	
OTHER HEART DISEASE (420-429)	5		4		7		8	
HYPERTENSION (400,401,403)	1				2			
CEREBROVASCULAR DISEASE (430-438)	11		29		32		18	
ARTERIOSCLEROSIS (440)			2		7		4	
OTHER CIRCULATORY (441-448)	2		2				3	
INFLUENZA/PNEUMONIA (470-474,480-486)	4		3		6		2	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2				6		2	
PEPTIC ULCER (531-533)	1						1	
CIRRHOSIS OF LIVER (571)	1		1		1			
NEPHRITIS AND NEPHROSIS (580-584)	1				1			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)					1			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)					1		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		8				1	
ALL OTHER DISEASES (RESIDUAL)	11		12		9		7	
ACCIDENTAL DEATHS (E800-E949)	6		8		13		8	
MOTOR VEHICLE (E810-E823)	3		5		5		3	
OTHER TRANS. (E800-E807,E825-E845)					1		1	
POISONING (E850-E877)							1	
FALLS (E880-E887)	1		1		2		2	
FIRES (E890-E899)	1				1		1	
DROWNING & SUBMERSIONS (E910)			1					
FIREARM MISSILES (E922)					1			
INDUSTRIAL (E916-E921,E923-E928)	1		1		2			
OTHER REMAINDER OF (E900-E949)					1			
SUICIDE (E950-E959)	2		3		1		3	
HOMICIDE (E960-E978)								
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	DENT		DOUGLAS		DUNKLIN		FRANKLIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	164	1	126		568	55	1,033	12
ATTENDED BY M.D.	101		71		525	34	885	11
ATTENDED BY D.O.	63	1	50		40	21	148	1
ATTENDED BY MIDWIFE					2			
OTHERS OR UNSPECIFIED			5		1			
TOTAL FETAL DEATHS	2		1		5	1	7	1
ATTENDED BY M.D.	1		1		5	1	7	
ATTENDED BY D.O.								1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1							
TOTAL DEATHS	169		122	1	465	14	589	5
UNDER ONE YEAR OF AGE	2		4		12	2	18	
NEONATAL DEATHS	2		4		9	2	15	
MATERNAL DEATHS							1	
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	3				2		1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1		6			
MALIGNANT NEOPLASMS (140-209)	32		15		67	3	99	1
DIGEST. ORGANS (150-159)	9		2		23	2	30	
RESPIRATORY SYSTEM (160-163)	4		2		14	1	17	
BREAST (174)	2		1		5		9	
GENITAL ORGANS (180-187)	4		3		7		12	
URINARY ORGANS (188-189)	2				4		3	
LEUKEMIA (204-207)			2		1		5	
OTHER REMAINDER OF (140-209)	11		5		13		23	1
DIABETES MELLITUS (250)	8		5		12		13	
MAJOR CARDIOVASCULAR DISEASE (390-448)	80		69	1	250	6	315	1
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	55		48	1	186	2	252	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	DENT		DOUGLAS		DUNKLIN		FRANKLIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	3				1		2	
HYPERTENSIVE HEART (402,404)	2		1		5		3	
ISCHEMIC HEART (410-414)	44		44	1	155	2	235	1
OTHER HEART DISEASE (420-429)	6		3		25		12	
HYPERTENSION (400,401,403)	3		1		1		1	
CEREBROVASCULAR DISEASE (430-438)	20		17		51	4	47	
ARTERIOSCLEROSIS (440)	1		3		5		5	
OTHER CIRCULATORY (441-448)	1				7		10	
INFLUENZA/PNEUMONIA (470-474,480-486)	7		5		14	1	15	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		2		5		9	
PEPTIC ULCER (531-533)			1		4		3	
CIRRHOSIS OF LIVER (571)	2		1		3		2	
NEPHRITIS AND NEPHROSIS (580-584)	1				4		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)							1	
CONGENITAL ANOMALIES (740-759)					4	2	5	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2		4		6	1	11	
SYMPTOMS & ILL-DEFINED COND. (780-796)	15		3		24		29	
ALL OTHER DISEASES (RESIDUAL)	6		4		31	1	37	2
ACCIDENTAL DEATHS (E800-E949)	10		11		22		39	1
MOTOR VEHICLE (E810-E823)	7		8		14		17	
OTHER TRANS. (E800-E807,E825-E845)					1		5	
POISONING (E850-E877)								
FALLS (E880-E887)			1		4		5	
FIRES (E890-E899)							3	
DROWNING & SUBMERSIONS (E910)			1		2		3	
FIREARM MISSILES (E922)	1						2	
INDUSTRIAL (E916-E921,E923-E928)	1		1		1		3	1
OTHER REMAINDER OF (E900-E949)	1						1	
SUICIDE (E950-E959)			1		6		7	
HOMICIDE (E960-E978)	1				3		1	
ALL OTHER EXTERNAL CAUSES (E980-E999)					2		1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	GASCONADE		GENTRY		GREENE		GRUNDY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	170		107		2,760	53	178	1
ATTENDED BY M.D.	108		91		2,743	53	154	1
ATTENDED BY D.O.	62		16		14		24	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED					3			
TOTAL FETAL DEATHS	2				32	3	2	
ATTENDED BY M.D.	1				32	3	2	
ATTENDED BY D.O.	1							
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	182		111		1,471	37	229	
UNDER ONE YEAR OF AGE	3		1		46	3	7	
NEONATAL DEATHS	2		1		33	2	7	
MATERNAL DEATHS					1			
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					6			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1				12		1	
MALIGNANT NEOPLASMS (140-209)	28		16		248	3	29	
DIGEST. ORGANS (150-159)	12		2		63		8	
RESPIRATORY SYSTEM (160-163)	5		3		61	1	6	
BREAST (174)	2		3		16		1	
GENITAL ORGANS (180-187)	1		4		32		5	
URINARY ORGANS (188-189)			1		10		3	
LEUKEMIA (204-207)	2				9		1	
OTHER REMAINDER OF (140-209)	6		3		57	2	5	
DIABETES MELLITUS (250)	3		2		12		4	
MAJOR CARDIOVASCULAR DISEASE (390-448)	119		63		790	24	140	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	87		41		519	18	112	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	GASCONADE		GENTRY		GREENE		GRUNDY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)					14			
HYPERTENSIVE HEART (402,404)	1		1		9	2	25	
ISCHEMIC HEART (410-414)	82		36		474	14	81	
OTHER HEART DISEASE (420-429)	4		4		22	2	6	
HYPERTENSION (400,401,403)	1				5		1	
CEREBROVASCULAR DISEASE (430-438)	26		19		195	6	21	
ARTERIOSCLEROSIS (440)	4		2		49		4	
OTHER CIRCULATORY (441-448)	1		1		22		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	5		4		49		10	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)			2		26		7	
PEPTIC ULCER (531-533)					6		2	
CIRRHOSIS OF LIVER (571)	1				10	1	2	
NEPHRITIS AND NEPHROSIS (580-584)					5			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)					1			
CONGENITAL ANOMALIES (740-759)			1		16		2	
DISEASES OF EARLY INFANCY (760-769,2,769.4-772,774-778)	2		1		24	2	5	
SYMPTOMS & ILL-DEFINED COND. (780-796)	5		1		63		4	
ALL OTHER DISEASES (RESIDUAL)	9		13		92	2	13	
ACCIDENTAL DEATHS (E800-E949)	6		6		84	5	10	
MOTOR VEHICLE (E810-E823)	2		1		48	2	2	
OTHER TRANS. (E800-E807,E825-E845)					4	1		
POISONING (E850-E877)					5			
FALLS (E880-E887)	1		2		9		7	
FIRES (E890-E899)					2	1		
DROWNING & SUBMERSIONS (E910)	1		2		6			
FIREARM MISSILES (E922)					2			
INDUSTRIAL (E916-E921,E923-E928)	1				4		1	
OTHER REMAINDER OF (E900-E949)	1		1		4	1		
SUICIDE (E950-E959)	3		2		18			
HOMICIDE (E960-E978)					2			
ALL OTHER EXTERNAL CAUSES (E980-E999)					7			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	HARRISON		HENRY		HICKORY		HOLT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	133		250	4	49		83	
ATTENDED BY M.D.	101		89	3	29		81	
ATTENDED BY D.O.	32		161	1	20		2	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	3		4					
ATTENDED BY M.D.	2		2					
ATTENDED BY D.O.	1		2					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	175	1	307	2	58		119	
UNDER ONE YEAR OF AGE	4		7		2			
NEONATAL DEATHS	2		7		2			
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)				1				
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1		1			
MALIGNANT NEOPLASMS (140-209)	28		42		9		24	
DIGEST. ORGANS (150-159)	2		9		4		3	
RESPIRATORY SYSTEM (160-163)	8		13		2		8	
BREAST (174)	4		2					
GENITAL ORGANS (180-187)	3		10		1		7	
URINARY ORGANS (188-189)	1		1					
LEUKEMIA (204-207)			1		1		3	
OTHER REMAINDER OF (140-209)	10		6		1		3	
DIABETES MELLITUS (250)	1		3		1		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	103	1	183		32		72	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	68	1	120		25		47	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	HARRISON		HENRY		HICKORY		HOLT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		1				2	
HYPERTENSIVE HEART (402,404)	7		3		2		1	
ISCHEMIC HEART (410-414)	59	1	101		15		43	
OTHER HEART DISEASE (420-429)	1		15		8		1	
HYPERTENSION (400,401,403)			1				1	
CEREBROVASCULAR DISEASE (430-438)	32		55		7		21	
ARTERIOSCLEROSIS (440)	1		4				2	
OTHER CIRCULATORY (441-448)	2		3				1	
INFLUENZA/PNEUMONIA (470-474,480-486)	3		7	1	2		7	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)			11				2	
PEPTIC ULCER (531-533)	1		2					
CIRRHOSIS OF LIVER (571)			2					
NEPHRITIS AND NEPHROSIS (580-584)	6							
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2		2		1			
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	1		5		1			
SYMPTOMS & ILL-DEFINED COND. (780-796)	8		5				1	
ALL OTHER DISEASES (RESIDUAL)	11		21		4		6	
ACCIDENTAL DEATHS (E800-E949)	9		22		7		4	
MOTOR VEHICLE (E810-E823)	8		16		3		2	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)								
FALLS (E880-E887)			4		2			
FIRES (E890-E899)								
DROWNING & SUBMERSIONS (E910)					1			
FIREARM MISSILES (E922)	1		1				1	
INDUSTRIAL (E916-E921,E923-E928)							1	
OTHER REMAINDER OF (E900-E949)			1		1			
SUICIDE (E950-E959)	2		1					
HOMICIDE (E960-E978)								
ALL OTHER EXTERNAL CAUSES (E980-E999)							1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	HOWARD		HOWELL		IRON		JACKSON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	126	20	362	1	201		9,456	3,037
ATTENDED BY M.D.	125	20	341	1	177		8,299	2,871
ATTENDED BY D.O.	1		21		23		1,149	154
ATTENDED BY MIDWIFE					1			
OTHERS OR UNSPECIFIED							8	12
TOTAL FETAL DEATHS			7		5		129	73
ATTENDED BY M.D.			6		4		106	71
ATTENDED BY D.O.			1		1		23	2
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	140	19	277	2	116		5,732	1,245
UNDER ONE YEAR OF AGE	1		6		4		172	89
NEONATAL DEATHS			4		2		135	64
MATERNAL DEATHS								1
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					2		18	5
SYPHILIS AND ITS SEQUELAE (090-097)							1	
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1				1		26	5
MALIGNANT NEOPLASMS (140-209)	24	6	38		25		973	172
DIGEST. ORGANS (150-159)	8	1	7		7		241	42
RESPIRATORY SYSTEM (160-163)	5	2	10		6		233	31
BREAST (174)			2		1		100	11
GENITAL ORGANS (180-187)	4	1	11		4		101	34
URINARY ORGANS (188-189)	3		1		1		51	8
LEUKEMIA (204-207)	2	1	1				48	7
OTHER REMAINDER OF (140-209)	2	1	6		6		199	39
DIABETES MELLITUS (250)	1	1	5		1		123	23
MAJOR CARDIOVASCULAR DISEASE (390-448)	90	10	176	2	61		2,779	376
DISEASES OF HEART								
(390-398,402,404,410-429)	64	10	123	2	47		1,945	236

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	HOWARD		HOWELL		IRON		JACKSON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		2				42	8
HYPERTENSIVE HEART (402,404)			2	1	1		30	14
ISCHEMIC HEART (410-414)	62	10	114	1	44		1,759	179
OTHER HEART DISEASE (420-429)	1		5		2		114	35
HYPERTENSION (400,401,403)	1		8				25	10
CEREBROVASCULAR DISEASE (430-438)	22		37		12		645	111
ARTERIOSCLEROSIS (440)	1		4		1		91	11
OTHER CIRCULATORY (441-448)	2		4		1		73	8
INFLUENZA/PNEUMONIA (470-474,480-486)	10		4		3		143	34
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3	1	6		3		115	18
PEPTIC ULCER (531-533)			2				27	4
CIRRHOSIS OF LIVER (571)	1		1		1		91	17
NEPHRITIS AND NEPHROSIS (580-584)							17	12
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								1
CONGENITAL ANOMALIES (740-759)			4		2		44	7
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			3		2		105	51
SYMPTOMS & ILL-DEFINED COND. (780-796)			1		5		435	252
ALL OTHER DISEASES (RESIDUAL)	4		14		5		384	96
ACCIDENTAL DEATHS (E800-E949)	5		20		4		320	64
MOTOR VEHICLE (E810-E823)	2		11		2		160	27
OTHER TRANS. (E800-E807,E825-E845)							14	
POISONING (E850-E877)			1		1		6	
FALLS (E880-E887)	1		2		1		67	15
FIRES (E890-E899)	1		2				21	4
DROWNING & SUBMERSIONS (E910)							6	2
FIREARM MISSILES (E922)			2				9	1
INDUSTRIAL (E916-E921,E923-E928)	1						18	4
OTHER REMAINDER OF (E900-E949)			2				19	11
SUICIDE (E950-E959)	1	1	2				70	7
HOMICIDE (E960-E978)			1		1		46	94
ALL OTHER EXTERNAL CAUSES (E980-E999)							15	7

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	JASPER		JEFFERSON		JOHNSON		KNOX	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	1,357	24	2,102	21	632	51	76	
ATTENDED BY M.D.	1,165	21	2,050	21	560	49	16	
ATTENDED BY D.O.	190	3	50		72	2	60	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	2		2					
TOTAL FETAL DEATHS	9		25		10			
ATTENDED BY M.D.	9		25		7			
ATTENDED BY D.O.					3			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	1,091	13	701	17	284	4	72	1
UNDER ONE YEAR OF AGE	28	1	31	3	10	2		
NEONATAL DEATHS	14	1	25	2	8	1		
MATERNAL DEATHS	1							
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	5		2		1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	8		3	1		1		
MALIGNANT NEOPLASMS (140-209)	170	2	130	2	38		12	1
DIGEST. ORGANS (150-159)	45	2	33	1	11		1	
RESPIRATORY SYSTEM (160-163)	36		34		6		2	
BREAST (174)	14		9		2			
GENITAL ORGANS (180-187)	18		14		8		4	1
URINARY ORGANS (188-189)	7		9		1		1	
LEUKEMIA (204-207)	12		7		4		1	
OTHER REMAINDER OF (140-209)	38		24	1	6		3	
DIABETES MELLITUS (250)	15	1	22		9		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	592	7	349	4	176	1	42	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	417	5	261	4	113	1	29	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	JASPER		JEFFERSON		JOHNSON		KNOX	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	4	1	9		1			
HYPERTENSIVE HEART (402,404)	13		3		3		1	
ISCHEMIC HEART (410-414)	388	4	234	4	100	1	22	
OTHER HEART DISEASE (420-429)	12		15		9		6	
HYPERTENSION (400,401,403)	5		4				2	
CEREBROVASCULAR DISEASE (430-438)	127	2	62		39		11	
ARTERIOSCLEROSIS (440)	30		16		17			
OTHER CIRCULATORY (441-448)	13		6		7			
INFLUENZA/PNEUMONIA (470-474,480-486)	49		30	2	11		5	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	13		8		2		1	
PEPTIC ULCER (531-533)	5		5					
CIRRHOSIS OF LIVER (571)	11		3					
NEPHRITIS AND NEPHROSIS (580-584)	8						1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	1							
CONGENITAL ANOMALIES (740-759)	5		5		4	1		
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	11	1	20	2	5			
SYMPTOMS & ILL-DEFINED COND. (780-796)	55		11		1			
ALL OTHER DISEASES (RESIDUAL)	65	1	45	2	14	1	6	
ACCIDENTAL DEATHS (E800-E949)	71	1	51	4	21		3	
MOTOR VEHICLE (E810-E823)	34	1	27	1	10			
OTHER TRANS. (E800-E807,E825-E845)			3		3			
POISONING (E850-E877)	3		2	1	1			
FALLS (E880-E887)	15		9		3			
FIRES (E890-E899)	6		1	2	1			
DROWNING & SUBMERSIONS (E910)	1		3				1	
FIREARM MISSILES (E922)	2		1		1			
INDUSTRIAL (E916-E921,E923-E928)	2		4		2		1	
OTHER REMAINDER OF (E900-E949)	8		1				1	
SUICIDE (E950-E959)	6		10		2			
HOMICIDE (E960-E978)	1		2					
ALL OTHER EXTERNAL CAUSES (E980-E999)			5					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	LACLEDE		LAFAYETTE		LAWRENCE		LEWIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	341	2	395	18	383		132	10
ATTENDED BY M.D.	334	2	270	13	346		114	5
ATTENDED BY D.O.	6		125	5	37		18	5
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1							
TOTAL FETAL DEATHS	7		5	3	5		1	
ATTENDED BY M.D.	7		4	3	5		1	
ATTENDED BY D.O.			1					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	229	1	318	23	321		144	5
UNDER ONE YEAR OF AGE	4		3		5		3	
NEONATAL DEATHS	2		2		4		3	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	2				1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2			1	3		1	
MALIGNANT NEOPLASMS (140-209)	39		57	2	67		22	1
DIGEST. ORGANS (150-159)	9		16	1	18		3	
RESPIRATORY SYSTEM (160-163)	8		14		21		7	
BREAST (174)	4		2	1	4		1	1
GENITAL ORGANS (180-187)	4		6		4		5	
URINARY ORGANS (188-189)	1		3		2		1	
LEUKEMIA (204-207)	4		3		6		1	
OTHER REMAINDER OF (140-209)	9		13		12		4	
DIABETES MELLITUS (250)	7		7		4			
MAJOR CARDIOVASCULAR DISEASE (390-448)	122	1	187	12	164		91	2
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	92		125	8	123		68	2

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	LACLEDE		LAFAYETTE		LAWRENCE		LEWIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	3		3		3			
HYPERTENSIVE HEART (402,404)	1		4		3		1	
ISCHEMIC HEART (410-414)	82		108	4	113		64	2
OTHER HEART DISEASE (420-429)	6		10	4	4		3	
HYPERTENSION (400,401,403)			3	1	1			
CEREBROVASCULAR DISEASE (430-438)	26	1	50	3	31		19	
ARTERIOSCLEROSIS (440)	4		5		7		4	
OTHER CIRCULATORY (441-448)			4		2			
INFLUENZA/PNEUMONIA (470-474,480-486)	8		16		14		3	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)			4	1	8		1	
PEPTIC ULCER (531-533)	2		1		2		1	
CIRRHOSIS OF LIVER (571)	3		2		1		1	
NEPHRITIS AND NEPHROSIS (580-584)			1	1	3		2	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2				1		2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2		1		3		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	8		7	4	9		1	
ALL OTHER DISEASES (RESIDUAL)	10		21		21		10	1
ACCIDENTAL DEATHS (E800-E949)	17		12	2	15		5	
MOTOR VEHICLE (E810-E823)	10		9	2	11		2	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)								
FALLS (E880-E887)	1		2		2		2	
FIRES (E890-E899)	1							
DROWNING & SUBMERSIONS (E910)	3							
FIREARM MISSILES (E922)					1			
INDUSTRIAL (E916-E921,E923-E928)	1						1	
OTHER REMAINDER OF (E900-E949)	1		1		1			
SUICIDE (E950-E959)	3		1		4		2	
HOMICIDE (E960-E978)	1		1					
ALL OTHER EXTERNAL CAUSES (E980-E999)	1				1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	LINCOLN		LINN		LIVINGSTON		MC DONALD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	276	6	180	3	229	7	241	5
ATTENDED BY M.D.	204	1	111	2	148	3	194	5
ATTENDED BY D.O.	72	5	69	1	81	4	47	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	5		1		5		3	
ATTENDED BY M.D.	4				3		2	
ATTENDED BY D.O.	1		1		2		1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	224	13	283	3	200	3	176	
UNDER ONE YEAR OF AGE	5	2	3		2		6	
NEONATAL DEATHS	4	2	3		1		4	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1		1			
MALIGNANT NEOPLASMS (140-209)	40	1	37		30	1	20	
DIGEST. ORGANS (150-159)	10	1	10		8	1	9	
RESPIRATORY SYSTEM (160-163)	9		3		3		4	
BREAST (174)	1		2		3		2	
GENITAL ORGANS (180-187)	7		5		4		2	
URINARY ORGANS (188-189)	1		2		2		3	
LEUKEMIA (204-207)	2		2		2			
OTHER REMAINDER OF (140-209)	10		13		8			
DIABETES MELLITUS (250)	6		7		6		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	134	9	181	3	131	2	108	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	77	3	127	1	78	1	73	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	LINCOLN		LINN		LIVINGSTON		MC DONALD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			3		4			
HYPERTENSIVE HEART (402,404)	3		2					
ISCHEMIC HEART (410-414)	71	3	118	1	63	1	63	
OTHER HEART DISEASE (420-429)	3		4		11		10	
HYPERTENSION (400,401,403)	5	1	2		2			
CEREBROVASCULAR DISEASE (430-438)	43	5	41	2	35	1	32	
ARTERIOSCLEROSIS (440)	5		4		10		3	
OTHER CIRCULATORY (441-448)	4		7		6			
INFLUENZA/PNEUMONIA (470-474,480-486)	3		7		4		6	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		3		1		3	
PEPTIC ULCER (531-533)	1		4		5		1	
CIRRHOSIS OF LIVER (571)			4				1	
NEPHRITIS AND NEPHROSIS (580-584)			4				1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	4		2					
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2	2	2		1		4	
SYMPTOMS & ILL-DEFINED COND. (780-796)	3				2		3	
ALL OTHER DISEASES (RESIDUAL)	11		21		10		9	
ACCIDENTAL DEATHS (E800-E949)	15		7		9		14	
MOTOR VEHICLE (E810-E823)	9		4		3		8	
OTHER TRANS. (E800-E807,E825-E845)	1							
POISONING (E850-E877)	1						2	
FALLS (E880-E887)	2		1		3		2	
FIRES (E890-E899)			2					
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	1				2		2	
OTHER REMAINDER OF (E900-E949)	1				1			
SUICIDE (E950-E959)	2		2				2	
HOMICIDE (E960-E978)		1	1				1	
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	MACON		MADISON		MARIES		MARION	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	212	8	140		91		398	34
ATTENDED BY M.O.	81		101		42		391	33
ATTENDED BY D.O.	128	8	39		49		7	1
ATTENDED BY MIDWIFE	3							
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	1				2		9	
ATTENDED BY M.O.	1				2		9	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	251	6	142		73		369	28
UNDER ONE YEAR OF AGE	3		1				7	
NEONATAL DEATHS	3		1				7	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	2						2	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)							1	
MALIGNANT NEOPLASMS (140-209)	32	2	31		9		74	1
DIGEST. ORGANS (150-159)	6		9		1		18	
RESPIRATORY SYSTEM (160-163)	5		5		2		26	1
BREAST (174)	3		3				6	
GENITAL ORGANS (180-187)	5		6		1		8	
URINARY ORGANS (188-189)	2	1			3		4	
LEUKEMIA (204-207)	2		2				4	
OTHER REMAINDER OF (140-209)	9	1	6		2		8	
DIABETES MELLITUS (250)	3				4		9	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	150	2	81		40		193	21
DISEASES OF HEART (390-398, 402, 404, 410-429)	96		56		29		132	16

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	MACON		MADISON		MARIES		MARION	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2				1		3	
HYPERTENSIVE HEART (402,404)	9		2		1		1	
ISCHEMIC HEART (410-414)	73		52		26		120	15
OTHER HEART DISEASE (420-429)	12		2		1		8	1
HYPERTENSION (400,401,403)							1	
CEREBROVASCULAR DISEASE (430-438)	44	1	19		9		40	5
ARTERIOSCLEROSIS (440)	8	1	3		1		17	
OTHER CIRCULATORY (441-448)	2		3		1		3	
INFLUENZA/PNEUMONIA (470-474,480-486)	9	1	2		3		14	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		3		2		6	
PEPTIC ULCER (531-533)	3		1		1		1	
CIRRHOSIS OF LIVER (571)	1		1				1	
NEPHRITIS AND NEPHROSIS (580-584)	2		2				1	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2		1				1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2		1				7	
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		3		7		17	1
ALL OTHER DISEASES (RESIDUAL)	20	1	8		5		23	1
ACCIDENTAL DEATHS (E800-E949)	17		7		2		15	2
MOTOR VEHICLE (E810-E823)	8		4				4	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)								
FALLS (E880-E887)	5		1		1		1	1
FIRES (E890-E899)	1						1	1
DROWNING & SUBMERSIONS (E910)			1				1	
FIREARM MISSILES (E922)							1	
INDUSTRIAL (E916-E921,E923-E928)	1						3	
OTHER REMAINDER OF (E900-E949)	2		1		1		4	
SUICIDE (E950-E959)	2		1				3	
HOMICIDE (E960-E978)							1	
ALL OTHER EXTERNAL CAUSES (E980-E999)	2							

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	MERCER		MILLER		MISSISSIPPI		MONITEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	45		264		232	105	139	3
ATTENDED BY M.D.	17		105		109	12	108	2
ATTENDED BY D.O.	28		159		122	89	31	1
ATTENDED BY MIDWIFE					1	2		
OTHERS OR UNSPECIFIED						2		
TOTAL FETAL DEATHS			1		5	4	1	
ATTENDED BY M.D.					5	1	1	
ATTENDED BY D.O.			1			3		
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	113		162		178	59	145	3
UNDER ONE YEAR OF AGE			1		8	7	2	
NEONATAL DEATHS			1		3	3	2	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1					2		
MALIGNANT NEOPLASMS (140-209)	27		28		23	8	28	1
DIGEST. ORGANS (150-159)	5		8		8	1	8	
RESPIRATORY SYSTEM (160-163)	3		6		5		5	
BREAST (174)	1		1		1	2	3	
GENITAL ORGANS (180-187)	7		3		1	1	7	1
URINARY ORGANS (188-189)	3		1		1		2	
LEUKEMIA (204-207)	1		2		2		1	
OTHER REMAINDER OF (140-209)	7		7		5	4	2	
DIABETES MELLITUS (250)	2		3		2		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	62		85		94	29	88	2
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	44		59		71	12	61	2

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	MERCER		MILLER		MISSISSIPPI		MONITEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1		1		1	
HYPERTENSIVE HEART (402,404)	3		1			1	4	
ISCHEMIC HEART (410-414)	38		52		62	9	52	2
OTHER HEART DISEASE (420-429)	3		5		8	2	4	
HYPERTENSION (400,401,403)			1		1			
CEREBROVASCULAR DISEASE (430-438)	14		17		20	16	27	
ARTERIOSCLEROSIS (440)	4		6		2			
OTHER CIRCULATORY (441-448)			2			1		
INFLUENZA/PNEUMONIA (470-474,480-486)	4		3		12	4	3	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)			4		3			
PEPTIC ULCER (531-533)			2			1	1	
CIRRHOSIS OF LIVER (571)			3		2		1	
NEPHRITIS AND NEPHROSIS (580-584)			1		2			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1				2	1	2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			1		1	1	1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	2		3		17	7		
ALL OTHER DISEASES (RESIDUAL)	4		11		10	5	8	
ACCIDENTAL DEATHS (E800-E949)	8		17		9		9	
MOTOR VEHICLE (E810-E823)	6		8		6		5	
OTHER TRANS. (E800-E807,E825-E845)			3					
POISONING (E850-E877)			1					
FALLS (E880-E887)	2		1		1		2	
FIRES (E890-E899)								
DROWNING & SUBMERSIONS (E910)			2					
FIREARM MISSILES (E922)					1		1	
INDUSTRIAL (E916-E921,E923-E928)			1		1		1	
OTHER REMAINDER OF (E900-E949)			1					
SUICIDE (E950-E959)	2		1				1	
HOMICIDE (E960-E978)					1			
ALL OTHER EXTERNAL CAUSES (E980-E999)						1		

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	MONROE		MONTGOMERY		MORGAN		NEW MADRID	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	114	7	159	11	115	2	320	126
ATTENDED BY M.D.	90	7	90	7	103	2	266	101
ATTENDED BY D.O.	22		69	4	12		53	10
ATTENDED BY MIDWIFE	2							15
OTHERS OR UNSPECIFIED							1	
TOTAL FETAL DEATHS	3	1	1	1	6		3	
ATTENDED BY M.D.	1	1		1	5		3	
ATTENDED BY D.O.	2		1		1			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	133	10	162	10	163	5	203	62
UNDER ONE YEAR OF AGE	1		1		2		3	3
NEONATAL DEATHS	1				2		3	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	2							1
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)					2			
MALIGNANT NEOPLASMS (140-209)	21	2	20	3	29	1	28	10
DIGEST. ORGANS (150-159)	6		8		8		7	2
RESPIRATORY SYSTEM (160-163)	1		4	1	7		5	4
BREAST (174)	5		1	1		1	1	
GENITAL ORGANS (180-187)	2		1		4		3	1
URINARY ORGANS (188-189)		1	1		2			
LEUKEMIA (204-207)	1	1	2		4		2	1
OTHER REMAINDER OF (140-209)	6		3	1	4		10	2
DIABETES MELLITUS (250)	4		1		6		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	69	5	113	7	97	2	107	27
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	56	4	77	6	59	1	67	16

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	MONROE		MONTGOMERY		MORGAN		NEW MADRID	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1					1
HYPERTENSIVE HEART (402,404)	3		6		1			
ISCHEMIC HEART (410-414)	40	3	68	5	53	1	62	13
OTHER HEART DISEASE (420-429)	13	1	2	1	5		5	2
HYPERTENSION (400,401,403)	1				1		1	
CEREBROVASCULAR DISEASE (430-438)	6	1	28	1	29	1	34	10
ARTERIOSCLEROSIS (440)	5		5		7			1
OTHER CIRCULATORY (441-448)	1		3		1		5	
INFLUENZA/PNEUMONIA (470-474,480-486)	2		5		5		3	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		2		2	1	3	
PEPTIC ULCER (531-533)	3		1				1	
CIRRHOSIS OF LIVER (571)	2				2		1	
NEPHRITIS AND NEPHROSIS (580-584)	3						1	5
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			1		1			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1				2		3	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	4	2					22	9
ALL OTHER DISEASES (RESIDUAL)	9	1	9		6	1	17	3
ACCIDENTAL DEATHS (E800-E949)	7		6		10		12	4
MOTOR VEHICLE (E810-E823)	5		4		7		8	2
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)	1							
FALLS (E880-E887)			2				1	
FIRES (E890-E899)					1			
DROWNING & SUBMERSIONS (E910)							1	1
FIREARM MISSILES (E922)					1		2	1
INDUSTRIAL (E916-E921,E923-E928)								
OTHER REMAINDER OF (E900-E949)	1				1			
SUICIDE (E950-E959)	2		2		1			
HOMICIDE (E960-E978)	1		1				3	1
ALL OTHER EXTERNAL CAUSES (E980-E999)			1					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	NEWTON		NODAWAY		OREGON		OSAGE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	543	7	344	2	129		196	
ATTENDED BY M.D.	439	6	340	2	74		130	
ATTENDED BY D.O.	102	1	4		55		66	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	2							
TOTAL FETAL DEATHS	10		4		3			
ATTENDED BY M.D.	6		4		1			
ATTENDED BY D.O.	4				2			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	380	3	268		159		121	
UNDER ONE YEAR OF AGE	19		6		2		1	
NEONATAL DEATHS	18		6		1		1	
MATERNAL DEATHS	1							
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	3		1		1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			3		2			
MALIGNANT NEOPLASMS (140-209)	60	1	44		24		21	
DIGEST. ORGANS (150-159)	16	1	10		7		9	
RESPIRATORY SYSTEM (160-163)	13		9		4			
BREAST (174)	5		3					
GENITAL ORGANS (180-187)	6		3		3		2	
URINARY ORGANS (188-189)	1		3		1		3	
LEUKEMIA (204-207)	3		4		2		4	
OTHER REMAINDER OF (140-209)	16		12		7		3	
DIABETES MELLITUS (250)	12		8		1		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	192	1	154		96		76	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	135	1	95		73		59	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	NEWTON		NODAWAY		OREGON		OSAGE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1		5			
HYPERTENSIVE HEART (402,404)			5		1			
ISCHEMIC HEART (410-414)	124	1	85		64		47	
OTHER HEART DISEASE (420-429)	11		4		3		12	
HYPERTENSION (400,401,403)	1		1		1			
CEREBROVASCULAR DISEASE (430-438)	52		44		14		15	
ARTERIOSCLEROSIS (440)	2		7		5		2	
OTHER CIRCULATORY (441-448)	2		7		3			
INFLUENZA/PNEUMONIA (470-474,480-486)	9		8		6		4	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	5		5		3		1	
PEPTIC ULCER (531-533)	2							
CIRRHOSIS OF LIVER (571)	2		2					
NEPHRITIS AND NEPHROSIS (580-584)	3		1					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	1							
CONGENITAL ANOMALIES (740-759)	7				1			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	13		6		1		1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	19	1	1		1		1	
ALL OTHER DISEASES (RESIDUAL)	18		13		9		6	
ACCIDENTAL DEATHS (E800-E949)	27		19		14		6	
MOTOR VEHICLE (E810-E823)	15		10		11		1	
OTHER TRANS. (E800-E807,E825-E845)	1		2					
POISONING (E850-E877)	1							
FALLS (E880-E887)	4		6		1			
FIRES (E890-E899)	2						1	
DROWNING & SUBMERSIONS (E910)	1				1		2	
FIREARM MISSILES (E922)					1			
INDUSTRIAL (E916-E921,E923-E928)	2		1				2	
OTHER REMAINDER OF (E900-E949)	1							
SUICIDE (E950-E959)	3		2				2	
HOMICIDE (E960-E978)	4		1					
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	OZARK		PEMISCOT		PERRY		PETTIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	80		319	242	211		527	23
ATTENDED BY M.D.	65		314	242	206		482	22
ATTENDED BY D.O.	15		5		5		45	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	4		9	9	3		6	
ATTENDED BY M.D.	4		9	9	3		6	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	80		270	109	148		446	32
UNDER ONE YEAR OF AGE			11	10	5		6	
NEONATAL DEATHS			7	6	5		5	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1	1				
SYPHILIS AND ITS SEQUELAE (090-097)							1	
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			3	3				
MALIGNANT NEOPLASMS (140-209)	14		44	16	24		69	5
DIGEST. ORGANS (150-159)	5		14	7	13		20	
RESPIRATORY SYSTEM (160-163)	1		12	3	4		11	1
BREAST (174)	2		2	3	1		6	1
GENITAL ORGANS (180-187)	2		2		1		10	1
URINARY ORGANS (188-189)	2		1	1			1	
LEUKEMIA (204-207)			4	1	2		2	
OTHER REMAINDER OF (140-209)	2		9	1	3		19	2
DIABETES MELLITUS (250)	3		7	3	1		11	
MAJOR CARDIOVASCULAR DISEASE (390-448)	43		129	45	97		273	17
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	35		98	32	72		179	11

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	OZARK		PEMISCOT		PERRY		PETTIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1	1	1		2	
HYPERTENSIVE HEART (402,404)	3		5	4	4		3	
ISCHEMIC HEART (410-414)	30		88	24	62		162	11
OTHER HEART DISEASE (420-429)	2		4	3	5		12	
HYPERTENSION (400,401,403)					1		1	1
CEREBROVASCULAR DISEASE (430-438)	7		29	13	20		81	5
ARTERIOSCLEROSIS (440)			2		2		7	
OTHER CIRCULATORY (441-448)	1				2		5	
INFLUENZA/PNEUMONIA (470-474,480-486)	3		7	4	1		10	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		6	1			4	
PEPTIC ULCER (531-533)			3		1			
CIRRHOSIS OF LIVER (571)			2				3	
NEPHRITIS AND NEPHROSIS (580-584)	2		1				2	2
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)				1	1		3	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			6	5	4		5	
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		20	14	1		1	
ALL OTHER DISEASES (RESIDUAL)	4		19	6	8		32	3
ACCIDENTAL DEATHS (E800-E949)	8		18	8	10		25	2
MOTOR VEHICLE (E810-E823)	3		10	3	7		17	1
OTHER TRANS. (E800-E807,E825-E845)			1		1			1
POISONING (E850-E877)				1				
FALLS (E880-E887)	3		1				2	
FIRES (E890-E899)			2		1		1	
DROWNING & SUBMERSIONS (E910)			1	1				
FIREARM MISSILES (E922)	1			1	1			
INDUSTRIAL (E916-E921,E923-E928)			2				1	
OTHER REMAINDER OF (E900-E949)	1		1	2			4	
SUICIDE (E950-E959)			2				3	1
HOMICIDE (E960-E978)			1	2			3	1
ALL OTHER EXTERNAL CAUSES (E980-E999)	1		1				1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	PHELPS		PIKE		PLATTE		POLK	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	494	12	280	21	577	8	228	
ATTENDED BY M.D.	354	11	209	18	536	7	223	
ATTENDED BY D.O.	139	1	61	3	41	1	5	
ATTENDED BY MIDWIFE			8					
OTHERS OR UNSPECIFIED	1		2					
TOTAL FETAL DEATHS	1			1	10		4	
ATTENDED BY M.D.	1			1	10		2	
ATTENDED BY D.O.							2	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	304	3	212	18	230	2	205	
UNDER ONE YEAR OF AGE	14		4	2	7		3	
NEONATAL DEATHS	13		3	2	6		3	
MATERNAL DEATHS	1				1			
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1						1	
MALIGNANT NEOPLASMS (140-209)	41	1	31	1	36	1	29	
DIGEST. ORGANS (150-159)	10		10	1	9		10	
RESPIRATORY SYSTEM (160-163)	9		9		7	1	4	
BREAST (174)	6		2		2		3	
GENITAL ORGANS (180-187)	2		2		4		4	
URINARY ORGANS (188-189)	1				1			
LEUKEMIA (204-207)	4		2		3		3	
OTHER REMAINDER OF (140-209)	9	1	6		10		5	
DIABETES MELLITUS (250)	4		3		2		4	
MAJOR CARDIOVASCULAR DISEASE (390-448)	172	1	138	10	118	1	124	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	109	1	99	5	82	1	95	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	PHELPS		PIKE		PLATTE		POLK	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		2		3		4	
HYPERTENSIVE HEART (402,404)	3		7	1			2	
ISCHEMIC HEART (410-414)	88	1	83	4	76	1	73	
OTHER HEART DISEASE (420-429)	16		7		3		16	
HYPERTENSION (400,401,403)	2							
CEREBROVASCULAR DISEASE (430-438)	44		27	3	32		24	
ARTERIOSCLEROSIS (440)	11		10	2	3		3	
OTHER CIRCULATORY (441-448)	6		2		1		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	16	1	11	3	6		6	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)			2		6		2	
PEPTIC ULCER (531-533)	1						2	
CIRRHOSIS OF LIVER (571)	2		2		3		1	
NEPHRITIS AND NEPHROSIS (580-584)	2			1	5		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	1				1			
CONGENITAL ANOMALIES (740-759)	2				4		2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	11		3	2	4		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	14		2		14		10	
ALL OTHER DISEASES (RESIDUAL)	9		9	1	11		9	
ACCIDENTAL DEATHS (E800-E949)	21		9		16		9	
MOTOR VEHICLE (E810-E823)	9		3		9		6	
OTHER TRANS. (E800-E807,E825-E845)			1		2			
POISONING (E850-E877)	3							
FALLS (E880-E887)	1		1		1		2	
FIRES (E890-E899)	4				1		1	
DROWNING & SUBMERSIONS (E910)	1		1					
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	2		1		1			
OTHER REMAINDER OF (E900-E949)	1		2		2			
SUICIDE (E950-E959)	5		2		1		2	
HOMICIDE (E960-E978)	1				2			
ALL OTHER EXTERNAL CAUSES (E980-E999)	1				1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	PULASKI		PUTNAM		RALLS		RANDOLPH	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	323	17	80		106	4	311	21
ATTENDED BY M.D.	178	10	16		99	3	205	19
ATTENDED BY D.O.	144	7	64		7	1	106	2
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1							
TOTAL FETAL DEATHS	6	3			2		3	
ATTENDED BY M.D.	3	3			2		2	
ATTENDED BY D.O.	3						1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	188	7	110		88	2	354	28
UNDER ONE YEAR OF AGE	15	3	1		1		3	
NEONATAL DEATHS	11	3	1		1		2	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					1		1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2						1	
MALIGNANT NEOPLASMS (140-209)	29	1	24		16		37	5
DIGEST. ORGANS (150-159)	6		6		10		15	2
RESPIRATORY SYSTEM (160-163)	3		4		3		3	2
BREAST (174)	3		1		1		1	
GENITAL ORGANS (180-187)	3	1	4				7	1
URINARY ORGANS (188-189)	1		1				4	
LEUKEMIA (204-207)	3		2					
OTHER REMAINDER OF (140-209)	10		6		2		7	
DIABETES MELLITUS (250)	3		2		1		13	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	83	1	63		47	1	206	18
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	62		41		31	1	139	13

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	PULASKI		PUTNAM		RALLS		RANDOLPH	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)							1	
HYPERTENSIVE HEART (402,404)	7		4				4	1
ISCHEMIC HEART (410-414)	48		35		28	1	123	9
OTHER HEART DISEASE (420-429)	7		2		3		11	3
HYPERTENSION (400,401,403)							5	
CEREBROVASCULAR DISEASE (430-438)	13	1	18		13		49	4
ARTERIOSCLEROSIS (440)	6		3		3		11	1
OTHER CIRCULATORY (441-448)	2		1				2	
INFLUENZA/PNEUMONIA (470-474,480-486)	6		2		4		13	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		1		3		7	
PEPTIC ULCER (531-533)							3	
CIRRHOSIS OF LIVER (571)	3		1				4	
NEPHRITIS AND NEPHROSIS (580-584)			1		1		2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	4						1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	7	3	1		1		1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	11						10	
ALL OTHER DISEASES (RESIDUAL)	13		7		8		32	1
ACCIDENTAL DEATHS (E800-E949)	20	2	6		4	1	20	1
MOTOR VEHICLE (E810-E823)	12	1	3		2	1	7	
OTHER TRANS. (E800-E807,E825-E845)			1				1	
POISONING (E850-E877)		1	1					
FALLS (E880-E887)	1				2		4	1
FIRES (E890-E899)	2						4	
DROWNING & SUBMERSIONS (E910)							2	
FIREARM MISSILES (E922)							1	
INDUSTRIAL (E916-E921,E923-E928)	3		1					
OTHER REMAINDER OF (E900-E949)	2						1	
SUICIDE (E950-E959)	2		2		1		3	1
HOMICIDE (E960-E978)								
ALL OTHER EXTERNAL CAUSES (E980-E999)	2				1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	RAY		REYNOLDS		RIPLEY		ST CHARLES	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	275	11	115		121		1,955	21
ATTENDED BY M.D.	252	10	110		111		1,825	18
ATTENDED BY D.O.	23	1	5		10		129	3
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED							1	
TOTAL FETAL DEATHS	4		3		3		18	1
ATTENDED BY M.D.	4		3		3		17	
ATTENDED BY D.O.							1	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	214	9	68		145		557	16
UNDER ONE YEAR OF AGE	3		1		5		39	3
NEONATAL DEATHS	2				4		32	2
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2						4	
MALIGNANT NEOPLASMS (140-209)	37	2	13		21		97	1
DIGEST. ORGANS (150-159)	8		4		6		23	1
RESPIRATORY SYSTEM (160-163)	13	1	1		3		19	
BREAST (174)	3		1				13	
GENITAL ORGANS (180-187)	5		2		3		8	
URINARY ORGANS (188-189)	1	1	1		1		3	
LEUKEMIA (204-207)	1		1		1		5	
OTHER REMAINDER OF (140-209)	6		3		7		26	
DIABETES MELLITUS (250)	7	1			6		6	
MAJOR CARDIOVASCULAR DISEASE (390-448)	117	3	43		77		259	4
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	66	1	26		57		169	2

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	RAY		REYNOLDS		RIPLEY		ST CHARLES	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)							3	
HYPERTENSIVE HEART (402,404)			1				3	
ISCHEMIC HEART (410-414)	56	1	23		54		154	2
OTHER HEART DISEASE (420-429)	8		2		3		9	
HYPERTENSION (400,401,403)							4	
CEREBROVASCULAR DISEASE (430-438)	29	2	12		14		74	2
ARTERIOSCLEROSIS (440)	18		3		4		6	
OTHER CIRCULATORY (441-448)	4		2		2		6	
INFLUENZA/PNEUMONIA (470-474,480-486)	9		3		3		21	2
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		2		1		5	
PEPTIC ULCER (531-533)	1				1		2	
CIRRHOSIS OF LIVER (571)	5		1				7	
NEPHRITIS AND NEPHROSIS (580-584)	1		1		1		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	3				1		6	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)					3		28	2
SYMPTOMS & ILL-DEFINED COND. (780-796)	4				12		28	2
ALL OTHER DISEASES (RESIDUAL)	13	2	2		7		37	2
ACCIDENTAL DEATHS (E800-E949)	13	1	3		10		45	2
MOTOR VEHICLE (E810-E823)	8				5		25	1
OTHER TRANS. (E800-E807,E825-E845)							4	
POISONING (E850-E877)							1	
FALLS (E880-E887)	1		1		3		3	
FIRES (E890-E899)		1	1				2	
DROWNING & SUBMERSIONS (E910)					1		2	
FIREARM MISSILES (E922)			1					
INDUSTRIAL (E916-E921,E923-E928)	3				1		6	
OTHER REMAINDER OF (E900-E949)	1						2	1
SUICIDE (E950-E959)	1				1		8	
HOMICIDE (E960-E978)								
ALL OTHER EXTERNAL CAUSES (E980-E999)					1		2	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	ST CLAIR		ST FRANCOIS		STE GENEVIEVE		ST LOUIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	88		648	2	205	1	14,472	1,334
ATTENDED BY M.D.	49		432	2	165	1	13,986	1,292
ATTENDED BY D.O.	39		216		40		481	41
ATTENDED BY MIDWIFE							1	
OTHERS OR UNSPECIFIED							4	1
TOTAL FETAL DEATHS	1		5				161	15
ATTENDED BY M.D.	1		3				157	14
ATTENDED BY D.O.			2				4	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	118	1	538	2	131		6,550	352
UNDER ONE YEAR OF AGE	2		10		2		189	38
NEONATAL DEATHS	2		7		1		155	30
MATERNAL DEATHS							7	
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							16	2
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			6				24	
MALIGNANT NEOPLASMS (140-209)	17		79		14		1,278	59
DIGEST. ORGANS (150-159)	4		23		7		339	17
RESPIRATORY SYSTEM (160-163)	3		18		3		262	9
BREAST (174)			8				160	8
GENITAL ORGANS (180-187)	2		9				129	7
URINARY ORGANS (188-189)	2		2				61	2
LEUKEMIA (204-207)			3		1		63	3
OTHER REMAINDER OF (140-209)	6		16		3		264	13
DIABETES MELLITUS (250)	2		19		6		134	9
MAJOR CARDIOVASCULAR DISEASE (390-448)	75		288	1	77		3,366	120
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	55		187		62		2,448	78

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	ST CLAIR		ST FRANCOIS		STE GENEVIEVE		ST LOUIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			6		1		64	3
HYPERTENSIVE HEART (402,404)	1		3		2		23	2
ISCHEMIC HEART (410-414)	48		168		54		2,266	69
OTHER HEART DISEASE (420-429)	6		10		5		95	4
HYPERTENSION (400,401,403)	1		1	1	1		37	5
CEREBROVASCULAR DISEASE (430-438)	15		77		10		660	28
ARTERIOSCLEROSIS (440)	2		11		2		123	4
OTHER CIRCULATORY (441-448)	2		12		2		98	5
INFLUENZA/PNEUMONIA (470-474,480-486)	5		33		4		171	15
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		17		4		98	1
PEPTIC ULCER (531-533)			3				34	1
CIRRHOSIS OF LIVER (571)	1		3				84	6
NEPHRITIS AND NEPHROSIS (580-584)							23	4
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)							7	
CONGENITAL ANOMALIES (740-759)			2				65	3
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2		7		1		110	25
SYMPTOMS & ILL-DEFINED COND. (780-796)	3		17		4		209	28
ALL OTHER DISEASES (RESIDUAL)	2		33	1	8		411	29
ACCIDENTAL DEATHS (E800-E949)	7	1	26		10		347	28
MOTOR VEHICLE (E810-E823)	2		14		4		178	17
OTHER TRANS. (E800-E807,E825-E845)			2		1		13	
POISONING (E850-E877)							11	2
FALLS (E880-E887)	1		3		2		66	1
FIRES (E890-E899)							22	2
DROWNING & SUBMERSIONS (E910)	1	1	1				18	2
FIREARM MISSILES (E922)							5	
INDUSTRIAL (E916-E921,E923-E928)			5		3		13	2
OTHER REMAINDER OF (E900-E949)	3		1				21	2
SUICIDE (E950-E959)			3		2		111	1
HOMICIDE (E960-E978)	2		1		1		28	14
ALL OTHER EXTERNAL CAUSES (E980-E999)			1				34	7

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	ST LOUIS CITY		SALINE		SCHUYLER		SCOTLAND	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	5,390	6,460	335	21	76		66	
ATTENDED BY M.D.	5,282	6,455	326	20	12		21	
ATTENDED BY D.O.	106	5	8	1	64		45	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	2		1					
TOTAL FETAL DEATHS	95	124	6		1			
ATTENDED BY M.D.	94	122	6					
ATTENDED BY D.O.	1				1			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED		2						
TOTAL DEATHS	6,486	2,904	314	30	87		88	
UNDER ONE YEAR OF AGE	86	223	7	1			1	
NEONATAL DEATHS	58	157	4	1				
MATERNAL DEATHS	1	7						
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	21	17	1					
SYPHILIS AND ITS SEQUELAE (090-097)	3	2	1					
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	17	24						
MALIGNANT NEOPLASMS (140-209)	1,177	408	63	5	9		16	
DIGEST. ORGANS (150-159)	321	127	23	2	3		6	
RESPIRATORY SYSTEM (160-163)	283	84	13	2	2		1	
BREAST (174)	93	23	4					
GENITAL ORGANS (180-187)	132	71	7	1	1		5	
URINARY ORGANS (188-189)	81	13	4					
LEUKEMIA (204-207)	47	9	4		1			
OTHER REMAINDER OF (140-209)	220	81	8		2		4	
DIABETES MELLITUS (250)	177	77	5	1	3		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	3,730	1,307	164	13	57		52	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	2,837	898	114	7	49		35	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	ST LOUIS CITY		SALINE		SCHUYLER		SCOTLAND	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	47	11	1					
HYPERTENSIVE HEART (402,404)	38	27	3		1			
ISCHEMIC HEART (410-414)	2,677	785	97	6	40		35	
OTHER HEART DISEASE (420-429)	75	75	13	1	8			
HYPERTENSION (400,401,403)	23	25	1					
CEREBROVASCULAR DISEASE (430-438)	636	303	46	6	6		14	
ARTERIOSCLEROSIS (440)	156	58	1		1		1	
OTHER CIRCULATORY (441-448)	78	23	2		1		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	191	124	19	2	3		3	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	104	33	4				1	
PEPTIC ULCER (531-533)	32	7	2		1		1	
CIRRHOSIS OF LIVER (571)	98	75	1	1			1	
NEPHRITIS AND NEPHROSIS (580-584)	24	27	1					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	1	7						
CONGENITAL ANOMALIES (740-759)	27	29	2					
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	43	133	2	1			1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	29	18		1				
ALL OTHER DISEASES (RESIDUAL)	420	254	27	2	6		4	
ACCIDENTAL DEATHS (E800-E949)	241	141	17	3	6		5	
MOTOR VEHICLE (E810-E823)	84	52	9		4		3	
OTHER TRANS. (E800-E807,E825-E845)	3	2						
POISONING (E850-E877)	7	10						
FALLS (E880-E887)	105	28	2				1	
FIRES (E890-E899)	17	22	1	1				
DROWNING & SUBMERSIONS (E910)	9	6	1	1				
FIREARM MISSILES (E922)	2	6	1					
INDUSTRIAL (E916-E921,E923-E928)	2	6	1	1	1			
OTHER REMAINDER OF (E900-E949)	12	9	2		1		1	
SUICIDE (E950-E959)	59	10	4		2		1	
HOMICIDE (E960-E978)	64	181						
ALL OTHER EXTERNAL CAUSES (E980-E999)	28	30	1	1				

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	SCOTT		SHANNON		SHELBY		STODDARD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	579	100	113		81	4	357	31
ATTENDED BY M.D.	461	57	99		55	4	207	9
ATTENDED BY D.O.	116	6	14		26		149	18
ATTENDED BY MIDWIFE	2	37						4
OTHERS OR UNSPECIFIED							1	
TOTAL FETAL DEATHS	5	1	2				1	
ATTENDED BY M.D.	5	1	1				1	
ATTENDED BY D.O.			1					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	350	39	79		143	2	288	5
UNDER ONE YEAR OF AGE	14	4	1		3		12	
NEONATAL DEATHS	11	4	1		2		9	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	2		1					
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2						3	
MALIGNANT NEOPLASMS (140-209)	57	4	6		25	1	30	
DIGEST. ORGANS (150-159)	11	2			11	1	12	
RESPIRATORY SYSTEM (160-163)	17	2	3		4		8	
BREAST (174)	4				1		3	
GENITAL ORGANS (180-187)	6		1		4		1	
URINARY ORGANS (188-189)	4							
LEUKEMIA (204-207)	2						2	
OTHER REMAINDER OF (140-209)	13		2		5		4	
DIABETES MELLITUS (250)	4	2	2		4		13	
MAJOR CARDIOVASCULAR DISEASE (390-448)	189	18	51		87	1	160	3
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	130	12	36		56		110	2

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	SCOTT		SHANNON		SHELBY		STODDARD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1							1
HYPERTENSIVE HEART (402,404)	1				14		3	
ISCHEMIC HEART (410-414)	122	10	35		39		94	1
OTHER HEART DISEASE (420-429)	6	2	1		3		13	
HYPERTENSION (400,401,403)	2				7			
CEREBROVASCULAR DISEASE (430-438)	47	6	15		17	1	41	1
ARTERIOSCLEROSIS (440)	6				5		4	
OTHER CIRCULATORY (441-448)	4				2		5	
INFLUENZA/PNEUMONIA (470-474,480-486)	11	6	3		2		19	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	5		2		2		2	
PEPTIC ULCER (531-533)	1				1		1	
CIRRHOSIS OF LIVER (571)	2	2					3	
NEPHRITIS AND NEPHROSIS (580-584)							1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	3		1				3	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	10	4			2		7	
SYMPTOMS & ILL-DEFINED COND. (780-796)	9	1			8		12	
ALL OTHER DISEASES (RESIDUAL)	24	1	7		6		19	
ACCIDENTAL DEATHS (E800-E949)	24	1	3		5		12	1
MOTOR VEHICLE (E810-E823)	13		3		2		6	1
OTHER TRANS. (E800-E807,E825-E845)	1							
POISONING (E850-E877)								
FALLS (E880-E887)	5				2		2	
FIRES (E890-E899)	1							
DROWNING & SUBMERSIONS (E910)							1	
FIREARM MISSILES (E922)	2							
INDUSTRIAL (E916-E921,E923-E928)	1	1			1		1	
OTHER REMAINDER OF (E900-E949)	1						2	
SUICIDE (E950-E959)	5		2		1		2	
HOMICIDE (E960-E978)			1					
ALL OTHER EXTERNAL CAUSES (E980-E999)	2						1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	STONE		SULLIVAN		TANEY		TEXAS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	132		104		163		274	
ATTENDED BY M.D.	131		22		159		202	
ATTENDED BY D.O.			82		2		72	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	1				2			
TOTAL FETAL DEATHS	1		2		2		5	
ATTENDED BY M.D.	1				2		5	
ATTENDED BY D.O.			2					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	110		141		186		236	
UNDER ONE YEAR OF AGE			2		1		5	
NEONATAL DEATHS			2		1		3	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1				2		2	
MALIGNANT NEOPLASMS (140-209)	15		24		34		32	
DIGEST. ORGANS (150-159)	7		7		10		7	
RESPIRATORY SYSTEM (160-163)	2		4		4		4	
BREAST (174)			2		3		2	
GENITAL ORGANS (180-187)	1		5		4		10	
URINARY ORGANS (188-189)	1		1		1		3	
LEUKEMIA (204-207)	1				2		1	
OTHER REMAINDER OF (140-209)	3		5		10		5	
DIABETES MELLITUS (250)	3		5		5		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	66		79		97		136	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	48		65		63		96	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT) RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	STONE		SULLIVAN		TANEY		TEXAS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)								
HYPERTENSIVE HEART (402,404)			7		2		5	
ISCHEMIC HEART (410-414)	45		53		58		88	
OTHER HEART DISEASE (420-429)	3		5		3		3	
HYPERTENSION (400,401,403)					2		1	
CEREBROVASCULAR DISEASE (430-438)	15		12		23		35	
ARTERIOSCLEROSIS (440)			1		6		4	
OTHER CIRCULATORY (441-448)	3		1		3			
INFLUENZA/PNEUMONIA (470-474,480-486)	3		9		5		16	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		4		1		1	
PEPTIC ULCER (531-533)							1	
CIRRHOSIS OF LIVER (571)					4		2	
NEPHRITIS AND NEPHROSIS (580-584)	1						1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)							1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			2				3	
SYMPTOMS & ILL-DEFINED COND. (780-796)	4		1		11		3	
ALL OTHER DISEASES (RESIDUAL)	6		9		12		10	
ACCIDENTAL DEATHS (E800-E949)	8		7		12		22	
MOTOR VEHICLE (E810-E823)	4		3		6		12	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)	1							
FALLS (E880-E887)			1		5		3	
FIRES (E890-E899)			1					
DROWNING & SUBMERSIONS (E910)			1		1		2	
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	2		1				2	
OTHER REMAINDER OF (E900-E949)	1						3	
SUICIDE (E950-E959)	1		1		2		2	
HOMICIDE (E960-E978)	1				1		1	
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	VERNON		WARREN		WASHINGTON		WAYNE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	233		127	13	278	2	118	1
ATTENDED BY M.D.	205		92	6	199	1	95	1
ATTENDED BY D.O.	28		35	6	72	1	23	
ATTENDED BY MIDWIFE					5			
OTHERS OR UNSPECIFIED				1	2			
TOTAL FETAL DEATHS	5				5		1	
ATTENDED BY M.D.	4				5		1	
ATTENDED BY D.O.	1							
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	297	1	122	4	162	3	130	
UNDER ONE YEAR OF AGE	5			1	3		3	
NEONATAL DEATHS	3				3		2	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	5							
MALIGNANT NEOPLASMS (140-209)	29		15		24		34	
DIGEST. ORGANS (150-159)	6		4		4		12	
RESPIRATORY SYSTEM (160-163)	7		1		8		9	
BREAST (174)	3		2		1			
GENITAL ORGANS (180-187)	2		3		4		3	
URINARY ORGANS (188-189)	2		1		1		1	
LEUKEMIA (204-207)	3		2				2	
OTHER REMAINDER OF (140-209)	6		2		6		7	
DIABETES MELLITUS (250)	3		1		7		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	175		80	2	78	2	63	
DISEASES OF HEART								
(390-396, 402, 404, 410-429)	106		71	1	53	2	44	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	VERNON		WARREN		WASHINGTON		WAYNE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1				2		1	
HYPERTENSIVE HEART (402,404)	9				3	1		
ISCHEMIC HEART (410-414)	90		69	1	41	1	41	
OTHER HEART DISEASE (420-429)	6		2		7		2	
HYPERTENSION (400,401,403)	1		1		2		1	
CEREBROVASCULAR DISEASE (430-438)	63		8	1	17		17	
ARTERIOSCLEROSIS (440)	3				3		1	
OTHER CIRCULATORY (441-448)	2				3			
INFLUENZA/PNEUMONIA (470-474,480-486)	9		2		5		2	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		2				1	
PEPTIC ULCER (531-533)	3							
CIRRHOSIS OF LIVER (571)	4		2		1			
NEPHRITIS AND NEPHROSIS (580-584)					2			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		1		1		2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	3				3		1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	21		1		6		8	
ALL OTHER DISEASES (RESIDUAL)	20		5	1	14	1	9	
ACCIDENTAL DEATHS (E800-E949)	19	1	11	1	15		6	
MOTOR VEHICLE (E810-E823)	10		4		8		5	
OTHER TRANS. (E800-E807,E825-E845)	2							
POISONING (E850-E877)				1				
FALLS (E880-E887)	2		1		2			
FIRES (E890-E899)	1		1		1			
DROWNING & SUBMERSIONS (E910)		1	2		1			
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	4		3		3		1	
OTHER REMAINDER OF (E900-E949)								
SUICIDE (E950-E959)	1		2		2			
HOMICIDE (E960-E978)					4			
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 15 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	WEBSTER		WORTH		WRIGHT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	278	1	34		195	2
ATTENDED BY M.D.	241	1	24		129	1
ATTENDED BY D.O.	36		10		66	1
ATTENDED BY MIDWIFE						
OTHERS OR UNSPECIFIED	1					
TOTAL FETAL DEATHS	1				5	1
ATTENDED BY M.D.	1				5	
ATTENDED BY D.O.						1
ATTENDED BY MIDWIFE						
OTHERS OR UNSPECIFIED						
TOTAL DEATHS	193		52		219	
UNDER ONE YEAR OF AGE	7		1		4	
NEONATAL DEATHS	7				3	
MATERNAL DEATHS	1					
CAUSE OF DEATH						
TUBERCULOSIS, ALL FORMS (010-019)					1	
SYPHILIS AND ITS SEQUELAE (090-097)						
OTHER INFECTIVE & PARASITIC DISEASES						
REMAINDER OF (000-136)	2					
MALIGNANT NEOPLASMS (140-209)	26		9		43	
DIGEST. ORGANS (150-159)	3		1		3	
RESPIRATORY SYSTEM (160-163)	4		3		12	
BREAST (174)			2		2	
GENITAL ORGANS (180-187)	5				10	
URINARY ORGANS (188-189)	1		2		2	
LEUKEMIA (204-207)	2				2	
OTHER REMAINDER OF (140-209)	11		1		12	
DIABETES MELLITUS (250)	2		5		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	117		27		118	
DISEASES OF HEART						
(390-398, 402, 404, 410-429)	83		18		84	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	WEBSTER		WORTH		WRIGHT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC						
RHEUMATIC HEART DISEASE (390-398)	2		1		1	
HYPERTENSIVE HEART (402,404)	2		2		2	
ISCHEMIC HEART (410-414)	75		14		73	
OTHER HEART DISEASE (420-429)	4		1		8	
HYPERTENSION (400,401,403)	1					
CEREBROVASCULAR DISEASE (430-438)	25		5		20	
ARTERIOSCLEROSIS (440)	6		4		12	
OTHER CIRCULATORY (441-448)	2				2	
INFLUENZA/PNEUMONIA (470-474,480-486)	6		2		9	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	5		1		5	
PEPTIC ULCER (531-533)					2	
CIRRHOSIS OF LIVER (571)	1					
NEPHRITIS AND NEPHROSIS (580-584)					1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	1					
CONGENITAL ANOMALIES (740-759)	3		1		2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	5				2	
SYMPTOMS & ILL-DEFINED COND. (780-796)					1	
ALL OTHER DISEASES (RESIDUAL)	12		1		13	
ACCIDENTAL DEATHS (E800-E949)	8		6		15	
MOTOR VEHICLE (E810-E823)	4		5		8	
OTHER TRANS. (E800-E807,E825-E845)						
POISONING (E850-E877)						
FALLS (E880-E887)	1		1		3	
FIRES (E890-E899)					3	
DROWNING & SUBMERSIONS (E910)						
FIREARM MISSILES (E922)	1					
INDUSTRIAL (E916-E921,E923-E928)	2				1	
OTHER REMAINDER OF (E900-E949)						
SUICIDE (E950-E959)	3				2	
HOMICIDE (E960-E978)					2	
ALL OTHER EXTERNAL CAUSES (E980-E999)	2					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	BELLEFONTAINE NEIGHBORS		BERKELEY		BRENTWOOD		CAPE GIRARDEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	55		278	48	175	31	456	34
ATTENDED BY M.D.	52		250	42	174	31	437	33
ATTENDED BY D.O.	3		28	6			18	1
ATTENDED BY MIDWIFE					1			
OTHERS OR UNSPECIFIED							1	
TOTAL FETAL DEATHS	2	1	6		1		6	1
ATTENDED BY M.D.	2	1	6		1		6	1
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	114	2	81	3	89	9	260	18
UNDER ONE YEAR OF AGE	1		3	1			12	2
NEONATAL DEATHS	1		1	1			10	2
MATERNAL DEATHS			1					
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1					
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1		1		2	
MALIGNANT NEOPLASMS (140-209)	30		14		18		43	1
DIGEST. ORGANS (150-159)	6		3		4		13	
RESPIRATORY SYSTEM (160-163)	6		4		8		10	1
BREAST (174)	7		1		2		7	
GENITAL ORGANS (180-187)			3					
URINARY ORGANS (188-189)	1				1		3	
LEUKEMIA (204-207)	1				1		1	
OTHER REMAINDER OF (140-209)	9		3		2		9	
DIABETES MELLITUS (250)	4		1		1		3	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	61	1	39		50	4	148	11
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	46		30		34	2	101	9

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	BELLEFONTAINE NEIGHBORS		BERKELEY		BRENTWOOD		CAPE GIRARDEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2						3	
HYPERTENSIVE HEART (402,404)			1		1		5	
ISCHEMIC HEART (410-414)	41		26		32	2	90	8
OTHER HEART DISEASE (420-429)	3		3		1		3	1
HYPERTENSION (400,401,403)		1						
CEREBROVASCULAR DISEASE (430-438)	13		8		13	1	37	2
ARTERIOSCLEROSIS (440)	1		1		3		4	
OTHER CIRCULATORY (441-448)	1					1	6	
INFLUENZA/PNEUMONIA (470-474,480-486)	3		3		2		8	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)			1		4	1	6	
PEPTIC ULCER (531-533)			1			1	1	
CIRRHOSIS OF LIVER (571)	1		2				2	
NEPHRITIS AND NEPHROSIS (580-584)					1		2	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)			1					
CONGENITAL ANOMALIES (740-759)	1			1			2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			1				7	2
SYMPTOMS & ILL-DEFINED COND. (780-796)	4		2		6	1	4	1
ALL OTHER DISEASES (RESIDUAL)	6	1	9		1	2	14	1
ACCIDENTAL DEATHS (E800-E949)	3		3	1	3		14	
MOTOR VEHICLE (E810-E823)	3		2	1	1		9	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)								
FALLS (E880-E887)							2	
FIRES (E890-E899)								
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)			1					
INDUSTRIAL (E916-E921,E923-E928)							2	
OTHER REMAINDER OF (E900-E949)					2		1	
SUICIDE (E950-E959)	1		1				1	
HOMICIDE (E960-E978)			1	1	2		1	
ALL OTHER EXTERNAL CAUSES (E980-E999)							2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	CARTHAGE		CLAYTON		COLUMBIA		CRESTWOOD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	172	1	144	4	980	107	108	2
ATTENDED BY M.D.	165	1	142	4	971	107	108	2
ATTENDED BY D.O.	7		2		8			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED					1			
TOTAL FETAL DEATHS	3		1		5		2	
ATTENDED BY M.D.	3		1		5		2	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	174	2	154	3	301	46	72	1
UNDER ONE YEAR OF AGE	3			1	19	3	4	
NEONATAL DEATHS	2			1	16	3	4	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	2							
SYPHILIS AND ITS SEQUELAE (090-097)					1			
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	3		2		6	1		
MALIGNANT NEOPLASMS (140-209)	31		39		46	11	14	
DIGEST. ORGANS (150-159)	11		10		16	3	5	
RESPIRATORY SYSTEM (160-163)	7		8		6		3	
BREAST (174)	4		6		2	1	3	
GENITAL ORGANS (180-187)	4		3		7	5	1	
URINARY ORGANS (188-189)					1			
LEUKEMIA (204-207)	2		4		2			
OTHER REMAINDER OF (140-209)	3		8		12	2	2	
DIABETES MELLITUS (250)	3	1	3		5		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	92	1	86	2	142	14	40	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	64	1	60	1	98	8	31	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	CARTHAGE		CLAYTON		COLUMBIA		CRESTWOOD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2	1			3		1	
HYPERTENSIVE HEART (402,404)			1		1			
ISCHEMIC HEART (410-414)	62		58	1	86	8	29	
OTHER HEART DISEASE (420-429)			1		8		1	
HYPERTENSION (400,401,403)	3			1				
CEREBROVASCULAR DISEASE (430-438)	13		19		34	6	6	
ARTERIOSCLEROSIS (440)	8		3		7			
OTHER CIRCULATORY (441-448)	4		4		3		3	
INFLUENZA/PNEUMONIA (470-474,480-486)	8		4		18		1	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		1		7			
PEPTIC ULCER (531-533)	2		1		2			
CIRRHOSIS OF LIVER (571)			1		6			
NEPHRITIS AND NEPHROSIS (580-584)	1							1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2				3	1	1	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)				1	11	2	4	
SYMPTOMS & ILL-DEFINED COND. (780-796)	4		1		2		1	
ALL OTHER DISEASES (RESIDUAL)	11		6		23	6	3	
ACCIDENTAL DEATHS (E800-E949)	13		4		22	8	4	
MOTOR VEHICLE (E810-E823)	9		2		11	2	3	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)	1							
FALLS (E880-E887)	2		1		7	1		
FIRES (E890-E899)			1			5		
DROWNING & SUBMERSIONS (E910)					2			
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)								
OTHER REMAINDER OF (E900-E949)	1				2		1	
SUICIDE (E950-E959)			4		5	1	1	
HOMICIDE (E960-E978)					1	2	1	
ALL OTHER EXTERNAL CAUSES (E980-E999)			2		1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	FERGUSON		FLORISSANT		FULTON		GLADSTONE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	395	7	983	17	111	18	292	1
ATTENDED BY M.D.	356	7	940	15	84	15	286	1
ATTENDED BY D.O.	39		43	2	27	3	5	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED							1	
TOTAL FETAL DEATHS	5		13		4		6	
ATTENDED BY M.D.	5		13		4		6	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	151	4	309		115	18	47	
UNDER ONE YEAR OF AGE	6	1	12		1		3	
NEONATAL DEATHS	6	1	10		1		3	
MATERNAL DEATHS			1					
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			3			1		
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			2					
MALIGNANT NEOPLASMS (140-209)	32	1	70		20	4	13	
DIGEST. ORGANS (150-159)	5		11		6		3	
RESPIRATORY SYSTEM (160-163)	9		16		6		5	
BREAST (174)	8		12			2	2	
GENITAL ORGANS (180-187)	3		7		2	2		
URINARY ORGANS (188-189)	1		5					
LEUKEMIA (204-207)	1	1	7		2		1	
OTHER REMAINDER OF (140-209)	5		12		4		2	
DIABETES MELLITUS (250)	3		4		3			
MAJOR CARDIOVASCULAR DISEASE (390-448)	67		132		55	10	21	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	47		98		39	8	10	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	FERGUSON		FLORISSANT		FULTON		GLADSTONE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			4					
HYPERTENSIVE HEART (402,404)			1		4			
ISCHEMIC HEART (410-414)	46		90		29	7	9	
OTHER HEART DISEASE (420-429)	1		3		6	1	1	
HYPERTENSION (400,401,403)	1		4					
CEREBROVASCULAR DISEASE (430-438)	14		25		15	2	7	
ARTERIOSCLEROSIS (440)	2		2		1		3	
OTHER CIRCULATORY (441-448)	3		3				1	
INFLUENZA/PNEUMONIA (470-474,480-486)	6		14		3		1	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		2		3			
PEPTIC ULCER (531-533)			4					
CIRRHOSIS OF LIVER (571)	3		3					
NEPHRITIS AND NEPHROSIS (580-584)			4		2			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)			1					
CONGENITAL ANOMALIES (740-759)	3		4			1	1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	5	1	6		1		3	
SYMPTOMS & ILL-DEFINED COND. (780-796)	4	1	6		8	1		
ALL OTHER DISEASES (RESIDUAL)	13	1	24		11	1	4	
ACCIDENTAL DEATHS (E800-E949)	9		19		8		3	
MOTOR VEHICLE (E810-E823)	6		9		2		2	
OTHER TRANS. (E800-E807,E825-E845)			1					
POISONING (E850-E877)	1							
FALLS (E880-E887)			2		3			
FIRES (E890-E899)			1		1			
DROWNING & SUBMERSIONS (E910)	1		3				1	
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)			2					
OTHER REMAINDER OF (E900-E949)	1		1		2			
SUICIDE (E950-E959)	3		6				1	
HOMICIDE (E960-E978)	2		2					
ALL OTHER EXTERNAL CAUSES (E980-E999)			3		1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	HANNIBAL		INDEPENDENCE		JEFFERSON CITY		JENNINGS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	246	28	2,051	11	423	48	230	2
ATTENDED BY M.D.	245	28	1,942	11	321	33	214	2
ATTENDED BY D.O.	1		106		102	15	16	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED			3					
TOTAL FETAL DEATHS	6		18		2	1	1	
ATTENDED BY M.D.	6		12		2	1	1	
ATTENDED BY D.O.			6					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	269	28	814	13	307	19	222	
UNDER ONE YEAR OF AGE	4		35		12	3	1	
NEONATAL DEATHS	4		29		10	3	1	
MATERNAL DEATHS					1			
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	2		2				2	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		2		2			
MALIGNANT NEOPLASMS (140-209)	56	1	136	2	61	3	37	
DIGEST. ORGANS (150-159)	14		35		14	1	14	
RESPIRATORY SYSTEM (160-163)	22	1	35		11	2	6	
BREAST (174)	4		14		6		3	
GENITAL ORGANS (180-187)	6		17	1	8		3	
URINARY ORGANS (188-189)	3		5		2		1	
LEUKEMIA (204-207)	1		4		2		1	
OTHER REMAINDER OF (140-209)	6		26	1	18		9	
DIABETES MELLITUS (250)	7	1	18		5	1	5	
MAJOR CARDIOVASCULAR DISEASE (390-448)	138	21	399	6	170	8	130	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	96	16	310	4	133	5	99	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	HANNIBAL		INDEPENDENCE		JEFFERSON CITY		JENNINGS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		8		3	1	2	
HYPERTENSIVE HEART (402,404)	1		1		1		1	
ISCHEMIC HEART (410-414)	89	15	294	4	123	4	90	
OTHER HEART DISEASE (420-429)	4	1	7		6		6	
HYPERTENSION (400,401,403)	1		2					
CEREBROVASCULAR DISEASE (430-438)	26	5	72	1	28	2	24	
ARTERIOSCLEROSIS (440)	13		10		4	1	2	
OTHER CIRCULATORY (441-448)	2		5	1	5		5	
INFLUENZA/PNEUMONIA (470-474,480-486)	13		12		12		5	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	6		21		3		4	
PEPTIC ULCER (531-533)	1		4		2		2	
CIRRHOSIS OF LIVER (571)	1		8		2	1	2	
NEPHRITIS AND NEPHROSIS (580-584)	1	1	2		1		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)					1			
CONGENITAL ANOMALIES (740-759)	1		11		3		2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	4		22		8	3	1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	12	1	49	1	3	1	8	
ALL OTHER DISEASES (RESIDUAL)	15	1	56	1	18	1	17	
ACCIDENTAL DEATHS								
(E800-E949)	7	2	52	1	12	1	6	
MOTOR VEHICLE (E810-E823)	3		32		6	1	3	
OTHER TRANS. (E800-E807,E825-E845)			2				1	
POISONING (E850-E877)			3		2			
FALLS (E880-E887)		1	7	1	1		2	
FIRES (E890-E899)	1	1	1					
DROWNING & SUBMERSIONS (E910)			1		1			
FIREARM MISSILES (E922)			1					
INDUSTRIAL (E916-E921,E923-E928)	1		4		1			
OTHER REMAINDER OF (E900-E949)	2		1		1			
SUICIDE (E950-E959)	3		16		3			
HOMICIDE (E960-E978)	1		2	2	1			
ALL OTHER EXTERNAL CAUSES (E980-E999)			2					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	JOPLIN		KANSAS CITY (TOTAL)		KANSAS CITY (JACKSON CNTY)		KANSAS CITY (CLAY CNTY)	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	658	23	6,735	3,014	5,300	3,004	1,190	7
ATTENDED BY M.D.	558	20	5,932	2,848	4,627	2,840	1,073	6
ATTENDED BY D.O.	98	3	798	154	668	152	117	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED	2		5	12	5	12		
TOTAL FETAL DEATHS	4		97	73	78	73	16	
ATTENDED BY M.D.	2		82	71	68	71	11	
ATTENDED BY D.O.	2		15	2	10	2	5	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	532	11	4,614	1,232	4,299	1,231	275	1
UNDER ONE YEAR OF AGE	16	1	128	89	106	89	20	
NEONATAL DEATHS	10	1	98	64	82	64	15	
MATERNAL DEATHS				1		1		
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	2		13	5	13	5		
SYPHILIS AND ITS SEQUELAE (090-097)			1		1			
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	3		23	5	20	5	3	
MALIGNANT NEOPLASMS (140-209)	86	2	797	170	742	170	50	
DIGEST. ORGANS (150-159)	21	2	190	42	186	42	4	
RESPIRATORY SYSTEM (160-163)	21		203	31	184	31	18	
BREAST (174)	6		78	11	72	11	5	
GENITAL ORGANS (180-187)	9		79	33	73	33	6	
URINARY ORGANS (188-189)	7		40	8	39	8	1	
LEUKEMIA (204-207)	5		38	7	36	7	2	
OTHER REMAINDER OF (140-209)	17		169	38	152	38	14	
DIABETES MELLITUS (250)	8		93	23	90	23	3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	284	6	2,234	370	2,077	369	135	1
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	203	4	1,526	232	1,415	231	93	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	JOPLIN		KANSAS CITY (TOTAL)		KANSAS CITY (JACKSON CNTY)		KANSAS CITY (CLAY CNTY)	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		39	8	31	8	7	
HYPERTENSIVE HEART (402,404)	8		26	13	26	13		
ISCHEMIC HEART (410-414)	186	4	1,364	175	1,263	175	84	
OTHER HEART DISEASE (420-429)	7		97	36	95	35	2	1
HYPERTENSION (400,401,403)	2		24	10	23	10	1	
CEREBROVASCULAR DISEASE (430-438)	63	2	537	110	504	110	31	
ARTERIOSCLEROSIS (440)	10		84	11	77	11	6	
OTHER CIRCULATORY (441-448)	6		63	7	58	7	4	
INFLUENZA/PNEUMONIA (470-474,480-486)	20		122	34	117	34	4	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	7		87	18	83	18	4	
PEPTIC ULCER (531-533)	5		22	4	20	4	2	
CIRRHOSIS OF LIVER (571)	7		83	17	78	17	5	
NEPHRITIS AND NEPHROSIS (580-584)	5		14	12	11	12	2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)				1		1		
CONGENITAL ANOMALIES (740-759)	2		27	7	22	7	4	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	9	1	72	51	65	51	7	
SYMPTOMS & ILL-DEFINED COND. (780-796)	27		359	251	354	251	5	
ALL OTHER DISEASES (RESIDUAL)	34	1	316	95	293	95	20	
ACCIDENTAL DEATHS (E800-E949)	29	1	242	63	216	63	21	
MOTOR VEHICLE (E810-E823)	11	1	111	27	98	27	10	
OTHER TRANS. (E800-E807,E825-E845)			9		7		1	
POISONING (E850-E877)	1		1		1			
FALLS (E880-E887)	6		55	14	54	14	1	
FIRES (E890-E899)	4		20	4	20	4		
DROWNING & SUBMERSIONS (E910)	1		5	2	4	2	1	
FIREARM MISSILES (E922)			6	1	6	1		
INDUSTRIAL (E916-E921,E923-E928)	1		13	4	10	4	3	
OTHER REMAINDER OF (E900-E949)	5		22	11	16	11	5	
SUICIDE (E950-E959)	4		54	7	48	7	6	
HOMICIDE (E960-E978)			41	92	38	92	2	
ALL OTHER EXTERNAL CAUSES (E980-E999)			14	7	11	7	2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	KANSAS CITY (PLATTE CNTY)		KIRKSVILLE		KIRKWOOD		MAPLEWOOD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	245	3	306	10	339	75	238	11
ATTENDED BY M.D.	232	2	21	1	336	75	235	11
ATTENDED BY D.O.	13	1	285	9	3		3	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	3		6		1	1	3	
ATTENDED BY M.D.	3		2		1	1	3	
ATTENDED BY D.O.			4					
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	40		194		274	27	151	1
UNDER ONE YEAR OF AGE	2		15		11	4	4	
NEONATAL DEATHS	1		13		8	4	3	
MATERNAL DEATHS					1			
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1					
MALIGNANT NEOPLASMS (140-209)	5		27		54	3	28	
DIGEST. ORGANS (150-159)			9		14	1	8	
RESPIRATORY SYSTEM (160-163)	1		5		12		5	
BREAST (174)	1		4		3		2	
GENITAL ORGANS (180-187)			1		7	1	4	
URINARY ORGANS (188-189)					5			
LEUKEMIA (204-207)			1				2	
OTHER REMAINDER OF (140-209)	3		7		13	1	7	
DIABETES MELLITUS (250)			3		7	1	5	
MAJOR CARDIOVASCULAR DISEASE (390-448)	22		116		142	15	79	
DISEASES OF HEART (390-398, 402, 404, 410-429)	18		86		106	11	58	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	KANSAS CITY (PLATTE CNTY)		KIRKSVILLE		KIRKWOOD		MAPLEWOOD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		1		3	1	3	
HYPERTENSIVE HEART (402,404)			2		1		1	
ISCHEMIC HEART (410-414)	17		74		96	10	49	
OTHER HEART DISEASE (420-429)			9		6		5	
HYPERTENSION (400,401,403)							2	
CEREBROVASCULAR DISEASE (430-438)	2		24		27	3	8	
ARTERIOSCLEROSIS (440)	1		3		5		6	
OTHER CIRCULATORY (441-448)	1		3		4	1	5	
INFLUENZA/PNEUMONIA (470-474,480-486)	1		7		7	2	6	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)			3				1	
PEPTIC ULCER (531-533)			3		1			
CIRRHOSIS OF LIVER (571)			2		4		1	
NEPHRITIS AND NEPHROSIS (580-584)	1		1		3		2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)					1			
CONGENITAL ANOMALIES (740-759)	1		3		4		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			10		6	2	3	
SYMPTOMS & ILL-DEFINED COND. (780-796)			1		4	2	6	
ALL OTHER DISEASES (RESIDUAL)	3		7		25	2	7	
ACCIDENTAL DEATHS (E800-E949)	5		9		8		8	
MOTOR VEHICLE (E810-E823)	3		4		4		5	
OTHER TRANS. (E800-E807,E825-E845)	1							
POISONING (E850-E877)							1	
FALLS (E880-E887)			1				1	
FIRES (E890-E899)			1		1			
DROWNING & SUBMERSIONS (E910)					2			
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)			2				1	
OTHER REMAINDER OF (E900-E949)	1		1		1			
SUICIDE (E950-E959)			1		8		2	
HOMICIDE (E960-E978)	1						1	1
ALL OTHER EXTERNAL CAUSES (E980-E999)	1						1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	MEXICO		MOBERLY		OVERLAND		POPLAR BLUFF	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	164	21	184	18	453	15	259	22
ATTENDED BY M.D.	122	20	124	16	397	13	222	18
ATTENDED BY D.O.	42	1	60	2	54	2	36	3
ATTENDED BY MIDWIFE								1
OTHERS OR UNSPECIFIED					2		1	
TOTAL FETAL DEATHS	1	1	1		2		5	
ATTENDED BY M.D.	1	1			2		4	
ATTENDED BY D.O.			1				1	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	144	20	211	17	229		244	22
UNDER ONE YEAR OF AGE	5	2	1		8		8	3
NEONATAL DEATHS	4	1	1		7		5	2
MATERNAL DEATHS	1							
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2							
MALIGNANT NEOPLASMS (140-209)	18	4	19	1	42		39	5
DIGEST. ORGANS (150-159)	3	1	5	1	11		8	
RESPIRATORY SYSTEM (160-163)	8	1	2		12		4	
BREAST (174)					7		3	
GENITAL ORGANS (180-187)	1	2	5		3		5	3
URINARY ORGANS (188-189)			2		1		1	
LEUKEMIA (204-207)							6	1
OTHER REMAINDER OF (140-209)	6		5		8		12	1
DIABETES MELLITUS (250)	1		8	1	6		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	85	9	133	13	121		130	13
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	63	7	88	10	90		85	8

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	MEXICO		MOBERLY		OVERLAND		POPLAR BLUFF	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	3		1		1			
HYPERTENSIVE HEART (402,404)	7		4					
ISCHEMIC HEART (410-414)	51	5	76	7	85		80	7
OTHER HEART DISEASE (420-429)	2	2	7	3	4		5	1
HYPERTENSION (400,401,403)		1	4					
CEREBROVASCULAR DISEASE (430-438)	15	1	31	3	20		42	4
ARTERIOSCLEROSIS (440)	3		8		8		3	1
OTHER CIRCULATORY (441-448)	4		2		3			
INFLUENZA/PNEUMONIA (470-474,480-486)	5	1	8	1	3		6	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		6		4		9	
PEPTIC ULCER (531-533)	2		1		3		1	
CIRRHOSIS OF LIVER (571)	2		1		5		5	
NEPHRITIS AND NEPHROSIS (580-584)	2	1					1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	1							
CONGENITAL ANOMALIES (740-759)	4		1					
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2	2			7		6	3
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		7		6		18	
ALL OTHER DISEASES (RESIDUAL)	8	3	17		12		14	
ACCIDENTAL DEATHS (E800-E949)	7		9	1	14		11	1
MOTOR VEHICLE (E810-E823)	2		4		3		8	1
OTHER TRANS. (E800-E807,E825-E845)	1				2			
POISONING (E850-E877)	1							
FALLS (E880-E887)	1		3	1	5		2	
FIRES (E890-E899)			1		1			
DROWNING & SUBMERSIONS (E910)			1					
FIREARM MISSILES (E922)							1	
INDUSTRIAL (E916-E921,E923-E928)	1				1			
OTHER REMAINDER OF (E900-E949)	1				2			
SUICIDE (E950-E959)			1		4		1	
HOMICIDE (E960-E978)					2			
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	RAYTOWN		RICHMOND HGHTS		ROLLA		ST ANN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	441		184	34	220	12	283	3
ATTENDED BY M.D.	414		183	34	186	11	255	3
ATTENDED BY D.O.	27		1		34	1	28	
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	7			1			8	
ATTENDED BY M.D.	7			1			8	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	206		155	11	108	2	95	
UNDER ONE YEAR OF AGE	7		4	1	6		8	
NEONATAL DEATHS	5		2	1	6		7	
MATERNAL DEATHS							1	
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)					1			
MALIGNANT NEOPLASMS (140-209)	36		25	4	14	1	17	
DIGEST. ORGANS (150-159)	7		11	4	4		5	
RESPIRATORY SYSTEM (160-163)	7		6		2		4	
BREAST (174)	5		2		3		1	
GENITAL ORGANS (180-187)	6						3	
URINARY ORGANS (188-189)			1		1			
LEUKEMIA (204-207)	2				2		1	
OTHER REMAINDER OF (140-209)	9		5		2	1	3	
DIABETES MELLITUS (250)	5		2		1		1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	105		89	1	58		37	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	79		66	1	33		23	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	RAYTOWN		RICHMOND HGHTS		ROLLA		ST ANN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			2		1			
HYPERTENSIVE HEART (402,404)			2					
ISCHEMIC HEART (410-414)	74		61	1	25		22	
OTHER HEART DISEASE (420-429)	5		1		7		1	
HYPERTENSION (400,401,403)					1		3	
CEREBROVASCULAR DISEASE (430-438)	23		18		14		7	
ARTERIOSCLEROSIS (440)			4		8		3	
OTHER CIRCULATORY (441-448)	3		1		2		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	4		7		7	1	3	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	6		2				4	
PEPTIC ULCER (531-533)	1						1	
CIRRHOSIS OF LIVER (571)	2		3		1			
NEPHRITIS AND NEPHROSIS (580-584)	1				1			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)							1	
CONGENITAL ANOMALIES (740-759)	3						1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	5		1		5		6	
SYMPTOMS & ILL-DEFINED COND. (780-796)	6		7	1	6		3	
ALL OTHER DISEASES (RESIDUAL)	11		9	4	5		5	
ACCIDENTAL DEATHS (E800-E949)	19		10	1	5		9	
MOTOR VEHICLE (E810-E823)	15		2		1		5	
OTHER TRANS. (E800-E807,E825-E845)	1						1	
POISONING (E850-E877)				1	1		1	
FALLS (E880-E887)	2		6		1			
FIRES (E890-E899)					1			
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)							1	
INDUSTRIAL (E916-E921,E923-E928)	1		2		1			
OTHER REMAINDER OF (E900-E949)							1	
SUICIDE (E950-E959)	2				3		4	
HOMICIDE (E960-E978)							1	
ALL OTHER EXTERNAL CAUSES (E980-E999)					1		2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	ST CHARLES		ST JOSEPH		ST LOUIS CITY		SEDALIA	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	761	9	1,154	68	5,390	6,460	347	23
ATTENDED BY M.D.	716	9	1,136	68	5,282	6,455	326	22
ATTENDED BY D.O.	45		18		106	5	21	1
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED					2			
TOTAL FETAL DEATHS	4		26		95	124	5	
ATTENDED BY M.D.	4		25		94	122	5	
ATTENDED BY D.O.			1		1			
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED						2		
TOTAL DEATHS	275	8	1,025	41	6,486	2,904	328	32
UNDER ONE YEAR OF AGE	22		23	7	86	223	4	
NEONATAL DEATHS	19		18	5	58	157	3	
MATERNAL DEATHS					1	7		
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					21	17		
SYPHILIS AND ITS SEQUELAE (090-097)			1		3	2	1	
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	3		3	1	17	24		
MALIGNANT NEOPLASMS (140-209)	49	1	176	6	1,177	408	55	5
DIGEST. ORGANS (150-159)	14	1	41		321	127	11	
RESPIRATORY SYSTEM (160-163)	9		50		283	84	11	1
BREAST (174)	7		14	1	93	23	6	1
GENITAL ORGANS (180-187)	2		22	2	132	71	9	1
URINARY ORGANS (188-189)	1		6		81	13	1	
LEUKEMIA (204-207)	3		6	2	47	9	1	
OTHER REMAINDER OF (140-209)	13		37	1	220	81	16	2
DIABETES MELLITUS (250)	3		19	2	177	77	9	
MAJOR CARDIOVASCULAR DISEASE (390-448)	134	3	553	19	3,730	1,307	199	17
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	90	1	386	13	2,837	898	126	11

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	ST CHARLES		ST JOSEPH		ST LOUIS CITY		SEDALIA	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		8		47	11	2	
HYPERTENSIVE HEART (402,404)			10		38	27	1	
ISCHEMIC HEART (410-414)	88	1	346	12	2,677	785	115	11
OTHER HEART DISEASE (420-429)	1		22	1	75	75	8	
HYPERTENSION (400,401,403)	1		7	2	23	25		1
CEREBROVASCULAR DISEASE (430-438)	39	2	127	3	636	303	64	5
ARTERIOSCLEROSIS (440)	2		18	1	156	58	4	
OTHER CIRCULATORY (441-448)	2		15		78	23	5	
INFLUENZA/PNEUMONIA (470-474,480-486)	12		34	1	191	124	10	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		22		104	33	2	
PEPTIC ULCER (531-533)	1		3		32	7		
CIRRHOSIS OF LIVER (571)	3		11		98	75	3	
NEPHRITIS AND NEPHROSIS (580-584)			3	1	24	27	1	2
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)					1	7		
CONGENITAL ANOMALIES (740-759)	1		6	1	27	29	2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	17		14	3	43	133	3	
SYMPTOMS & ILL-DEFINED COND. (780-796)	9	1	57	5	29	18	1	
ALL OTHER DISEASES (RESIDUAL)	19	2	66	2	420	254	25	3
ACCIDENTAL DEATHS (E800-E949)	18	1	38		241	141	12	2
MOTOR VEHICLE (E810-E823)	10		16		84	52	8	1
OTHER TRANS. (E800-E807,E825-E845)	1				3	2		1
POISONING (E850-E877)	1		1		7	10		
FALLS (E880-E887)	2		15		105	28	1	
FIRES (E890-E899)	1				17	22		
DROWNING & SUBMERSIONS (E910)	1		2		9	6		
FIREARM MISSILES (E922)					2	6		
INDUSTRIAL (E916-E921,E923-E928)	1		1		2	6	1	
OTHER REMAINDER OF (E900-E949)	1	1	3		12	9	2	
SUICIDE (E950-E959)	3		16		59	10	2	1
HOMICIDE (E960-E978)			1		64	181	3	1
ALL OTHER EXTERNAL CAUSES (E980-E999)	1		2		28	30		

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	SIKESTON		SPRINGFIELD		UNIVERSITY CITY		WEBSTER GROVES	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	228	60	2,178	51	338	258	268	32
ATTENDED BY M.D.	192	40	2,167	51	334	257	268	32
ATTENDED BY D.O.	35	1	10		4	1		
ATTENDED BY MIDWIFE	1	19						
OTHERS OR UNSPECIFIED			1					
TOTAL FETAL DEATHS	2	1	23	3	3	1	2	
ATTENDED BY M.D.	2	1	23	3	3	1	2	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFE								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	139	24	1,179	35	528	27	244	20
UNDER ONE YEAR OF AGE	4	2	39	3	2	3	9	1
NEONATAL DEATHS	4	2	28	2	2	2	7	1
MATERNAL DEATHS			1		1			
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1		3		1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		8					
MALIGNANT NEOPLASMS (140-209)	25	3	210	3	107	6	51	7
DIGEST. ORGANS (150-159)	7	2	53		33	2	11	1
RESPIRATORY SYSTEM (160-163)	6	1	54	1	14		8	
BREAST (174)	4		15		16		6	1
GENITAL ORGANS (180-187)	4		24		11	2	6	1
URINARY ORGANS (188-189)			10		12	1	5	
LEUKEMIA (204-207)			6		3		1	
OTHER REMAINDER OF (140-209)	4		48	2	18	1	14	4
DIABETES MELLITUS (250)	1		10		16		7	
MAJOR CARDIOVASCULAR DISEASE (390-448)	76	12	626	22	315	5	133	6
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	52	8	413	16	222	3	95	5

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 16 (CONT)

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1970

	SIKESTON		SPRINGFIELD		UNIVERSITY CITY		WEBSTER GROVES	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			11		8		2	
HYPERTENSIVE HEART (402,404)			7	2				1
ISCHEMIC HEART (410-414)	50	7	379	12	209	3	91	4
OTHER HEART DISEASE (420-429)	2	1	16	2	5		2	
HYPERTENSION (400,401,403)			4		3	1	1	
CEREBROVASCULAR DISEASE (430-438)	20	4	150	6	64	1	25	1
ARTERIOSCLEROSIS (440)	1		40		12		6	
OTHER CIRCULATORY (441-448)	3		19		14		6	
INFLUENZA/PNEUMONIA (470-474,480-486)	4	3	38		11	1	2	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		17		7		3	
PEPTIC ULCER (531-533)			4		2		3	
CIRRHOSIS OF LIVER (571)	1	2	10	1	1	2	5	
NEPHRITIS AND NEPHROSIS (580-584)			2				2	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)			1		1			
CONGENITAL ANOMALIES (740-759)	1		14		1		5	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	4	2	22	2	1	3	3	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	3	1	50		10	2	3	
ALL OTHER DISEASES (RESIDUAL)	7		80	2	31	2	8	2
ACCIDENTAL DEATHS (E800-E949)	10	1	59	5	15	4	13	1
MOTOR VEHICLE (E810-E823)	7		34	2	2	2	10	1
OTHER TRANS. (E800-E807,E825-E845)			2	1				
POISONING (E850-E877)			4		1	1		
FALLS (E880-E887)			7		9		3	
FIRES (E890-E899)	1		2	1	1	1		
DROWNING & SUBMERSIONS (E910)			2		1			
FIREARM MISSILES (E922)	2		1					
INDUSTRIAL (E916-E921,E923-E928)		1	4					
OTHER REMAINDER OF (E900-E949)			3	1	1			
SUICIDE (E950-E959)	3		16		4		5	
HOMICIDE (E960-E978)			2		3	2		
ALL OTHER EXTERNAL CAUSES (E980-E999)	1		7		2		1	2

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF DISEASES, ADAPTED.

TABLE 17

RECORDED DEATHS BY TYPE OF ACCIDENT, AGE AND SEX, MISSOURI 1970

TYPE OF ACCIDENT	ALL AGES		0-4		5-14		15-24		25-44		45-64		65-74		OVER-74	
	MALE	FEML	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1. GRAND TOTAL	2,000	997	76	67	143	56	465	132	431	122	477	180	191	122	216	318
10. WORK TOTAL	163	4	-	-	3	-	25	-	59	1	54	1	16	2	6	-
11. AGRICULTURE	67	3	-	-	3	-	8	-	19	1	19	-	13	2	5	-
12. MINING, QUARRYING, OIL/GAS WELL	6	-	-	-	-	-	2	-	1	-	2	-	1	-	-	-
13. CONSTRUCTION	30	-	-	-	-	-	5	-	10	-	12	-	2	-	1	-
14. MANUFACTURING	15	-	-	-	-	-	4	-	4	-	7	-	-	-	-	-
15. TRANS. AND PUBLIC UTILITIES	19	-	-	-	-	-	2	-	13	-	4	-	-	-	-	-
16. TRADE	4	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-
17. SERVICE	3	1	-	-	-	-	1	-	2	-	-	1	-	-	-	-
18. GOVERNMENT	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
19. OTHER AND UNSPECIFIED INDUS.	17	-	-	-	-	-	3	-	8	-	6	-	-	-	-	-
20. HOME TOTAL	358	325	44	35	31	18	20	15	35	18	87	47	54	39	87	153
21. POISONINGS (GAS EXCEPTED)	9	12	3	2	-	-	2	2	2	4	2	2	-	2	-	-
22. POISONINGS BY GAS AND VAPOR	16	10	-	1	2	-	2	3	4	1	7	4	1	1	-	-
23. FALLS	139	182	10	5	4	2	-	-	7	3	24	17	27	21	67	134
24. FIRES	90	81	7	9	5	11	6	4	9	6	34	23	16	12	13	16
25. DROWNING	9	5	6	2	1	2	-	1	-	-	-	-	1	-	1	-
26. SUFFOCATION, INGESTED OBJECTS	12	7	6	5	-	-	1	-	3	1	1	1	1	-	-	-
27. SUFFOCATION, MECHANICAL	12	8	7	5	3	-	1	-	-	1	-	-	-	1	1	1
28. FIREARMS	35	4	3	1	12	1	6	2	6	-	6	-	-	-	2	-
29. OTHER AND UNSPECIFIED ACC.	36	16	2	5	4	2	2	3	4	2	13	-	8	2	3	2
30. MOTOR VEHICLE TOTAL	1,065	442	23	21	76	25	344	108	248	85	245	103	74	57	54	43
31. INJURY TO PEDESTRIAN	131	66	8	8	34	10	16	5	23	8	26	12	11	12	13	11
32. INJURY TO PEDAL CYCLIST	14	-	-	-	11	-	3	-	-	-	-	-	-	-	-	-
33. INJURY TO RIDER OF ANIMAL OR OCCUPANT OF ANML-DRAWN VEHICLE	2	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-
34. COLLISION WITH RAILROAD TRAIN	39	11	1	-	-	-	11	2	4	2	15	3	4	-	4	4
35. COLLISION WITH OTHER MOTOR V	478	268	4	11	21	11	149	70	121	49	110	67	45	38	28	22
36. COLLISION WITH FIXED OBJECT	136	29	4	1	2	1	61	11	32	7	30	5	3	2	4	2
37. NONCOLLISION	239	62	5	1	7	2	94	19	65	18	54	15	9	4	4	3
38. OTHER AND UNSPECIFIED ACC.	26	5	1	-	-	-	10	1	3	1	9	1	2	1	1	1

NOTE ALL AGES INCLUDES UNKNOWN AGE.
M = MALE F = FEMALE V = VEHICLE

TABLE 17 (CONT)


RECORDED DEATHS BY TYPE OF ACCIDENT, AGE AND SEX, MISSOURI 1970

TYPE OF ACCIDENT	ALL AGES		0-4		5-14		15-24		25-44		45-64		65-74		OVER-74	
	MALE	FEML	M	F	M	F	M	F	M	F	M	F	M	F	M	F
50. PUBLIC NON-MOTOR VEHICLE TOTAL	414	226	9	11	33	13	76	9	89	18	91	29	47	24	69	122
51. RAILROAD NOT WITH MOTOR V	14	4	-	-	2	-	2	-	4	-	4	1	1	1	1	2
52. OTHER V NOT WITH MOTOR V	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
53. WATER TRANSPORT	5	4	-	-	-	-	1	2	1	-	2	2	-	-	1	-
54. AIR-TRANSPORT	27	4	-	2	1	-	2	-	13	1	10	1	1	-	-	-
55. FALLS	104	116	1	-	2	1	2	1	4	1	23	6	19	11	53	96
56. FIRES	9	1	-	-	-	-	-	-	3	-	1	-	4	-	1	1
57. DROWNING	117	22	3	3	16	10	50	1	29	5	12	1	5	-	2	2
58. FIREARMS	21	2	-	-	3	-	5	-	7	2	6	-	-	-	-	-
59. OTHER AND UNSPECIFIED ACC.	116	73	5	6	8	2	14	5	28	9	33	18	17	12	11	21
60. TYPE OF ACCIDENT UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE ALL AGES INCLUDES UNKNOWN AGE.
M = MALE F = FEMALE V = VEHICLE

MARRIAGES

GRAPH E.
MARRIAGE RATES 1949-1970
(per 1,000 population)



MARRIAGES

Year	Number	Rate	Year	Number	Rate
1949	34,689	8.8	1960	35,368	8.2
1950	34,300	8.7	1961	34,640	7.9
1951	30,880	7.7	1962	35,192	8.0
1952	28,373	7.0	1963	37,667	8.5
1953	33,012	8.1	1964	38,802	8.7
1954	33,520	8.2	1965	39,882	8.9
1955	34,162	8.3	1966	42,597	9.5
1956	34,382	8.3	1967	44,055	9.8
1957	31,395	7.5	1968	48,155	10.7
1958	31,965	7.5	1969	50,411	10.9
1959	34,352	8.1	1970	50,224	10.7

SOURCE: Number of marriages recorded by the Division of Health of Missouri, VITAL STATISTICS REPORTS, 1949, to date. Population estimates used for computing rates were: 1950, 1960 and 1970 taken from United States Bureau of Census, CENSUS OF POPULATION for Missouri; 1949, 1951 to 1959 and 1961 to date as computed by the Division of Health of Missouri.

TABLE 18

REPORTED MARRIAGES BY AGE OF GROOM, BY AGE OF BRIDE, MISSOURI 1970

AGE OF GROOM	TOTAL	AGE OF BRIDE														
		15 AND UNO.	16	17	18	19	20	21	22	23	24	25	26	27	28	29
TOTAL	50,224	679	1,890	2,918	5,674	6,029	5,471	4,820	4,201	2,981	2,100	1,293	1,101	962	772	606
15 AND UNDER	24	7	3	1	4	2	4			1						1
16 YEARS	181	35	55	40	25	15	5	1			1	1			2	1
17 YEARS	1,073	110	256	311	236	101	32	15	4	4	2	1				1
18 YEARS	2,555	144	424	590	823	376	111	38	18	13	7	3	2		3	1
19 YEARS	3,966	140	419	657	1,180	988	327	141	49	28	16	4	2	2	3	2
20 YEARS	4,419	73	249	448	1,049	1,129	916	330	105	60	19	16	5	5	1	4
21 YEARS	4,906	54	147	288	806	1,036	1,053	939	329	120	48	18	20	15	8	11
22 YEARS	5,220	44	129	218	568	778	993	990	920	285	117	50	39	29	19	12
23 YEARS	4,794	23	77	142	401	610	785	787	881	603	244	76	48	33	20	15
24 YEARS	3,390	7	50	78	212	358	422	512	580	485	344	104	75	52	39	19
25 YEARS	2,209	12	28	37	108	192	243	268	321	292	257	152	87	65	49	17
26 YEARS	1,821	7	21	24	71	121	163	222	241	261	209	126	135	59	41	29
27 YEARS	1,580	5	6	21	59	96	113	167	182	206	164	145	121	103	53	38
28 YEARS	1,364	3	3	20	27	50	92	110	158	162	164	122	97	101	71	46
29 YEARS	1,016	3	8	6	28	35	55	66	109	109	101	84	78	68	56	49
30 YEARS	826	2	4	7	13	35	36	47	66	63	74	76	53	71	54	38
31 YEARS	738		2	5	8	22	30	47	52	65	62	49	62	46	55	42
32 YEARS	639	2		5	15	22	17	29	32	38	50	35	38	43	53	36
33 YEARS	540	1	2	5	4	9	12	22	24	35	44	37	36	45	30	29
34 YEARS	503	1	1	1	7	9	13	17	32	26	36	32	35	31	28	30
35-39 YEARS	2,005	3	4	8	18	25	31	47	45	75	95	92	108	122	97	98
40-44 YEARS	1,634	3		4	6	12	8	15	28	27	24	50	35	49	51	52
45-49 YEARS	1,329			1	1	4	4	5	12	16	19	11	15	13	22	20
50-54 YEARS	992				2	1	4	4	7	2	3	7	3	7	9	11
55-59 YEARS	758				1	1			2	3			4		4	4
60-64 YEARS	617			1	1	2	2		2			1		1	1	
65-69 YEARS	462		1						1	2			2	1	2	
70-74 YEARS	361								1					1		
75 YEARS AND OVER	288							1								
NOT STATED	14		1		1							1	1		1	

TABLE 18 (CONT)

REPORTED MARRIAGES BY AGE OF GROOM, BY AGE OF BRIDE, MISSOURI 1970

AGE OF GROOM	AGE OF BRIDE														NOT STAT- ED
	30	31	32	33	34	35 TO 39	40 TO 44	45 TO 49	50 TO 54	55 TO 59	60 TO 64	65 TO 69	70 TO 74	75+	
TOTAL	614	483	420	373	341	1,540	1,298	1,108	784	644	495	335	170	94	28
15 AND UNDER			1												
16 YEARS															
17 YEARS															
18 YEARS						1			1						
19 YEARS	1		1			2		3							1
20 YEARS	1	1		1	1	1		1	1						3
21 YEARS	3	4	3	1	1										2
22 YEARS	11	1	4	2	1	3	3	2		1					1
23 YEARS	16	10	3	2	4	7	3	3							1
24 YEARS	10	12	3	4	3	14	5								2
25 YEARS	26	10	9	6	5	15	4	3							3
26 YEARS	23	17	15	7	5	14	8	1	1						
27 YEARS	17	25	14	7	7	22	6	3							
28 YEARS	42	14	22	14	14	22	8	1							1
29 YEARS	39	25	23	14	8	43	7		1						1
30 YEARS	54	25	24	15	17	37	10	3	2						
31 YEARS	36	37	30	18	14	39	10	3	2						2
32 YEARS	48	37	35	17	16	45	22	3	1						
33 YEARS	34	31	19	28	21	44	22	5				1			
34 YEARS	26	33	28	22	18	59	13	4	1						
35-39 YEARS	113	94	78	104	94	382	172	68	15	11	4	1			1
40-44 YEARS	65	49	55	57	58	380	348	175	55	18	5	2	1		2
45-49 YEARS	29	33	31	38	31	203	323	319	117	46	10	4		2	
50-54 YEARS	11	14	13	9	14	129	185	249	199	80	23	5		1	
55-59 YEARS	5	5	7	4	5	54	87	141	171	166	69	19	6		
60-64 YEARS	3	4	1	3	1	14	38	74	126	170	126	32	11	3	
65-69 YEARS	1		1		3	6	12	31	55	80	134	100	23	5	2
70-74 YEARS		2				2	10	9	26	47	85	103	58	17	
75 YEARS AND OVER						2	2	5	10	25	38	68	71	66	
NOT STATED								2			1				6

TABLE 19

REPORTED MARRIAGES BY MARITAL STATUS AND SELECTED AGE GROUPS,
GROOM AND BRIDE , MISSOURI 1970

AGE	GROOM					BRIDE				
	TOTAL	SINGLE	AN- NULLED	WIDOWED	DIVORCED	TOTAL	SINGLE	AN- NULLED	WIDOWED	DIVORCED
TOTAL	50,224	36,238	20	2,283	11,591	50,224	36,716	18	2,685	10,707
15 AND UNDER	24	24				679	679			
16 YEARS	181	180			1	1,890	1,877			11
17 YEARS	1,073	1,070			3	2,918	2,883	1		31
18 YEARS	2,555	2,544			9	5,674	5,549	1	5	112
19 YEARS	3,966	3,930			33	6,029	5,773	2	10	241
20 YEARS	4,419	4,338	1	2	74	5,471	5,080	1	21	361
21 YEARS	4,906	4,713		5	184	4,820	4,304	2	11	499
22 YEARS	5,220	4,873	1	10	333	4,201	3,593		22	581
23 YEARS	4,794	4,270	3	10	509	2,981	2,307	1	30	642
24 YEARS	3,390	2,848		5	532	2,100	1,407		23	668
25 YEARS	2,209	1,688	2	15	502	1,293	750	3	30	506
26 YEARS	1,821	1,227		10	582	1,101	550		26	521
27 YEARS	1,580	994	5	13	564	962	401		21	540
28 YEARS	1,364	766	1	9	588	772	288		20	464
29 YEARS	1,016	506		10	498	606	202	2	29	372
30 YEARS	826	354	1	8	461	614	167		34	411
31 YEARS	738	293	1	23	418	483	112		23	345
32 YEARS	639	215		18	404	420	95		27	296
33 YEARS	540	165		15	358	373	97		25	250
34 YEARS	503	142		18	342	341	57		34	247
35-39 YEARS	2,005	479	1	82	1,439	1,540	204		170	1,160
40-44 YEARS	1,634	239	1	134	1,255	1,298	118	1	233	940
45-49 YEARS	1,329	142		174	1,007	1,108	81	2	320	700
50-54 YEARS	992	89	1	247	654	784	51		361	368
55-59 YEARS	758	48		316	386	644	29		371	237
60-64 YEARS	617	46		331	233	495	29		343	119
65-69 YEARS	462	24	1	308	125	335	8	2	262	57
70-74 YEARS	361	12		286	58	170	6		148	15
75 YEARS AND OVER	288	11	1	232	38	94	1		84	8
NOT STATED	14	8		2	1	28	18		2	5

TOTAL FOR GROOM AND BRIDE INCLUDES NOT STATED

TABLE 20

REPORTED MARRIAGES BY MARITAL STATUS,
MISSOURI 1970

GROOM	TOTAL	BRIDE				
		SINGLE	WIDOWED	DIVORCED	ANNULLED	NOT STATED
SINGLE	36,238	32,690	375	3,138	10	25
WIDOWED	2,283	265	1,265	751		2
DIVORCED	11,591	3,724	1,042	6,811	3	11
ANNULLED	20	10		5	5	
NOT STATED	92	27	3	2		60
TOTAL	50,224	36,716	2,685	10,707	18	98


TABLE 21

REPORTED MARRIAGES BY COLOR OF GROOM BY COLOR OF BRIDE, MISSOURI 1970.

COLOR OF GROOM	TOTAL	COLOR OF BRIDE		
		WHITE	NONWHITE	NOT STATED
WHITE	45,424	45,343	68	13
NONWHITE	4,692	139	4,553	
NOT STATED	108	12		96
TOTAL	50,224	45,494	4,621	109

DIVORCES

GRAPH F.
DIVORCE RATES 1949-1970
(per 1,000 population)



DIVORCES

Year	Number	Rate	Year	Number	Rate
1949	12,912	3.3	1960	11,320	2.6
1950	12,177	3.1	1961	11,574	2.7
1951	12,131	3.0	1962	11,882	2.7
1952	12,943	3.2	1963	12,652	2.9
1953	12,342	3.0	1964	12,785	2.9
1954	11,705	2.9	1965	13,261	3.0
1955	11,351	2.8	1966	13,758	3.1
1956	10,993	2.6	1967	14,520	3.2
1957	10,861	2.6	1968	16,473	3.6
1958	10,747	2.5	1969	17,578	3.8
1959	11,695	2.8	1970	17,852	3.8

SOURCE: Number of Divorces recorded by the Division of Health of Missouri, VITAL STATISTICS REPORTS, 1949, to date. Population estimates used for computing rates were: 1950, 1960 and 1970 taken from United States Bureau of Census, CENSUS OF POPULATION for Missouri; 1949, 1951 to 1959 and 1961 to date as computed by the Division of Health of Missouri.

TABLE 22

REPORTED DIVORCES AND ANNULMENTS BY NUMBER OF PREVIOUS MARRIAGES.
HUSBAND BY WIFE, MISSOURI 1970

HUSBAND	WIFE							
	DIVORCES							
	TOTAL	NONE	ONE	TWO	THREE	FOUR	FIVE OR MORE	NOT STATED
TOTAL	17,747	12,265	3,916	1,075	297	71	35	88
NONE	12,152	10,586	1,282	204	44	11	7	18
ONE	3,903	1,348	1,911	461	125	25	12	21
TWO	1,158	245	515	284	70	28	7	9
THREE	292	41	132	74	40	2	3	
FOUR	83	8	33	26	9	3	4	
FIVE OR MORE	46	3	20	16	4	2	1	
NOT STATED	113	34	23	10	5		1	40
HUSBAND	ANNULMENTS							
	TOTAL	NONE	ONE	TWO	THREE	FOUR	FIVE OR MORE	NOT STATED
	TOTAL	NONE	ONE	TWO	THREE	FOUR	FIVE OR MORE	NOT STATED
TOTAL	105	46	44	11	2		1	1
NONE	35	31	2	1				1
ONE	46	8	27	8	2		1	
TWO	16	3	11	2				
THREE	3	1	2					
FOUR	3	3						
FIVE OR MORE								
NOT STATED	2		2					

TABLE 23

REPORTED DIVORCES AND ANNULMENTS BY DURATION OF MARRIAGE, MISSOURI 1970

DURATION OF MARRIAGE
(IN YEARS)

	TOTAL	DIVORCES	ANNULMENTS
TOTAL	17,852	17,747	105
UNDER 1 YEAR	561	529	32
1 YEAR	1,934	1,878	56
2 YEARS	2,051	2,040	11
3 YEARS	1,716	1,715	1
4 YEARS	1,433	1,431	2
5 YEARS	1,284	1,284	
6 YEARS	976	976	
7 YEARS	854	853	1
8 YEARS	675	675	
9 YEARS	614	614	
10 YEARS	552	552	
11 YEARS	487	487	
12 YEARS	423	423	
13 YEARS	392	392	
14 YEARS	371	371	
15 YEARS	355	355	
16 YEARS	282	282	
17 YEARS	281	281	
18 YEARS	242	242	
19 YEARS	261	261	
20-24 YEARS	1,095	1,095	
25-29 YEARS	519	517	2
30-34 YEARS	261	261	
35-39 YEARS	107	107	
40 YEARS AND OVER	90	90	
NOT STATED	36	36	

TABLE 24 REPORTED DIVORCES AND ANNULMENTS BY NUMBER OF CHILDREN AFFECTED, MISSOURI 1970

CHILDREN REPORTED	TOTAL	DIVORCES	ANNULMENTS
TOTAL	17,852	17,747	105
NO CHILDREN	7,692	7,589	103
ONE CHILD	4,403	4,403	
TWO CHILDREN	3,081	3,080	1
THREE CHILDREN	1,469	1,469	
FOUR CHILDREN	678	677	1
FIVE CHILDREN	288	288	
SIX CHILDREN	132	132	
SEVEN CHILDREN	42	42	
EIGHT CHILDREN	19	19	
NINE OR MORE CHILDREN	19	19	
NOT STATED	29	29	

TABLE 25 REPORTED DIVORCES AND ANNULMENTS BY COMPLAINANT BY TO WHOM DECREE GRANTED
DECREE TO WHOM GRANTED

COMPLAINANT	DIVORCES					ANNULMENTS				
	TOTAL	HUSBAND	WIFE	SEPARATE MAINT. HUSBAND WIFE	NOT STATED	TOTAL	HUSBAND	WIFE	SEPARATE MAINT. HUSBAND WIFE	NOT STATED
TOTAL	17,747	3,815	13,898	1	33	105	25	77		3
HUSBAND	4,522	3,664	849		9	28	24	3		1
WIFE	13,176	136	13,017	1	22	76	1	73		2
OTHER	1		1							
NOT STATED	48	15	31		2	1		1		

TABLE 26 REPORTED DIVORCES AND ANNULMENTS BY COMPLAINANT BY DISPOSITION OF CHILDREN
DISPOSITION OF CHILDREN

COMPLAINANT	TOT.	DIVORCES						ANNULMENTS					
		HUS- BAND	WIFE	GUARD- IAN	CUST. NOT JNT OTHER	STAT	NO CHILD	HUS- BAND	WIFE	GUARD- IAN	CUST. NOT JNT OTHER	STAT	NO CHILD
TOTAL	17,747	759	8,924	1	215	38	150	7,660	105				105
HUSBAND	4,522	548	1,362		75	10	101	2,426	28				28
WIFE	13,176	208	7,546	1	140	27	48	5,206	76				76
OTHER	1												
NOT STATED	48	3	16			1	1	27	1				1

TABLE 27

REPORTED DIVORCES AND ANNULMENTS BY ALIMONY AND SETTLEMENT, MISSOURI 1970

ALIMONY AND SETTLEMENT	NUMBER		ANNUL- MENTS
	TOTAL	DIVORCES	
TOTAL	17,852	17,747	105
NO ALIMONY OR SUPPORT	8,685	8,580	105
ALIMONY TO WIFE	937	937	
ALIMONY TO HUSBAND			
PROPERTY SETTLEMENT	19	19	
SUPPORT TO CHILDREN	4,118	4,118	
ALIMONY AND CHILD SUPPORT	3,982	3,982	
ALIMONY OR SUPPORT TO OTHERS			
NOT STATED	111	111	

TABLE 28

REPORTED DIVORCES AND ANNULMENTS BY LEGAL GROUNDS FOR DECREE

LEGAL GROUNDS FOR DECREE	NUMBER		ANNUL- MENTS
	TOTAL	DIVORCES	
TOTAL	17,852	17,747	105
ADULTERY	113	113	
CRUELTY	191	191	
DESERTION	740	740	
DRUNKENNESS	70	70	
NON-SUPPORT	73	73	
BIGAMY	7	7	
CONVICTION OF CRIME	32	32	
GENERAL INDIGNITIES	16,450	16,450	
INSANITY			
ANNULMENTS	105		105
SOCIAL DISEASE			
NOT STATED	71	71	

TABLE 29

REPORTED DIVORCES AND ANNULMENTS BY COLOR, HUSBAND BY WIFE, MISSOURI 1970

HUSBAND	DIVORCES	WIFE			NOT STATED
		TOTAL	WHITE	NONWHITE	
TOTAL		17,747	15,437	2,001	309
WHITE		15,423	15,347	32	44
NONWHITE		2,007	37	1,962	8
NOT STATED		317	53	7	257
ANNULMENTS					
TOTAL		105	94	11	
WHITE		93	93		
NONWHITE		11		11	
NOT STATED		1	1		

TABLE 30

REPORTED DIVORCES AND ANNULMENTS BY NUMBER OF CASES CONTESTED, MISSOURI 1970

CONTESTANT	TOTAL	DIVORCES	ANNULMENTS
TOTAL	17,852	17,747	105
HUSBAND	784	784	
WIFE	554	551	3
NO CONTEST	16,409	16,307	102
NOT STATED	105	105	

